Printing date 01/30/2018	Reviewed on 01/30/20
1 Identification	
· Product identifier	
• Trade name: <u>Ferrous Ammonium Sulfate</u> 1.5% w/v Solution	
• Article number: UC109	
· Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
· Information department:	
Technical Coordinator	
Sherman Nelson sherman@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS08 Health hazard	
Carc. 1A H350 May cause cancer.	
GHS05 Corrosion	
Skin Corr. 1A H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
· Label elements	
• GHS label elements The product is classified and labeled accor • Hazard pictograms	ding to the Globally Harmonized System (GHS).
$\vee$ $\vee$	
GHS05 GHS08	
· Signal word Danger	
• Hazard-determining components of labeling:	
Sulfuric Acid 96 - 98% • Hazard statements	
Causes severe skin burns and eye damage.	
May cause cancer.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and un	nderstood.
Do not breathe dusts or mists.	
	(Contd. on page

: 2) - US

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Ferrous Ammonium Sulfate 1.5% w/v Solution

	of page 1)
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas	sv to do
Continue rinsing.	<i>iy io uo</i> .
IF exposed or concerned: Get medical advice/attention.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = $0$	
3  0  Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & 2 \\ \hline \end{array} \\ Health = 2 \\ \hline \end{array}$	
FIRE 0 Fire = 0	
<b>REACTIVITY</b> $\bigcirc$ Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
• <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
	1.812%
CAS: 7783-85-9 Ferrous Ammonium Sulfate	1.477%
· Table of Nonhazardous Ingredients	

CAS: 7732-18-5 Water

#### 4 First-aid measures

· Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

96.711%

US

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Ferrous Ammonium Sulfate 1.5% w/v Solution

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

· Personal precaut	ions, protective equipment and emergency procedures	
	equipment. Keep unprotected persons away.	
<ul> <li>Environmental p</li> </ul>	recautions:	
Dilute with plenty	of water.	
	nter sewers/ surface or ground water.	
	terial for containment and cleaning up:	
	<i>d</i> -binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing		
Dispose contamir	nated material as waste according to item 13.	
Ensure adequate		
· Reference to othe		
	information on safe handling.	
	information on personal protection equipment.	
	r disposal information.	
• Protective Action	Criteria for Chemicals	
· PAC-1:		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	$0.20 \ mg/m^3$
CAS: 7783-85-9	Ferrous Ammonium Sulfate	9.6 $mg/m^3$
· PAC-2:		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 $mg/m^3$
CAS: 7783-85-9	Ferrous Ammonium Sulfate	110 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m <sup>3</sup>
CAS: 7783-85-9	Ferrous Ammonium Sulfate	640 mg/m <sup>3</sup>

#### 7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

(Contd. of page 2)

US

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Ferrous Ammonium Sulfate 1.5% w/v Solution

(Contd. of page 3)

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m<sup>3</sup>

REL Long-term value: 1 mg/m<sup>3</sup>

*TLV Long-term value:* 0.2\* *mg/m<sup>3</sup>* \*as thoracic fraction

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Ferrous Ammonium Sulfate 1.5% w/v Solution

(Contd. of page 4)

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and of	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color: Odor:	Pale Blue Odorless	
Odor: Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
	~2	
Change in condition Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.01535 g/cm <sup>3</sup> (8.4731 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	96.7 %	

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name:	<b>Ferrous Ammonium</b>	Sulfate
	1.5% w/v Solution	

		(Contd. of page 5)
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gl	
Solids content: • Other information	1.5 % No further relevant information available.	

#### **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	1
· NTP (National Toxicology Program)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

US

Printing date 01/30/2018

Reviewed on 01/30/2018

#### Trade name: Ferrous Ammonium Sulfate 1.5% w/v Solution

(Contd. of page 6)

#### $\cdot$ Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
DOT, IMDG, IATA	UN1760
· UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Sulfuric acid)
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (SULPHURIC ACID)
· Transport hazard class(es)	
·DOT	
CORROSIVE 8	
Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group	

Printing date 01/30/2018

Reviewed on 01/30/2018

#### Trade name: Ferrous Ammonium Sulfate 1.5% w/v Solution

	(Contd. of page
Environmental hazards:	λ7-
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F- $A$ , $S$ - $B$
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
	Code: E2
Excepted quantities $(\widetilde{EQ})$	Maximum net quantity per inner packaging: 30 ml

#### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· Section 313 (Specific toxic chemical listings):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· TSCA (Toxic Substances Control Act):

Sulfuric Acid 96 - 98%

Water

· TSCA new (21st Century Act) (Substances not listed)

CAS: 7783-85-9 Ferrous Ammonium Sulfate

· Proposition 65

 $\cdot$  Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 01/30/2018

Reviewed on 01/30/2018

#### Trade name: Ferrous Ammonium Sulfate 1.5% w/v Solution

(Contd. of page 8)

A2

· Carcinogenic categori	es
-------------------------	----

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling:

Sulfuric Acid 96 - 98%

• Hazard statements

*Causes severe skin burns and eye damage. May cause cancer.* 

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).

 Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Ferrous Ammonium Sulfate 1.5% w/v Solution

(Contd. of page 9)

(	Other information
	This information is based on our present knowledge. However, this shall not constitute a guarantee for an specific product features and shall not establish a legally valid contractual relationship.
1	Department issuing SDS: Environment protection department.
	Contact:
	Date of preparation / last revision
	01-30-2018: review SDS for accuracy. STN
	Creation date for SDS 01-07-2015. STN
	01/30/2018 / -
	Abbreviations and acronyms:
	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
	Carriage of Dangerous Goods by Road)
	MDG: International Maritime Code for Dangerous Goods
	DOT: US Department of Transportation
	ATA: International Air Transport Association
	ACGIH: American Conference of Governmental Industrial Hygienists
	EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	NFPA: National Fire Protection Association (USA)
	HIS: Hazardous Materials Identification System (USA)
	OC: Volatile Organic Compounds (USA, EU)
	PBT: Persistent, Bioaccumulative and Toxic
ı	PVB: very Persistent and very Bioaccumulative
1	NIOSH: National Institute for Occupational Safety
(	OSHA: Occupational Safety & Health
1	FLV: Threshold Limit Value
	PEL: Permissible Exposure Limit
	REL: Recommended Exposure Limit
	Skin Corr. 1A: Skin corrosion/irritation – Category 1A
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
(	Carc. 1A: Carcinogenicity – Category 1A