Printing date 12/19/2017 Reviewed on 12/19/2017

1 Identification

· Product identifier

· Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

· Article number: ODP172

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300

Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS03 Flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidizer.



GHS08 Health hazard

Repr. 1 H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

(Contd. of page 1)

· Hazard pictograms









GHS02

GHS03

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Ethylene Glycol Monomethyl Ether

Perchloric acid 68 - 70% w/w

· Hazard statements

Flammable liquid and vapor.

May intensify fire; oxidizer.

Harmful in contact with skin or if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

(Contd. of page 2)

- · Classification system:
- · NFPA ratings (scale 0 4)



The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
	Ethylene Glycol Monomethyl Ether	98.517%
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	1.483%

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

US

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

(Contd. of page 3)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
	Ethylene Glycol Monomethyl Ether	0.3 ppm
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	0.61 ppm
· PAC-2:		
	Ethylene Glycol Monomethyl Ether	14 ppm
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	6.7 ppm
· PAC-3:		
	Ethylene Glycol Monomethyl Ether	2000* ppm
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	40 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

(Contd. of page 4)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

Ethyle	ne Glycol Monomethyl Ether
PEL	Long-term value: 80 mg/m³, 25 ppm Skin
REL	Long-term value: 0.3 mg/m³, 0.1 ppm Skin
TLV	Long-term value: 0.3 mg/m³, 0.1 ppm Skin: RFI

· Ingredients with biological limit values:

Ethylene Glycol Monomethyl Ether

BEI 1 mg/g creatinine

WEEL Skin; B

LD50 Intraperitoneal: urine

Time: end of shift at end of workweek

LD50: 2-Methoxyacetic acid

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

(Contd. of page 5)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Appearance: Form: Color: Clear Odor: Mild Odor threshold: Not determined. PH-value at 20 °C (68 °F): 4 Change in condition Melting point/Melting range: Boiling point/Boiling range: 124 °C (255.2 °F) Flash point: 38 °C (100.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 310 °C (590 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vap mixtures are possible. Explosion limits: Lower: Low	Information on basic physical and c	chemical properties
Form: Color: Clear Odor: Mild Odor threshold: Not determined. pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: 124 °C (255.2 °F) Flash point: 38 °C (100.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 310 °C (590 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vap mixtures are possible. Explosion limits: Lower: Lower: Lower: Lower: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.	General Information	
Color: Odor: Odor Mild Not determined. PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Melting range: 124 °C (255.2 °F) Flash point: Flammability (solid, gaseous): Not applicable. Ignition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vag mixtures are possible. Explosion limits: Lower: Lower: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): O-97105 g/cm³ (8.10341 lbs/gal) Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible.		71
Odor: Mild Not determined. pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: 124 °C (255.2 °F) Flash point: 38 °C (100.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 310 °C (590 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vap mixtures are possible. Explosion limits: Lower: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): 0.97105 g/cm³ (8.10341 lbs/gal) Relative density Not determined. Not determined. Solubility in / Miscibility with		
Odor threshold: PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: 124 °C (255.2 °F) Flash point: 38 °C (100.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 310 °C (590 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vap mixtures are possible. Explosion limits: Lower: Lower: Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: 124 °C (255.2 °F) Flash point: 38 °C (100.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 310 °C (590 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapmixtures are possible. Explosion limits: Lower: Upper: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): 0.97105 g/cm³ (8.10341 lbs/gal) Relative density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.	0 11011	
Melting point/Melting range: Boiling point/Boiling range: 124 °C (255.2 °F) Flash point: 38 °C (100.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 310 °C (590 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapmixtures are possible. Explosion limits: Lower: Upper: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): Not determined. Solubility in / Miscibility with Water: Fully miscible.	pH-value at 20 °C (68 °F):	4
Melting point/Melting range: Boiling point/Boiling range: 124 °C (255.2 °F) Flash point: 38 °C (100.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 310 °C (590 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapmixtures are possible. Explosion limits: Lower: Upper: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): Relative density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.	Change in condition	
Flash point: Flammability (solid, gaseous): Not applicable. Ignition temperature: 310 °C (590 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapmixtures are possible. Explosion limits: Lower: Upper: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.		-85 °C (-121 °F)
Flammability (solid, gaseous): Not applicable. Ignition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vap mixtures are possible. Explosion limits: Lower: Upper: 2.4 Vol % 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): Relative density Vapor density Vapor density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.	Boiling point/Boiling range:	124 °C (255.2 °F)
Ignition temperature: Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vap mixtures are possible. Explosion limits: Lower: Upper: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.	Flash point:	38 °C (100.4 °F)
Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapmixtures are possible. Explosion limits: Lower: Upper: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.	Flammability (solid, gaseous):	Not applicable.
Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vap mixtures are possible. Explosion limits: Lower: Upper: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): 0.97105 g/cm³ (8.10341 lbs/gal) Relative density Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.	Ignition temperature:	310 °C (590 °F)
Danger of explosion: Product is not explosive. However, formation of explosive air/vap mixtures are possible. Explosion limits: Lower: Upper: 2.4 Vol % 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): 0.97105 g/cm³ (8.10341 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	Decomposition temperature:	Not determined.
Explosion limits: Lower: Upper: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): 0.97105 g/cm³ (8.10341 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	Auto igniting:	Product is not selfigniting.
Lower: 2.4 Vol % Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): 0.97105 g/cm³ (8.10341 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Upper: 20.6 Vol % Vapor pressure at 20 °C (68 °F): 10 hPa (7.5 mm Hg) Density at 20 °C (68 °F): 0.97105 g/cm³ (8.10341 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	Explosion limits:	
Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): 0.97105 g/cm³ (8.10341 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	Lower:	2.4 Vol %
Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Not determined. Not determined. Fully miscible.	Upper:	20.6 Vol %
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	Vapor pressure at 20 °C (68 °F):	10 hPa (7.5 mm Hg)
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	Density at 20 °C (68 °F):	0.97105 g/cm³ (8.10341 lbs/gal)
Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.		Not determined.
Solubility in / Miscibility with Water: Fully miscible.	Vapor density	Not determined.
Water: Fully miscible.	Evaporation rate	Not determined.
·	Solubility in / Miscibility with	
Partition coefficient (n-octanol/water): Not determined.	Water:	Fully miscible.
	Partition coefficient (n-octanol/wate	er): Not determined.
	Dynamic:	Not determined.

(Contd. on page 7)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

(Contd. of page 6)	

Kinematic:	Not determined.
· Solvent content:	98.5 %
Organic solvents:	98.52 %
VOC content:	956.7 g/l / 7.98 lb/gl
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 1	· LD/LC50 values that are relevant for classification:		
ATE (Acu	te Toxicity	Estimate)	
Oral	LD50	2,330 mg/kg (rat)	
Dermal	LD50	1,299 mg/kg (rabbit)	
Inhalative	LC50/4 h	11.2 mg/l	

Ethylene Glycol Monomethyl Ether		
Oral		500 mg/kg (ATE)
	LD50	1,100 mg/kg (ATE)
Inhalative	LC50/4 h	11 mg/l (ATE)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN1993

- · UN proper shipping name
- $\cdot DOT$

Flammable liquids, n.o.s. (Ethylene glycol monomethyl ether)

• IMDG, IATA FLAMMABLE LIQUID, N.O.S. (ETHYLENE GLYCOL MONOMETHYLETHER)

- · Transport hazard class(es)
- $\cdot DOT$



• Class 5.1 Oxidizing substances

(Contd. on page 9)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

	(Contd. of pag
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Oxidizing substances
Danger code (Kemler):	30
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Segregation groups	Acids
Stowage Category	В
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E3
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 300 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ETHYLENE GLYCO
-	MONOMETHYL ETHER), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

Ethylene Glycol Monomethyl Ether

· TSCA (Toxic Substances Control Act):

Ethylene Glycol Monomethyl Ether

Perchloric acid 68 - 70% w/w

(Contd. on page 10)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N

in Ethylene Glycol MM Ether

(Contd. of page 9)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

Ethylene Glycol Monomethyl Ether

· Chemicals known to cause developmental toxicity:

Ethylene Glycol Monomethyl Ether

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

GHS03

GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Ethylene Glycol Monomethyl Ether

Perchloric acid 68 - 70% w/w

· Hazard statements

Flammable liquid and vapor.

May intensify fire; oxidizer.

 $Harmful\ in\ contact\ with\ skin\ or\ if\ inhaled.$

Causes skin irritation.

Causes serious eye irritation.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

(Contd. on page 11)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N in Ethylene Glycol MM Ether

(Contd. of page 10)

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

12-19-2017: review SDS for accuracy. STN

Revision 0.0, 03-17-2015: creation date for SDS. STN

12/19/2017 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration. 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Ox. Liq. 2: Oxidizing liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

(Contd. on page 12)

Printing date 12/19/2017 Reviewed on 12/19/2017

Trade name: Perchloric Acid 0.1N in Ethylene Glycol MM Ether

(Contd. of page 11)

Repr. 1: Reproductive toxicity – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

TIC.