Printing date 03/10/2021 Reviewed on 01/26/2018

1 Identification

· Product identifier

· Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

· Article number: UC005

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Sulfuric Acid 96 - 98%

Arsenic Trioxide

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

· Precautionary statements

Obtain special instructions before use.

(Contd. on page 2)

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

(Contd. of page 1)

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	6.43%	
CAS: 1327-53-3	Arsenic Trioxide	0.239%	
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5		92.951%	
CAS: 1310-73-2	Sodium Hydroxide	0.38%	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:			
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	$0.20 \ mg/m^3$	
CAS: 1310-73-2	Sodium Hydroxide	0.5 mg/m ³	
CAS: 1327-53-3	Arsenic Trioxide	$0.27 mg/m^3$	
· PAC-2:			
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m ³	
CAS: 1310-73-2	Sodium Hydroxide	5 mg/m ³	
CAS: 1327-53-3	Arsenic Trioxide	3.0 mg/m ³	
· PAC-3:			
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m³	
	Sodium Hydroxide	50 mg/m³	
CAS: 1327-53-3	Arsenic Trioxide	9.1 mg/m³	

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

(Contd. on page 4)

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

(Contd. of page 3)

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m³

REL Long-term value: 1 mg/m³

TLV Long-term value: 0.2* mg/m³

*as thoracic fraction

CAS: 1327-53-3 Arsenic Trioxide

PEL Long-term value: 0.01 mg/m³

as As; 29CFR1910.1018

REL Ceiling limit value: 0.002 mg/m³

as As; 15min; See Pocket Guide App. A

TLV Long-term value: 0.01 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



· Viscosity: Dynamic:

Kinematic:

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:	7 1	
Form:	Liquid	
Color: Odor:	Clear Odorless	
Odor threshold:	Not determined.	
Oaor inresnoia:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.01427 g/cm³ (8.46408 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with Water:	Fully miscible.	

Not determined.

Not determined.

(Contd. on page 6)

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

		(Contd. of page 5)
· Solvent content:		
Water:	93.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	1.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

 LD/LC50 values that are relevant for classification

ATE (Acute Toxicity Estimate)

Oral LD50 6,315 mg/kg (rat)

CAS: 1327-53-3 Arsenic Trioxide

Oral LD50 5 mg/kg (ATE)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)				
	Sulfuric Acid 96 - 98%	1		
CAS: 1327-53-3	Arsenic Trioxide	1		
· NTP (National Toxicology Program)				
1	Sulfuric Acid 96 - 98%	K		
CAS: 1327-53-3	Arsenic Trioxide	K		
· OSHA-Ca (Occupational Safety & Health Administration)				
CAS: 1327-53-3	Arsenic Trioxide			

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

	tormation

· UN-Number	
· DOT, IMDG, IATA	UN3289

· UN proper shipping name

DOT Toxic liquid, corrosive, inorganic, n.o.s. (Arsenic trioxide,

Sulfuric acid)

· IMDG, IATA TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (ARSENIC TRIOXIDE, SULPHURIC ACID)

- · Transport hazard class(es)
- $\cdot DOT$



· Class 8 Corrosive substances

(Contd. on page 8)

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

(Contd. of page 7) · Label 6.1, 8 · IMDG · Class 8 Corrosive substances · Label 6.1/8 \cdot IATA · Class 8 Corrosive substances · Label 6.1 (8) · Packing group · DOT, IMDG, IATA II· Environmental hazards: · Marine pollutant: No · Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B· Segregation groups Acids, alkalis · Stowage Category · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · IMDG · Limited quantities (LQ) 5L· Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 3289 TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. · UN "Model Regulation": (ARSENIC TRIOXIDE, SULPHURIC ACID), 6.1 (8), II

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

(Contd. of page 8)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture

· Section 355 (extr	emely hazardous	substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

CAS: 1327-53-3 Arsenic Trioxide

· Section 313 (Specific toxic chemical listings):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

CAS: 1327-53-3 Arsenic Trioxide

· TSCA (Toxic Substances Control Act):

Water	1	ACTIVE
Sulfuric Acid 96 - 98%	1	ACTIVE
Sodium Hydroxide	1	ACTIVE
Arsenic Trioxide	4	ACTIVE

· Hazardous Air Pollutants

CAS: 1327-53-3 Arsenic Trioxide

Proposition 65

· Chemicals known to cause cancer:

CAS: 1327-53-3 Arsenic Trioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 1327-53-3 Arsenic Trioxide

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 1327-53-3 Arsenic Trioxide

 \boldsymbol{A}

· TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98% A2CAS: 1327-53-3 Arsenic Trioxide *A1*

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 1327-53-3 Arsenic Trioxide

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

· Signal word Danger

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

(Contd. of page 9)

· Hazard-determining components of labeling:

Sulfuric Acid 96 - 98%

Arsenic Trioxide

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

· Date of preparation / last revision

Revision 0.0, 06-07-2019: Creation date for SDS. STN

Revision 0.2, updated pH Information. STN

03/10/2021 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

Printing date 03/10/2021 Reviewed on 01/26/2018

Trade name: Arsenious Acid 0.5N

Aqueous Solution (Acidified)

(Contd. of page 10)

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Carc. 1A: Carcinogenicity - Category 1A

US ·