Printing date 01/31/2018

Reviewed on 01/31/2018


1 Identification

- · Product identifier
- Trade name: <u>Hydrochloric Acid 0.02 Normal</u> in Methanol, NIST Traceable
- Article number: UCT122
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number: Chemtrec: 800-424-9300
- Canutec: 613-996-6666

2 Hazard(s) identification



Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

· Signal word Danger	ige 1)
Hazard-determining components of labeling:	
Methanol (Methyl Alcohol)	
· Hazard statements	
Highly flammable liquid and vapor.	
Harmful if swallowed.	
Causes severe skin burns and eye damage.	
Causes damage to organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to	• do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system: · NFPA ratings (scale 0 - 4)	
· NF FA raings (scale 0 - 4)	
Health = 3	
Fire = 3	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 2 $Fire = 2$	
REACTIVITY 0 Reactivity = 0	

- Other hazards
- Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

(Contd. on page 3)

US

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

(Contd. of page 2)

99.753%

0.247%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Table of Nonhazardous Ingredients

CAS: 7647-01-0 Hydrochloric Acid

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- *Immediately call a doctor.*
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
 Indication of any immediate medical attention and special treatment needed
 No further relevant information available.
- No further relevant information available.

5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)

[·] Extinguishing media

US

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

See Section 8 for See Section 13 fo	information on safe handling. information on personal protection equipment. or disposal information.	(Contd. of page 3)
• Protective Action	ı Criteria for Chemicals	
· PAC-1:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
· PAC-2:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
· PAC-3:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
CAS: 7647-01-0	Hydrochloric Acid	100 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:
 CAS: 67-56-1 Methanol (Methyl Alcohol)
 PEL Long-term value: 260 mg/m³, 200 ppm
 REL Short-term value: 325 mg/m³, 250 ppm
 Long-term value: 260 mg/m³, 200 ppm
 Skin
 TLV Short-term value: 328 mg/m³, 250 ppm
 Long-term value: 262 mg/m³, 200 ppm
 Skin; BEI
 (Contd. on page 5)

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

(Contd. of page 4)

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol (Methyl Alcohol)

BEI 15 mg/L

LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic physical and chemical properties · General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Methanol	
Odor threshold:	Not determined.	

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

	(Contd. of page 5)
· pH-value at 20 °C (68 °F):	<2
· Change in condition	
Melting point/Melting range:	-97.8 °C (-144 °F)
Boiling point/Boiling range:	148 °C (298.4 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	5 5 1 1 0
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.79275 g/cm ³ (6.6155 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	99.8 %
TIO C	

VOC content:	99.75 % 790.8 g/l / 6.60 lb/gl	
Solids content: • Other information	0.0 % No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

(Contd. of page 6)

• Acute toxi		cological effects
· LD/LC50	values tha	t are relevant for classification:
ATE (Acu	te Toxicity	v Estimate)
Oral	LD50	1,190-2,776 mg/kg (rat)
Inhalative	LC50/4 h	129 mg/l (rat)
CAS: 67-5	56-1 Metho	anol (Methyl Alcohol)
Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	300 mg/kg (ATE)
Inhalative	LC50/4 h	3 mg/l (ATE)
· Primary in	rritant e <u>f</u> fe	internet in the second se
on the ski	n: Strong d	caustic effect on skin and mucous membranes.
\cdot on the eye	:	
Strong cai		
		the danger of severe eve injury
		he danger of severe eye injury.
· Sensitizati	i on: No sei	nsitizing effects known.
· Sensitizati · Additiona	i on: No sei l toxicolog	nsitizing effects known. ical information:
• Sensitizati • Additiona The produ	i on: No sei l toxicolog	nsitizing effects known.
· Sensitizati · Additiona	i on: No sei l toxicolog	nsitizing effects known. ical information:
• Sensitizati • Additiona The produ	i on: No sei l toxicolog	nsitizing effects known. ical information:
• Sensitizati • Additiona The produ Harmful	i on: No sei l toxicolog	nsitizing effects known. ical information:
Sensitizati Additiona The produ Harmful Corrosive Irritant	i on: No sei l toxicolog ect shows ti	nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparation.
Sensitizati Additiona The produ Harmful Corrosive Irritant Swallowin	i on: No set l toxicolog ect shows th eg will lead	nsitizing effects known. ical information:
Sensitizati Additiona The produ Harmful Corrosive Irritant Swallowin and stoma	i on: No set I toxicolog ect shows ti eg will lead ch.	nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparation. I to a strong caustic effect on mouth and throat and to the danger of perforation of esophag
Sensitizati Additiona The produ Harmful Corrosive Irritant Swallowin and stoma	ion: No set I toxicolog act shows the g will lead ach. enic catego	nsitizing effects known. <i>ical information:</i> <i>he following dangers according to internally approved calculation methods for preparation.</i> I to a strong caustic effect on mouth and throat and to the danger of perforation of esophag pries
Sensitizati Additiona The produ Harmful Corrosive Irritant Swallowin and stoma Carcinoge IARC (Int	ion: No sei l toxicolog ct shows th g will lead ch. enic catego ernationa	nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparation. I to a strong caustic effect on mouth and throat and to the danger of perforation of esophag
 Sensitizati Additiona The produ Harmful Corrosive Irritant Swallowin and stoma Carcinoge IARC (International State) 	ion: No set I toxicolog ect shows th eg will lead ech. enic catego ernational e ingredie	nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparation. I to a strong caustic effect on mouth and throat and to the danger of perforation of esophag pries I Agency for Research on Cancer) nts is listed.
 Sensitizati Additiona The produ Harmful Corrosive Irritant Swallowin and stoma Carcinoge IARC (Interpretation of the second second	ion: No set I toxicolog ct shows the g will lead ch. enic catego fernational fe ingredie ional Toxi	nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparation. I to a strong caustic effect on mouth and throat and to the danger of perforation of esophag pries I Agency for Research on Cancer)
 Sensitizati Additiona The produ Harmful Corrosive Irritant Swallowin and stoma Carcinoge IARC (Int None of th NONE of th 	ion: No set I toxicolog I toxi	nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparation. I to a strong caustic effect on mouth and throat and to the danger of perforation of esophag pries I Agency for Research on Cancer) nts is listed. icology Program)
 Sensitizati Additiona The produ Harmful Corrosive Irritant Swallowin and stoma Carcinoge IARC (Interpretation of the second second	ion: No ser l toxicolog ct shows the g will lead ch. enic catego iernational ie ingredie ional Toxi e ingredie (Occupat	nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparation. I to a strong caustic effect on mouth and throat and to the danger of perforation of esophag pries I Agency for Research on Cancer) Ints is listed. icology Program) Ints is listed. ional Safety & Health Administration)
 Sensitizati Additiona The produ Harmful Corrosive Irritant Swallowin and stoma Carcinoge IARC (Interpretation of the second second	ion: No ser l toxicolog ct shows the g will lead ch. enic catego iernational ie ingredie ional Toxi e ingredie (Occupat	nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparation. I to a strong caustic effect on mouth and throat and to the danger of perforation of esophag pries I Agency for Research on Cancer) nts is listed. icology Program) nts is listed.

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

(Contd. of page 7)

Must not reach bodies of water or drainage ditch undiluted or unneutralized. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

vPvB: Not applicable. *Other adverse effects* No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (METHANOL)
Transport hazard class(es)	
DOT	
RAMMABLE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

	(Contd. of page
· Danger code (Kemler):	3
· EMS Number:	F- E , S - D
· Stowage Category	В
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 5 L
~ ·	On cargo aircraft only: 60 L
· IMDG	
\cdot Limited quantities (LQ)	1L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E2
• • • • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANOL), 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

• TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)

Hydrochloric Acid

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

(Contd. on page 10)

⁻ US -

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

(Contd. of page 9) · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol (Methyl Alcohol) · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes severe skin burns and eye damage. Causes damage to organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. *Ground/bond container and receiving equipment.* Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 11)

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Hydrochloric Acid 0.02 Normal in Methanol, NIST Traceable

(Contd. of page 10) · Date of preparation / last revision 01-31-2018: review SDS for accuracy. STN Creation date for SDS 02-06-2014. STN 01/31/2018/-· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1