Printing date 12/29/2017

Reviewed on 12/29/2017

Identification	
Product identifier	
• Trade name: <u>Bromine Index Titration</u> Solvent Special	
Article number: SPE151	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
• Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
P Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and	nd vapor.
GHS08 Health hazard	
STOT SE 1 H370 Causes damage to organs.	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns a	and eye damage.
Eye Dam. 1 H318 Causes serious eye damag	<i>e</i> .
GHS07	
V	
Acute Tox. 4 H312 Harmful in contact with sk	zin.
· Label elements	in. Ind labeled according to the Globally Harmonized System (GHS
• <b>Label elements</b> • <b>GHS label elements</b> The product is classified an	

Printing date 12/29/2017

Reviewed on 12/29/2017

Trade	name:	Bromine	Index	Titration
		Solvent S	special	

· Signal word Danger	d. of page 1)
· Hazard-determining components of labeling:	
Acetic Acid	
Methanol (Methyl Alcohol)	
Potassium Bromide	
· Hazard statements	
Highly flammable liquid and vapor.	
Harmful in contact with skin.	
Causes severe skin burns and eye damage.	
Causes damage to organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ec	isy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
$\begin{array}{c} \textbf{Health} = 3 \\ \textbf{Fire} = 3 \end{array}$	
$\frac{3}{10} \frac{1}{Reactivity} = 0$	
Keucuvuy = 0	
· HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 3 $Health = 3$	
FIRE 2 $Fire = 2$	
$\frac{1}{REACTIVITY[0]} Reactivity = 0$	
Other hazanda	

• Other hazards

- Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

(Contd. on page 3)

US

Printing date 12/29/2017

Reviewed on 12/29/2017

Trade name: Bromine Index Titration Solvent Special

(Contd. of page 2)

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-19-7	Acetic Acid	64.315%
CAS: 67-56-1	Methanol (Methyl Alcohol)	20.949%
CAS: 7758-02-3	Potassium Bromide	1.6959%
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	13.0402%

## 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)

<sup>-</sup> US

Printing date 12/29/2017

Reviewed on 12/29/2017

#### Trade name: Bromine Index Titration Solvent Special

· Reference to oth	er sections	(Contd. of page 3)
v	information on safe handling.	
	information on personal protection equipment.	
See Section 13 fo	or disposal information.	
· Protective Action	n Criteria for Chemicals	
· PAC-1:		
CAS: 64-19-7	Acetic Acid	5 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm
CAS: 7758-02-3	Potassium Bromide	9.2 mg/m <sup>3</sup>
· PAC-2:		
CAS: 64-19-7	Acetic Acid	35 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm
CAS: 7758-02-3	Potassium Bromide	100 mg/m <sup>3</sup>
· PAC-3:		
CAS: 64-19-7	Acetic Acid	250 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
CAS: 7758-02-3	Potassium Bromide	610 mg/m <sup>3</sup>

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
- At this time, the remaining constituent has no known exposure limits.
- CAS: 64-19-7 Acetic Acid

PEL Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

(Contd. on page 5)

US

*Printing date 12/29/2017* 

Reviewed on 12/29/2017

Trade name:	<b>Bromine Index</b>	Titration
	Solvent Special	

	(Contd. of page 4)
REL	Short-term value: 37 mg/m <sup>3</sup> , 15 ppm
	Long-term value: 25 mg/m <sup>3</sup> , 10 ppm
TLV	Short-term value: 37 mg/m <sup>3</sup> , 15 ppm
	Long-term value: 25 mg/m <sup>3</sup> , 10 ppm
CAS	: 67-56-1 Methanol (Methyl Alcohol)
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm
	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin
TLV	Short-term value: 328 mg/m³, 250 ppm
	Long-term value: 262 mg/m <sup>3</sup> , 200 ppm
	Skin; BEI
·Ingr	edients with biological limit values:
CAS	: 67-56-1 Methanol (Methyl Alcohol)
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
· Addi	<i>tional information:</i> The lists that were valid during the creation were used as basis.
·Ern	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	d contact with the eyes.
	d contact with the eyes and skin.
	uthing equipment: Not required.
· Frou	ection of hands:
I	Protective gloves
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
chen	nical mixture.
Selec	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 12/29/2017

Reviewed on 12/29/2017

Trade name: Bromine Index Titration Solvent Special

(Contd. of page 5)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Liquid
Color:	Clear
Odor:	Vinegar
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.98235 g/cm <sup>3</sup> (8.19771 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	85.3 %

Printing date 12/29/2017

Reviewed on 12/29/2017

Trade name:	<b>Bromine Index</b>	Titration
	Solvent Special	

		(Contd. of page 6)
Water:	13.0 %	
VOC content:	85.26 % 837.6 g/l / 6.99 lb/gl	
Solids content:	1.7 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11** Toxicological information

#### · Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

,	•	,
Oral	LD50	2,657-3,630 mg/kg (rat)
Dermal	LD50	1,648 mg/kg (rabbit)
Inhalative	LC50/4 h	612 mg/l (rat)

#### CAS: 64-19-7 Acetic Acid

Dermal LD50 1,100 mg/kg (ATE)

#### CAS: 67-56-1 Methanol (Methyl Alcohol)

		-
Oral		100 mg/kg (ATE)
	LD50	300 mg/kg (ATE)
Inhalative	LC50/4 h	3 mg/l (ATE)

#### · Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

Strong caustic effect.

- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

 $<sup>\</sup>cdot$  on the eye:

US

*Printing date 12/29/2017* 

Reviewed on 12/29/2017

#### Trade name: Bromine Index Titration Solvent Special

(Contd. of page 7)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## <u>12 Ecological information</u>

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

*Water hazard class 1 (Self-assessment): slightly hazardous for water* 

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN2920
· UN proper shipping name	
$\cdot DOT$	Corrosive liquids, flammable, n.o.s. (Acetic acid, glacial, Methanol
· IMDG, IATA	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ACETIC ACII
	GLACIAL, METHANOL)

Printing date 12/29/2017

Reviewed on 12/29/2017

Trade name:	<b>Bromine Index</b>	Titration
Solvent Special		

	(Contd. of page
Transport hazard class(es)	
DOT	
CORROSIVE FLAMMABLE LIQUID	
8	
Class	8 Corrosive substances
Label	<i>8, 3</i>
IMDG	
8 3	
Class	8 Corrosive substances
Label	8/3
IATA	
ΙΑΙΑ	
3	
Class	8 Corrosive substances
Label	8 (3)
	0(5)
Packing group DOT, IMDG, IATA	II
	11
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	338
EMS Number:	F- $E$ , $S$ - $C$
Segregation groups	Acids
Stowage Category	E
Stowage Code	SW1 Protected from sources of heat.
	SW2 Clear of living quarters.
Transport in bulk according to Annex 1	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
2	On cargo aircraft only: 5 L
MDC	
IMDG	11
Limited quantities (LQ)	1L Code: F2
Excepted quantities (EQ)	Code: E2 Maximum pat augustity par innor packaging, 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
	maximum nei quantity per outer packaging. 500 mi

Printing date 12/29/2017

Reviewed on 12/29/2017

Trade name: Bromine Index Titration Solvent Special

(Contd. of page 9)

· UN "Model Regulation":

UN 2920 CORROSIVE LIQUIDS, FLAMMABLE, N.O.S. (ACETIC ACID, GLACIAL, METHANOL), 8 (3), II

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

· TSCA (Toxic Substances Control Act):

Acetic Acid

Methanol (Methyl Alcohol)

Potassium Bromide

Water

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• *Hazard-determining components of labeling: Acetic Acid* 

(Contd. on page 11)

<sup>-</sup> US

Printing date 12/29/2017

Reviewed on 12/29/2017

Trade name: Bromine Index Titration Solvent Special

	(Contd. of page 10)
Methanol (Methyl Alcohol)	
Potassium Bromide	
· Hazard statements	
Highly flammable liquid and vapor.	
Harmful in contact with skin.	
Causes severe skin burns and eye damage.	
Causes damage to organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sho	wer.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres	sent and easy to do.
Continue rinsing.	·
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	itions.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision 12-29-2017: review SDS for accuracy. STN Creation date for SDS 02-10-2015. STN 12/29/2017 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 12)

US

Printing date 12/29/2017

Reviewed on 12/29/2017

(Contd. of page 11)

US

#### Trade name: Bromine Index Titration Solvent Special

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1