Printing date 02/02/2018

Reviewed on 02/02/2018

### **1 Identification**

- · Product identifier
- Trade name: <u>Nitric Acid 3 Molar</u> <u>Solution</u>
- · Article number: VUL243A
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA
  800-256-2586
- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org
   Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

#### **2** *Hazard*(*s*) *identification*

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Danger
- · Hazard-determining components of labeling:
- Nitric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.
- Wash thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)

US

Printing date 02/02/2018

Reviewed on 02/02/2018

Trade name: Nitric Acid 3 Molar Solution

Wash contaminated clothing before reuse.	(Contd. of page 1)
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulatio	ns.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3  0  Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 0 $Fire = 0$	
<b>REACTIVITY</b> Reactivity = $0$	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT</b> : Not applicable.	
vPvB: Not applicable.	

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7697-37-2 Nitric Acid

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

# 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

26.066%

73.934%

US

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/02/2018

Reviewed on 02/02/2018

Trade name: Nitric Acid 3 Molar Solution

· Advice for firefighters

· Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
• Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· Protective Action Criteria for Chemicals
· PAC-1:
CAS: 7697-37-2         Nitric Acid         0.16 ppm
· PAC-2:
CAS: 7697-37-2         Nitric Acid         24 ppm
· PAC-3:
CAS: 7697-37-2         Nitric Acid         92 ppm

# 7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US

Printing date 02/02/2018

· Control parameters

Reviewed on 02/02/2018

Trade name: Nitric Acid 3 Molar

Solution

(Contd. of page 3)

Components with limit values that require monitoring at the workplace: CAS: 7697-37-2 Nitric Acid REL Short-term value: 5 mg/m <sup>1</sup> , 2 ppm Long-term value: 5 0 mg/m <sup>1</sup> , 4 ppm Long-term value: 5.2 mg/m <sup>2</sup> , 2 ppm Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Pretaching equipment: Not required. Protection of hands:  View Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Material of gloves The glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality au varies form manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration ime of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to v observed.  Penetration Penetrat		or parameters
PEL       Long-term value: 5 mg/m <sup>1</sup> , 2 ppm         REL       Short-term value: 5 mg/m <sup>1</sup> , 2 ppm         TIV       Short-term value: 5.2 mg/m <sup>1</sup> , 2 ppm         TIV       Short-term value: 5.2 mg/m <sup>1</sup> , 2 ppm         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment:         General protective equipment:         General protective equipment:         Wash hands before breaks and at the end of work.         Avoid contact with the eyes.         Protection of hands:         Protection of hands:         Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.         Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation the glove material on consideration of the material, but also on further marks of quality         The selection of the glove material         The wate break through time has to be found out by the manufacturer of the protective gloves and has to observed.         Penera	-	
REL Long-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm         IVV       Short-term value: 5.2 mg/m <sup>3</sup> , 2 ppm         • Additional information: The lists that were valid during the creation were used as basis.         • Exposure controls         Personal protective equipment:         • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes.         Avoid contact with the eyes.         Avoid contact with the eyes.         Avoid contact with the eyes.         Protective gloves         Protective gloves         Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality awaries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.         • Detertion:         • Detertion:         • Deterto		
Long-term value: 5 mg/m <sup>3</sup> , 2 ppm         TLV         Short-term value: 5.2 mg/m <sup>3</sup> , 2 ppm         • Additional information: The lists that were valid during the creation were used as basis.         • Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Keep away from foodstuffs, beverages and feed.         Immediately remove all soiled and contaminated clothing.         Wash hands before breaks and at the end of work.         Avoid contact with the eyes.         Avoid contact with the eyes and skin.         Breathing equipment: Not required.         • Protection of hands: <i>World</i> Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation / to chemical misture.         Selection of the gloves atterial on consideration of the penetration times, rates of diffusion and the degradation the advance and has therefore to be checked prior to the application.         • Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material on the calculated in advance and has therefore to be checked prior to the application.	PEL I	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV       Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm         • Additional information: The lists that were valid during the creation were used as basis.         • Exposure controls         • Personal protective equipment:         • General protective equipment:         • Wash hands before breaks and at the end of work.         • Avoid contact with the eyes.         • Avoid contact with the eyes and skin.         • Breathing equipment: Not required.         • Protection of hands:         • With equipment: Not required.         • Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         • Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture.         • Selection of the glove material on consideration of the pnetration times, rates of diffusion and the degradation         • Maerial of gloves         • He selection of the substance to the application.         • Maerial of glove material on consideration of the pnetration times, rates of diffusion and the degradation to avaries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material an to be c		
Long-term value: 5.2 mg/m², 2 ppm         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Keep away from foodstuffs, beverages and feed.         Immediately remove all soiled and contaminated clothing.         Wash hands before breaks and at the end of work.         Avoid contact with the eyes.         Avoid contact with the eyes and skin.         Breathing equipment: Not required.         Protection of hands:         Image: a starting the start of the product of the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture.         Selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can be calculated in advance and has therefore to be checked prior to the application.         Preteration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.         Perpendention:         Protection:         Tree selection:         Protection:         The selection of the suitable glove soles not only depend on the m		Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breads and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes. Protection of hands:  Protection of hands:  Protection of hands:  Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material Exposure to manufacture the mass to be found out by the manufacturer of the protective gloves and has to o observed. Exposure to a glove material properties Differmation on basic physical and chemical properties General Information Apperunce: Form: Liquid	TLV	Short-term value: 10 mg/m³, 4 ppm
<ul> <li>Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective equipment:</li> <li>General protective and hygienic measures:</li> <li>Keep avay from foodstuffs, beverages and feed.</li> <li>Immediately remove all solied and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes and skin.</li> <li>Breathing equipment: Not required.</li> <li>Protection of hands:</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality any varies from manufacturer to manufacturer. As the producti and starce, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protective work clothing</li> </ul>	l l	Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm
<ul> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes.</li> <li>Protection of hands:</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation to the indication of the gloves</li> <li>Selection of the gloves</li> <li>Selection of the gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of gloves material</li> <li>The selection:</li> <li>Perotection:</li> <li>Perotection:</li> <li>Protection:</li> <li>Pr</li></ul>	· Additi	ional information: The lists that were valid during the creation were used as basis.
<ul> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Immediately remove all soiled and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes.</li> <li>Protection of hands:</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.</li> <li>Material of gloves</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation to the substance of the gloves material can be be inpermeable and resistant to a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetation time of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetation time of gloves</li> <li>Tightly sealed goggles</li> <li>Bedy protection: Protective work clothing</li> </ul>	· Expos	sure controls
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands:	· Perso	nal protective equipment:
Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands:		
Wash hands before breaks and at the end of work.         Avoid contact with the eyes.         Avoid contact with the eyes and skin.         Breathing equipment: Not required.         Protection of hands:         Image: the end of work is the eyes and skin.         Protection of hands:         Image: the end of work is the eyes and skin.         Protection of hands:         Image: the end of work is the eyes and skin.         Protection of hands:         Image: the end of work is the eyes and skin.         Protection of hands:         Image: the end of work is the eyes and skin.         Protection of hands:         Image: the end of work is the eyes and skin.         Protection of hands:         Image: the end of work is the end of the end of the end end is the end of the end end is the end of the end end of the end end of the end end of the end of the end end of end		
Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands:		
Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands:		
<ul> <li>Breathing equipment: Not required.</li> <li>Protection of hands:</li> <li>Protection of hands:</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The selection:</li> <li>Penetration time has to be found out by the manufacturer of the protective gloves and has to a observed.</li> <li>Eye protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protective work clothing</li> </ul>		
<ul> <li>Protection of hands:</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> <li>Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance:</li> <li>Form: Liquid</li> </ul>		
Protective gloves  The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality avaities from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to to observed. Experiment  Tightly sealed goggles  Body protection: Protective work clothing  Physical and chemical properties  Physical and chemical properties  Information on basic physical and chemical properties  Appearance: Form: Liquid  Experiment  Form: Liquid  Experiment  Form: Liquid  Formet Comparison		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation of the selection of the substance of the substances of the degradation of the selection of the substance of the substances of the degradation of the selection of the substance to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed.         Eye protection:         Tightly sealed goggles         Body protection: Protective work clothing         Physical and chemical properties         General Information on basic physical and chemical properties         Appearance:         Form:       Liquid	1 10100	cuon oj nunus.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks of quality any varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. <b>Eye protection:</b> Tightly sealed goggles <b>Body protection:</b> Protective work clothing <b>Physical and chemical properties</b> <b>General Information on basic physical and chemical properties</b> <b>General Information</b> <b>Appearance:</b> <b>Forn:</b> <b>Liquid</b>	m	
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to a observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work clothing • Information on basic physical and chemical properties • General Information • Appearance: Form: Liquid	1105	Protective gloves
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality any varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to a observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work clothing • Information on basic physical and chemical properties • General Information • Appearance: Form: • Liquid		
<ul> <li>Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance:         <ul> <li>Form:</li> <li>Liquid</li> </ul> </li> </ul>	Due to chemi Select • Mater The se varies the glo • Peneta The e. observ • Eye pu	o missing tests no recommendation to the glove material can be given for the product/ the preparation/ the cal mixture. ion of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>rial of gloves</b> election of the suitable gloves does not only depend on the material, but also on further marks of quality and from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of ove material can not be calculated in advance and has therefore to be checked prior to the application. <b>ration time of glove material</b> xact break through time has to be found out by the manufacturer of the protective gloves and has to be ved. <b>rotection:</b> Tightly sealed goggles
<ul> <li>Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance: Form: Liquid</li> </ul>		
<ul> <li>Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance:         <ul> <li>Form:</li> <li>Liquid</li> </ul> </li> </ul>		
· General Information · Appearance: Form: Liquid	Phys	ical and chemical properties
General Information     Appearance:     Form:     Liquid	· Infor	mation on basic physical and chemical properties
· Appearance: Form: Liquid		
Form: Liquid		•
	Cole	
(Contd. on page		(Contd. on page 5

Printing date 02/02/2018

Reviewed on 02/02/2018

Trade name: Nitric Acid 3 Molar Solution

		(Contd. of page 4)
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.09557 g/cm <sup>3</sup> (9.14253 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	73.9 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.

(Contd. on page 6)

US

Printing date 02/02/2018

Reviewed on 02/02/2018

Trade name: Nitric Acid 3 Molar Solution

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12** Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

<sup>·</sup> Toxicity

Printing date 02/02/2018

Reviewed on 02/02/2018

Trade name: Nitric Acid 3 Molar Solution

(Contd. of page 6)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN2031	
UN proper shipping name		
DOT	Nitric acid solution	
IMDG, IATA	NITRIC ACID solution	
Transport hazard class(es)		
DOT		
the second s		
CORROSIVE		
Class	8 Corrosive substances	
Label	8	
IMDG, IATA		
<i>`</i>		
Fa		
8		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:	No	
Marine pollutant:		
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
EMS Number:	F-A,S-B	
Segregation groups	Acids	
Stowage Category	D	
Transport in bulk according to Annex		
MARPOL73/78 and the IBC Code	Not applicable.	

Printing date 02/02/2018

Reviewed on 02/02/2018

Trade name: Nitric Acid 3 Molar Solution

· Transport/Additional information:	(Contd. of page
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
IMDG Limited quantities (LO)	1L
Excepted quantities $(EQ)$	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2031 NITRIC ACID SOLUTION, 8, II

### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

 $\cdot$  Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 Nitric Acid

· TSCA (Toxic Substances Control Act):

Nitric Acid

Water

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

US

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/02/2018

Reviewed on 02/02/2018

Trade name: Nitric Acid 3 Molar Solution

	(Contd. of page
Hazard pictograms	
$\wedge$	
$\mathbf{N}$	
GHS05	
Signal word Danger	
Hazard-determining components of labeling:	
Nitric Acid	
Hazard statements	
Causes severe skin burns and eye damage.	
Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/showed	er.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen	nt and easy to d
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ons.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- $\cdot$  Date of preparation / last revision
- 02-02-2018: review SDS for accuracy. STN Creation date for SDS 08-20-2014. STN
- 02/02/2018/-
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health (Contd. on page 10)

Printing date 02/02/2018

Trade name: Nitric Acid 3 Molar Solution

(Contd. of page 9)

US

Reviewed on 02/02/2018

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1