Printing date 04/04/2023

*

*

Reviewed on 04/04/2023

Product identifier	
Trade name: <u>Sulfuric Acid 98.61%</u>	
Article number: ERL057 CAS Number:	
7664-93-9	
EC number:	
231-639-5	
<i>Index number:</i> 016-020-00-8	SOLUTIONS
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	
DEER PARK, TX 77536	
USA 800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS08 Health hazard	
Carcinogenicity 1A H350 May cause cancer.	
\mathbf{A}	
GHS05 Corrosion	
$\mathbf{\nabla}$	
Skin Corrosion 1A H314 Causes severe skin burns and eye	damage.
Label elements	
GHS label elements The substance is classified and labeled	according to the Globally Harmonized System (Gl



Signal word Danger
 Hazard statements
 Causes severe skin burns and eye damage.
 May cause cancer.

 $(Contd. \ on \ page \ 2)$

US

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Sulfuric Acid 98.61%

	(Contd. of page 1)
· Precautionary statements	
<i>Obtain special instructions before use.</i>	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sho	ower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre Continue rinsing.	sent and easy to do.
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	ations
• Classification system:	mons.
· Vassification system. · NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 3\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 Health = 3	
FIRE 0 $Fire = 0$	
$\frac{1}{1} \frac{1}{2} \frac{1}$	
neachwiri 2	
• Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
· vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Substances	
CAS No Description	

· CAS No. Description

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

- Identification number(s)
- EC number: 231-639-5
- · Index number: 016-020-00-8

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Sulfuric Acid 98.61%

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1: 0.20 mg/m³
- · PAC-2: 8.7 mg/m³
- · PAC-3: 160 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

(Contd. of page 2)

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Sulfuric Acid 98.61%

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98% PEL Long-term value: 1 mg/m³

REL Long-term value: 1 mg/m³

TLV Long-term value: 0.2* mg/m³

*as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

	sical and chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless to yellow	
Odor:	Odorless	

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Sulfuric Acid 98.61%

		(Contd. of page 4
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20 °C (68 °F):	<0.01 hPa (<0 mm Hg)	
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.84 g/cm ³ (15.3548 lbs/gal) Not determined. Not determined. Not determined.	
• Solubility in / Miscibility with Water:	Fully miscible.	
· Partition coefficient (n-octanol/water).	Not determined.	
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	23 mPas Not determined.	
· Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

US

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Sulfuric Acid 98.61%

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) 1
- · NTP (National Toxicology Program) K
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1830	
· UN proper shipping name		
· DOT	Sulfuric acid	
· IMDG, IATA	SULPHURIC ACID	

(Contd. of page 5)

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Sulfuric Acid 98.61%

	(Contd. of page
· Transport hazard class(es)	
·DOT	
2 CORROSIVE 8	
· Class · Label	8 Corrosive substances 8
	0
· IMDG, IATA	
8	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	II
• Environmental hazards:	
• Marine pollutant:	No
-	
 Special precautions for user Hazard identification number (Kemler code). 	Warning: Corrosive substances
· EMS Number:	<i>F-A,S-B</i>
· Segregation groups	(SGG1a) Strong acids
· Stowage Category	С
· Stowage Code	SW15 For metal drums, stowage category B.
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
	5049 Slow separated from 5000-cyanates
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
	Not applicable.
• Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L
· Hazardous substance:	On cargo aircraft only: 30 L 1000 lbs, 454 kg
	1000 WS, TJT KE
· IMDG	11
• Limited quantities (LQ) • Excepted quantities (EQ)	1L Code: E2
Encopica quantances (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1830 SULPHURIC ACID, 8, II
or mouth and an internation of the second se	61, 1656 BOLL HOME HEID, 0, 11

15 Regulatory information

*

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances): Substance is listed.

(Contd. on page 8)

• US

Printing date 04/04/2023

Reviewed on 04/04/2023

(Contd. of page 7)

Trade name: Sulfuric Acid 98.61%

· Section 313 (Specific toxic chemical listings): Substance is listed.

• TSCA (Toxic Substances Control Act): ACTIVE

· Hazardous Air Pollutants Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer: Substance is not listed.

· Chemicals known to cause reproductive toxicity for females: Substance is not listed.

· Chemicals known to cause reproductive toxicity for males: Substance is not listed.

· Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency) Substance is not listed.

• TLV (Threshold Limit Value) A2

· NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard statements Causes severe skin burns and eye damage. May cause cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group I (extremely dangerous). Carcinogenic hazardous material group II (very dangerous). Carcinogenic hazardous material group III (dangerous).

• Information about limitation of use: Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

Printing date 04/04/2023

*

Reviewed on 04/04/2023

Trade name: Sulfuric Acid 98.61%

(Contd. of page 8)

	This information is based on our present knowledge. However, this shall not constitute a guarantee for an specific product features and shall not establish a legally valid contractual relationship.
•	Department issuing SDS: Environment protection department.
	Contact:
•	Date of preparation / last revision
	Revision 1.0 03/31/2023 Reviewed SDS for accuracy. STN
	04/04/2023
	Abbreviations and acronyms:
	IMDG: International Maritime Code for Dangerous Goods
	DOT: US Department of Transportation
	IATA: International Air Transport Association
	EINECS: European Inventory of Existing Commercial Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	NFPA: National Fire Protection Association (USA)
	HMIS: Hazardous Materials Identification System (USA)
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
	TLV: Threshold Limit Value
	PEL: Permissible Exposure Limit
	REL: Recommended Exposure Limit
	Skin Corrosion 1A: Skin corrosion/irritation – Category 1A
	Carcinogenicity 1A: Carcinogenicity – Category 1A
	* Data compared to the previous version altered.