Printing date 12/04/2023

*

Reviewed on 12/04/2023

Product identifier		
Trade name: <u>Hydrogen</u>	Peroxide 35%	
Article number: H3012		
CAS Number:		
7722-84-1		
EC number: 231-765-0		
Index number:		
008-003-00-9		SOLUTIONS
Details of the supplier of	f the safety data sheet	
Manufacturer/Supplier:		
Aqua Solutions, Inc.		
6913 Highway 225 DEER PARK, TX 77536		
USA		
800-256-2586		
Information department	•	
Technical Coordinator		
Sherman Nelson sherman	nn@aauasolutions org	
Emergency telephone nu	umber:	
<i>Emergency telephone nu</i> <i>Chemtrec: 800-424-9300</i>	umber:	
Emergency telephone nu	umber:	
<i>Emergency telephone nu</i> <i>Chemtrec: 800-424-9300</i> <i>Canutec: 613-996-6666</i>	umber:	
<i>Emergency telephone nu</i> <i>Chemtrec: 800-424-9300</i>	umber:	
Emergency telephone nu Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identifica	umber:) tion	
<i>Emergency telephone nu</i> <i>Chemtrec: 800-424-9300</i> <i>Canutec: 613-996-6666</i>	umber:) tion	
Emergency telephone nu Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identifica	umber:) tion stance or mixture	
Emergency telephone nu Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub	umber:) tion stance or mixture	
Emergency telephone no Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub GHS03 Flame	umber:) tion stance or mixture	n; strong oxidizer.
Emergency telephone no Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub GHS03 Flame	umber: tion stance or mixture over circle	n; strong oxidizer.
Emergency telephone m Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub GHS03 Flame Oxidizing Liquids 1	tion stance or mixture over circle H271 May cause fire or explosion	n; strong oxidizer.
Emergency telephone no Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub GHS03 Flame	tion stance or mixture over circle H271 May cause fire or explosion	n; strong oxidizer.
Emergency telephone nu Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub Oxidizing Liquids 1 Oxidizing Liquids 1	umber: tion stance or mixture over circle H271 May cause fire or explosion sion	
Emergency telephone m Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub Oxidizing Liquids 1 Oxidizing Liquids 1 Skin Corrosion 1A	tion stance or mixture over circle H271 May cause fire or explosion sion H314 Causes severe skin burns a	und eye damage.
Emergency telephone nu Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub Oxidizing Liquids 1 Oxidizing Liquids 1	umber: tion stance or mixture over circle H271 May cause fire or explosion sion	und eye damage.
Emergency telephone m Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub Oxidizing Liquids 1 Oxidizing Liquids 1 Skin Corrosion 1A Eye Damage 1	tion stance or mixture over circle H271 May cause fire or explosion sion H314 Causes severe skin burns a	und eye damage.
Emergency telephone m Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub Oxidizing Liquids 1 Oxidizing Liquids 1 Skin Corrosion 1A	tion stance or mixture over circle H271 May cause fire or explosion sion H314 Causes severe skin burns a	und eye damage.
Emergency telephone m Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identificat Classification of the sub Oxidizing Liquids 1 Oxidizing Liquids 1 Oxidizing Liquids 1 Skin Corrosion 1A Eye Damage 1 Other State CHS05 Corros	tion stance or mixture over circle H271 May cause fire or explosion sion H314 Causes severe skin burns a H318 Causes serious eye damage	und eye damage.
Emergency telephone m Chemtrec: 800-424-9300 Canutec: 613-996-6666 Classification of the sub Classification of the sub GHS03 Flame Oxidizing Liquids 1 Cidizing Liquids 1 Cidizing Liquids 1 GHS05 Corros Skin Corrosion 1A Eye Damage 1 Cidizing Cidizion 14 Cidizing Cidizion 14 Cidizing Cidizion 14 Cidizing Cidizion 14 Cidizion 14 Cidiz	tion stance or mixture over circle H271 May cause fire or explosion sion H314 Causes severe skin burns a H318 Causes serious eye damage H302 Harmful if swallowed.	und eye damage.
Emergency telephone m Chemtrec: 800-424-9300 Canutec: 613-996-6666 Classification of the sub Classification of the sub GHS03 Flame Oxidizing Liquids 1 Cidizing Liquids 1 Cidizing Liquids 1 GHS05 Corros Skin Corrosion 1A Eye Damage 1 Cidizing Cidizion 14 Cidizing Cidizion 14 Cidizing Cidizion 14 Cidizing Cidizion 14 Cidizion 14 Cidiz	tion stance or mixture over circle H271 May cause fire or explosion sion H314 Causes severe skin burns a H318 Causes serious eye damage	und eye damage.

Printing date 12/04/2023

Reviewed on 12/04/2023

Trade name: Hydrogen Peroxide 35%

Hazard pictograms	(Contd. of page 1)
GHS03 GHS05 GHS07	
Signal word Danger	
Hazard statements	
May cause fire or explosion; strong oxidizer.	
Harmful if swallowed or if inhaled.	
Causes severe skin burns and eye damage.	
Precautionary statements	
Keep/Store away from clothing and other combustible material	S
Take any precaution to avoid mixing with combustibles.	۵ ۵
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face	protection
Wear fire/flame resistant/retardant clothing.	Joreenon.
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clot	hing Rinse skin with water/shower
IF INHALED: Remove person to fresh air and keep comfortable	
If in eyes: Rinse cautiously with water for several minutes.	
Continue rinsing.	temore contact tenses, if present and easy to do
Immediately call a poison center/doctor.	
If on clothing: Rinse immediately contaminated clothing and sl	in with plenty of water before removing clothes
Specific treatment (see on this label).	in win pickly of which before removing clothes.
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
In case of major fire and large quantities: Evacuate area. Figh	t fire remotely due to the risk of explosion
Store locked up.	
Dispose of contents/container in accordance with local/region	al/national/international regulations
Classification system:	
NFPA ratings (scale 0 - 4)	
$3 \qquad Health = 3$	
3 0 Fire = 3	
Pegativity = 0	
OX Reactivity = 0	
The substance possesses oxidizing properties.	
HMIS-ratings (scale 0 - 4)	
HEALTH *3 $Health = *3$	
FIRE 3 Fire = 3	

REACTIVITY 0 *Reactivity* = 0

- Other hazards
 Results of PBT and vPvB assessment
 PBT: Not applicable.

(Contd. on page 3)

US

Printing date 12/04/2023

Reviewed on 12/04/2023

Trade name: Hydrogen Peroxide 35%

• **vPvB:** Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 7722-84-1 Hydrogen Peroxide Solution
- · Identification number(s)
- EC number: 231-765-0
- · Index number: 008-003-00-9

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

US

Printing date 12/04/2023

Reviewed on 12/04/2023

Trade name: Hydrogen Peroxide 35%

(Contd. of page 3)

- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1**: 10 ppm
- **PAC-2:** 50 ppm
- **PAC-3:** 100 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7722-84-1 Hydrogen Peroxide Solution

PEL Long-term value: 1.4 mg/m³, 1 ppm

- REL Long-term value: 1.4 mg/m³, 1 ppm
- TLV Long-term value: 1 ppm
 - A3

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US –

(Contd. of page 4)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 12/04/2023

Reviewed on 12/04/2023

Trade name: Hydrogen Peroxide 35%

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical proper	ties	
 Information on basic physical and c General Information Appearance: 	hemical properties	
Form:	Liquid	
Color:	Colorless	
· Odor:	Pungent	
· Odor threshold:	Not determined.	
· pH-value:	<3.5	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	-33 °C (-27.4 °F) 108 °C (226.4 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
· Ignition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard. Heating may cause an explosion. Explosive when mixed with combustible material.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	17.4 hPa (13.1 mm Hg)	
		(Contd. on page 6

Printing date 12/04/2023

Reviewed on 12/04/2023

Trade name: Hydrogen Peroxide 35%

		(Contd. of page 5
· Density at 20 °C (68 °F):	1.45 g/cm ³ (12.10025 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	1.12 mPas	
Kinematic:	Not determined.	
· Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

 Oral
 LD50
 500 mg/kg (ATE)

 LL
 LC50 (1)
 LL
 LC50 (1)

Inhalative LC50/4h 11 mg/l (ATE)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) 3
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

(Contd. on page 7)

Printing date 12/04/2023

Reviewed on 12/04/2023

Trade name: Hydrogen Peroxide 35%

(Contd. of page 6)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN2014	
	01/2011	
· UN proper shipping name	** 1 • 1 • 1 •	
· DOT	Hydrogen peroxide, aqueous solutions	
· IMDG, IATA	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	
· Transport hazard class(es)		
DOT		
OXIDIZER 51 51 6		
· Class	5.1 Oxidizing substances	
· Label	5.1, 8	

Printing date 12/04/2023

Reviewed on 12/04/2023

Trade name: Hydr	gen Peroxide 35%
------------------	------------------

	(Contd. of page
IMDG	
Class Label	5.1 Oxidizing substances 5.1/8
IATA	
Class	5.1 Oxidizing substances
Label	5.1 (8)
Packing group	77
DOT, IMDG, IATA	11
Environmental hazards: Marine pollutant:	No
•	
Special precautions for user	Warning: Oxidizing substances
Hazard identification number (Kemler code): EMS Number:	<i>F-H,S-Q</i>
	(SGG16) Peroxides
Segregation groups	D
Stowage Category	-
Stowage Code	SW1 Protected from sources of heat.
Segregation Code	SG16 Stow "separated from" class 4.1
	SG59 Stow "separated from" SGG14-permanganates
	SG72 See 7.2.6.3.2.
Transport in bulk according to Annex II of	NI / 11 11
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: Forbidden
	On cargo aircraft only: Forbidden
IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5. (8), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances): Substance is listed.

(Contd. on page 9)

US

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/04/2023

Reviewed on 12/04/2023

Trade name: Hydrogen Peroxide 35%

· Section 313 (Specific toxic chemical listings): Substance is not listed.

· TSCA (Toxic Substances Control Act): ACTIVE

· Hazardous Air Pollutants Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer: Substance is not listed.

· Chemicals known to cause reproductive toxicity for females: Substance is not listed.

- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency) Substance is not listed.

· TLV (Threshold Limit Value) A3

· NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger · Hazard statements May cause fire or explosion; strong oxidizer. Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. · Precautionary statements *Keep/Store away from clothing and other combustible materials* Take any precaution to avoid mixing with combustibles. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Wear fire/flame resistant/retardant clothing. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

Printing date 12/04/2023

*

Reviewed on 12/04/2023

Trade name: Hydrogen Peroxide 35%

(Contd. of page 9)

	This information is based on our present knowledge. However, this shall not constitute a guarantee for a pecific product features and shall not establish a legally valid contractual relationship.
L	Department issuing SDS: Environment protection department.
(Contact:
L	Date of Preparation / Last Revision:
	Date of preparation / last revision
	Revision 1.1, 12/4/2023: Updated SDS based on Manufacturer's SDS. CS
	Creation date for SDS 09-20-2022. STN
	2/04/2023
	Abbreviations and acronyms:
	MDG: International Maritime Code for Dangerous Goods
	DOT: US Department of Transportation
	ATA: International Air Transport Association
E	EINECS: European Inventory of Existing Commercial Chemical Substances
C	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	IFPA: National Fire Protection Association (USA)
Ŀ	IMIS: Hazardous Materials Identification System (USA)
L	C50: Lethal concentration, 50 percent
	D50: Lethal dose, 50 percent
P	PBT: Persistent, Bioaccumulative and Toxic
	PvB: very Persistent and very Bioaccumulative
	VIOSH: National Institute for Occupational Safety
	DSHA: Occupational Safety & Health
	'LV: Threshold Limit Value
	PEL: Permissible Exposure Limit
	REL: Recommended Exposure Limit
	Dxidizing Liquids 1: Oxidizing liquids – Category 1
	Loute Toxicity - Oral 4: Acute toxicity – Category 4
	kin Corrosion 1A: Skin corrosion/irritation – Category 1A
E	Eye Damage 1: Serious eye damage/eye irritation – Category 1