Printing date 12/28/2017

Reviewed on 12/28/2017

# **1 Identification**

- · Product identifier
- · Trade name: Sodium Chlorate, Reagent ACS Grade Crystal
- Article number: S2655
- CAS Number: 7775-09-9
- *EC number:* 231-887-4
- · Index number:
- 017-005-00-9
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA
  800-256-2586
- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

### 2 Hazard(s) identification

· Classification of the substance or mixture



Ox. Sol. 1 H271 May cause fire or explosion; strong oxidizer.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



Signal word Danger
Hazard statements
May cause fire or explosion; strong oxidizer.
Harmful if swallowed.
Causes serious eye irritation.

(Contd. on page 2)

<sup>-</sup> US

Printing date 12/28/2017

Reviewed on 12/28/2017

# Trade name: Sodium Chlorate, Reagent ACS Grade Crystal

	(Contd. of page
	espiratory irritation.
Precautional	
Keep away fi	
	om clothing and other combustible materials.
Take any pre	caution to avoid mixing with combustibles.
Avoid breath	ing dust/fume/gas/mist/vapors/spray
Wash thorou	ghly after handling.
Do not eat, d	rink or smoke when using this product.
Use only out	doors or in a well-ventilated area.
Wear protect	ive gloves/protective clothing/eye protection/face protection.
	me resistant/retardant clothing.
	Call a poison center/doctor if you feel unwell.
	P: Remove person to fresh air and keep comfortable for breathing.
	inse cautiously with water for several minutes. Remove contact lenses, if present and easy to d
Continue rin.	
	<i>g:</i> Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
Rinse mouth.	
	on persists: Get medical advice/attention.
v .	e: Use for extinction: CO2, powder or water spray.
	<i>yjor fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.</i>
	<i>Il-ventilated place. Keep container tightly closed.</i>
Store locked	
	up. ontents/container in accordance with local/regional/national/international regulations.
Classification	
	rs (scale 0 - 4)
200 0X	Health = 2 Fire = 3 Reactivity = 0
The substance	e possesses oxidizing properties.
	s(scale 0 - 4)
~	
HEALTH 2	Health = 2
FIRE 3	Fire = 3
	Reactivity = 0
	-
Other hazard	
	BT and vPvB assessment
<b>PBT:</b> Not ap	
vPvB: Not ap	oplicable.
Compositi	on/information on ingredients
<i>C</i> <b>1</b> · · · · ·	
	aracterization: Substances
CAS No. Des	
	odium Chlorate
Identification	
EC number:	
Index number	er: 017-005-00-9

· Index number: 017-005-00-9

(Contd. on page 3)

US

Printing date 12/28/2017

Reviewed on 12/28/2017

#### Trade name: Sodium Chlorate, Reagent ACS Grade Crystal

(Contd. of page 2)

#### **4** First-aid measures

- · Description of first aid measures
- · General information:
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1: 3.6 mg/m<sup>3</sup>
- · PAC-2: 40 mg/m<sup>3</sup>
- · PAC-3: 240 mg/m3

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 12/28/2017

Reviewed on 12/28/2017

Trade name: Sodium Chlorate, Reagent ACS Grade Crystal

(Contd. of page 3)

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic phy	sical and chemical properties	
General Information		
Appearance:		
Form:	Crystalline	
Color:	Colorless	
Odor:	Odorless	

Printing date 12/28/2017

Reviewed on 12/28/2017

#### Trade name: Sodium Chlorate, Reagent ACS Grade Crystal

		(Contd. of page
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	255 °C (491 °F)	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Product is not flammable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
	Explosive when mixed with combustible material.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
• Density at 20 °C (68 °F):	2.49 g/cm <sup>3</sup> (20.77905 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water at 20 °C (68 °F):	101 g/l	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (ATE)

(Contd. on page 6)

US

Printing date 12/28/2017

Reviewed on 12/28/2017

#### Trade name: Sodium Chlorate, Reagent ACS Grade Crystal

(Contd. of page 5)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

### 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable. • *vPvB:* Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1495	
UN proper shipping name		
DOT	Sodium chlorate	
IMDG, IATA	SODIUM CHLORATE	

Printing date 12/28/2017

Reviewed on 12/28/2017

Trade name: Sodium Chlorate, Reagent ACS Grade Crystal

	(Contd. of page
· Transport hazard class(es)	
·DOT	
51	
· Class	5.1 Oxidizing substances
·Label	5.1
· IMDG, IATA	
51	
· Class	5.1 Oxidizing substances
· Label	5.1
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Environmentally hazardous substance, solid
· Marine pollutant:	No
· Special precautions for user	Warning: Oxidizing substances
· Stowage Category	A
· Segregation Code	SG38 Stow "separated from" ammonium compounds.
	SG49 Stow "separated from" cyanides
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· IMDG	
· Limited quantities (LQ)	1 kg
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1495 SODIUM CHLORATE, 5.1, II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

• Section 355 (extremely hazardous substances): Substance is not listed.

• Section 313 (Specific toxic chemical listings): Substance is not listed.

· TSCA (Toxic Substances Control Act):

Sodium Chlorate

· Proposition 65

· Chemicals known to cause cancer: Substance is not listed.

· Chemicals known to cause reproductive toxicity for females: Substance is not listed.

· Chemicals known to cause reproductive toxicity for males: Substance is not listed.

(Contd. on page 8)

- US

Printing date 12/28/2017

Reviewed on 12/28/2017

Trade name: Sodium Chlorate, Reagent ACS Grade Crystal

Chemicals known to cause developmental toxicity: Substance is not listed.	(Contd. of page
Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed GHS label elements The substance is classified and labeled according to the Globally Harm Hazard pictograms	
$\langle \mathfrak{G} \rangle \langle \mathfrak{I} \rangle$	
GHS03 GHS07	
Signal word Danger	
Hazard statements	
May cause fire or explosion; strong oxidizer.	
Harmful if swallowed.	
Causes serious eye irritation.	
May cause respiratory irritation.	
Precautionary statements	
Keep away from heat.	
Keep away from clothing and other combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
Wear fire/flame resistant/retardant clothing.	
If swallowed: Call a poison center/doctor if you feel unwell.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pr	esent and easy to d
Continue rinsing.	
If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before	e removing clothes.
Rinse mouth.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk	of explosion.
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regu	lations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision 12-28-2017: review SDS for accuracy. STN Creation date for SDS 02-12-2014. STN 12/28/2017 / -

(Contd. on page 9)

Printing date 12/28/2017

Reviewed on 12/28/2017

(Contd. of page 8)

#### Trade name: Sodium Chlorate, Reagent ACS Grade Crystal

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Sol. 1: Oxidizing solids – Category 1 Acute Tox. 4: Acute toxicity - Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3