Printing date 12/05/2017

Reviewed on 12/05/2017

1 Identification

- · Product identifier
- · Trade name: Mercaptan Standard 2,000 ppm w/w in 15% w/w Sodium Hydroxide (tert-Butyl Mercaptan)
- · Article number: MER077
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

· Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org · Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Sodium Hydroxide 2-methylpropane-2-thiol (Tertiary Butyl Mercaptan) · Hazard statements Causes severe skin burns and eye damage.

- May cause an allergic skin reaction.
- · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling.

(Contd. on page 2)

US

Printing date 12/05/2017

Reviewed on 12/05/2017

ade name: Mercaptan Stando in 15% w/w Sodiu	ura 2,000 ppm w/w ym Hydroxide (tert-Butyl Mercaptan)
	(Contd. of pa
Contaminated work clothing	g must not be allowed out of the workplace.
Wear protective gloves/prot	ective clothing/eye protection/face protection.
If swallowed: Rinse mouth.	
	f immediately all contaminated clothing. Rinse skin with water/shower.
	on to fresh air and keep comfortable for breathing.
	with water for several minutes. Remove contact lenses, if present and easy to
Continue rinsing. Immediately call a poison c	anter/doctor
Specific treatment (see on th	
	urs: Get medical advice/attention.
Wash contaminated clothing	
Store locked up.	
Dispose of contents/contain	er in accordance with local/regional/national/international regulations.
· Classification system:	
\cdot NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 0 Reactivity = 0)
• HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 0 $Fire = 0$	
REACTIVITY 0 Reactivity =	0
REACTIVITI 1 Reactivity =	
• Other hazards	
• Results of PBT and vPvB a	ssessment
• <i>PBT:</i> Not applicable.	
• vPvB: Not applicable.	
Composition/informat	on on ingredients
· Chemical characterization:	Mixtures
	substances listed below with nonhazardous additions.
· Dangerous components:	
CAS: 1310-73-2 Sodium H	ydroxide 14.91
CAS: 75-66-1 2-methylp	ropane-2-thiol (Tertiary Butyl Mercaptan) 0.563
· Table of Nonhazardous Ing	redients
CAS: 7732-18-5 Water	84.52

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

US

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Mercaptan Standard 2,000 ppm w/w in 15% w/w Sodium Hydroxide (tert-Butyl Mercaptan)

(Contd. of page 2)

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures . .

Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 1310-73-2 Sodium Hydroxide	$0.5 mg/m^3$
· PAC-2:	
	5 mg/m ³
CAS: 1310-73-2 Sodium Hydroxide	
<i>CAS: 1310-73-2 Sodium Hydroxide • PAC-3:</i>	

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

US

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Mercaptan Standard 2,000 ppm w/w

in 15% w/w Sodium Hydroxide (tert-Butyl Mercaptan)

(Contd. of page 3)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: $2 mg/m^3$

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Mercaptan Standard 2,000 ppm w/w in 15% w/w Sodium Hydroxide (tert-Butyl Mercaptan)

(Contd. of page 4)

Physical and chemical proper	ties
· Information on basic physical and c	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Like rotten eggs (mercaptans)
· Odor threshold:	Not determined.
• pH-value at 20 °C (68 °F):	>12
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.16748 g/cm ³ (9.74262 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	pr): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	84.5 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gl
Solids content:	14.9 %
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

(Contd. on page 6)

US

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Mercaptan Standard 2,000 ppm w/w in 15% w/w Sodium Hydroxide (tert-Butyl Mercaptan)

(Contd. of page 5)

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 13,409 mg/kg (rat)

CAS: 1310-73-2 Sodium Hydroxide

Oral LD50 2,000 mg/kg (rat)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

(Contd. on page 7)

US

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Mercaptan Standard 2,000 ppm w/w in 15% w/w Sodium Hydroxide (tert-Butyl Mercaptan)

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, IMDG, IATA UN1760 · UN proper shipping name $\cdot DOT$ Corrosive liquids, n.o.s. (Sodium hydroxide) · IMDG, IATA CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE) · Transport hazard class(es) · DOT · Class 8 Corrosive substances · Label 8 · IMDG, IATA · Class 8 Corrosive substances 8 · Label · Packing group · DOT, IMDG, IATA Π Not applicable. · Environmental hazards: (Contd. on page 8)

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Mercaptan Standard 2,000 ppm w/w in 15% w/w Sodium Hydroxide (tert-Butyl Mercaptan)

	(Contd. of page 7
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F- A , S - B
Segregation groups	Alkalis
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUIDS, N.O.S. (SODIUM HYDROXIDE)
	8, <i>11</i>

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

Sodium Hydroxide

2-methylpropane-2-thiol (Tertiary Butyl Mercaptan)

Water

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

[·]US

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Mercaptan Standard 2,000 ppm w/w

in 15% w/w Sodium Hydroxide (tert-Butyl Mercaptan)

(Contd. of page 8)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Sodium Hydroxide 2-methylpropane-2-thiol (Tertiary Butyl Mercaptan) · Hazard statements Causes severe skin burns and eye damage. May cause an allergic skin reaction. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

- · Contact:
- Date of preparation / last revision 12-05-2017: review SDS for accuracy. STN Revision 0.0, 05-16-2016: Creation date for SDS. STN 12/05/2017 / -

(Contd. on page 10)

US

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Mercaptan Standard 2,000 ppm w/w in 15% w/w Sodium Hydroxide (tert-Butyl Mercaptan)

(Contd. of p	age 9)
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Interna	tional
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
	US