Printing date 11/29/2017

Reviewed on 11/29/2017

Printing date 11/29/2017	Reviewed on 11/29/201
1 Identification	
· Product identifier	
· Trade name: Hydrochloric Acid	
5% v/v Solution	
• Article number: LPG001	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
Information department:	
Technical Coordinator Sherman Nelson sherman@aquasolutions.org	
• Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
2 Hazard(s) identification	
• Classification of the substance or mixture	
GHS05 Corrosion	
Skin Corr. 1A H314 Causes severe skin burns and eye dar	<i>W(G)</i>
	<i>mage.</i>
GHS07	
Englimit 24 U210 Causes conjour and imitation	
Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation.	
 Label elements GHS label elements The product is classified and labeled a 	according to the Clobally Hammonized System (CHS)
• GHS label elements The product is classified and labeled c • Hazard pictograms	iccording to the Globally Harmonized System (GHS).
GHS05 GHS07	
011505 011507	
· Signal word Danger	
· Hazard-determining components of labeling:	
Hydrochloric Acid	
· Hazard statements	
Causes severe skin burns and eye damage.	
Causes serious eye irritation. May cause respiratory irritation.	
• Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
	(Contd. on page

(Contd. on page 2)

US

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Hydrochloric Acid 5% v/v Solution

(Contd. of	nage 1)
Use only outdoors or in a well-ventilated area.	page 1)
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy a	to do
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If eye irritation persists: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3 Fire = 0 Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH 3 Health = *3 FIRE 0 REACTIVITY 0 Reactivity = 0 • Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	
2 Composition linformation on increations	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
	707%
· Table of Nonhazardous Ingredients	
	93%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

US

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Hydrochloric Acid 5% v/v Solution

(Contd. of page 2)

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7647-01-0Hydrochloric Acid1.8 ppm	
· PAC-2:	
CAS: 7647-01-0 Hydrochloric Acid 22 ppm	
• PAC-3:	
CAS: 7647-01-0Hydrochloric Acid100 ppm	

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

- US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Hydrochloric Acid

5% v/v Solution

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

\cdot Components with limit values that require monitoring at the workplace:		
CAS: 7647-01-0 Hydrochloric Acid		
	Ceiling limit value: 7.0 mg/m3 mg/m ³	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm	
REL	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2.98 mg/m³, 2 ppm	

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

US

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Hydrochloric Acid 5% v/v Solution

· Body protection: Protective work clothing

Physical and chemical property	ties	
Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.01959 g/cm³ (8.50848 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	94.3 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Hydrochloric Acid 5% v/v Solution

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 7647-01-0 Hydrochloric Acid

Irritation of skin	Skin Corrosion/Irritation	(rabbit)
Irritation of eyes	Eye damage/eye irritation	(rabbit)
	Germ cell mutagenicity	(Human)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.
- Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.

(Contd. on page 7)

⁻ US

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Hydrochloric Acid 5% v/v Solution

(Contd. of page 6)

Additional	ecological	information:
------------	------------	--------------

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
DOT, IMDG, IATA	UN1789	
· UN proper shipping name		
· DOT	Hydrochloric acid solution	
· IMDG, IATA	HYDROCHLORIC ACID solution	
• Transport hazard class(es)		
DOT		
CORROSIVE 8		
· Class	8 Corrosive substances	
· Label	8	
· IMDG, IATA		
· Class	8 Corrosive substances	
· Label	8	
· Packing group		
Packing group		

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Hydrochloric Acid 5% v/v Solution

	(Contd. of page
· Environmental hazards:	
• Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A, S-B
Segregation groups	Acids
Stowage Category	E
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	
·DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Hydrochloric Acid

Water

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Hydrochloric Acid 5% v/v Solution

(Contd. of page 8)

•	Carcinogenic	categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Hydrochloric Acid
Hazard statements Causes severe skin burns and eye damage. Causes serious eye irritation.

May cause respiratory irritation.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

11-29-2017: review SDS for accuracy. STN Creation date for SDS 06-18-2014 LS

(Contd. on page 10)

US

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Hydrochloric Acid 5% v/v Solution

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal dose, 50 percent DJ50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Serious eye damage/eye irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	(Contd. of page
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Exposure Samage/eye irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	11/29/2017 / -
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	Abbreviations and acronyms:
IMDG: International Maritime Code for Dangerous GoodsDOT: US Department of TransportationIATA: International Air Transport AssociationACGIH: American Conference of Governmental Industrial HygienistsEINECS: European Inventory of Existing Commercial Chemical SubstancesELINCS: European List of Notified Chemical SubstancesCAS: Chemical Abstracts Service (division of the American Chemical Society)NFPA: National Fire Protection Association (USA)HMIS: Hazardous Materials Identification System (USA)VOC: Volatile Organic Compounds (USA, EU)LC50: Lethal concentration, 50 percentLD50: Lethal dose, 50 percentPBT: Persistent, Bioaccumulative and ToxicvPvB: very Persistent and very BioaccumulativeNIOSH: National Institute for Occupational SafetyOSHA: Occupational Safety & HealthTLV: Threshold Limit ValuePEL: Permissible Exposure LimitREL: Recommended Exposure LimitSkin Corr. IA: Skin corrosion/irritation – Category IAEye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	Carriage of Dangerous Goods by Road)
IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	IMDG: International Maritime Code for Dangerous Goods
ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	DOT: US Department of Transportation
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	IATA: International Air Transport Association
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DS5: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	EINECS: European Inventory of Existing Commercial Chemical Substances
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	ELINCS: European List of Notified Chemical Substances
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	NFPA: National Fire Protection Association (USA)
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	HMIS: Hazardous Materials Identification System (USA)
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	LC50: Lethal concentration, 50 percent
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	LD50: Lethal dose, 50 percent
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	PBT: Persistent, Bioaccumulative and Toxic
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	vPvB: very Persistent and very Bioaccumulative
TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	NIOSH: National Institute for Occupational Safety
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	OSHA: Occupational Safety & Health
REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	TLV: Threshold Limit Value
Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	PEL: Permissible Exposure Limit
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	REL: Recommended Exposure Limit
	Skin Corr. 1A: Skin corrosion/irritation – Category 1A
	Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3