# Safety Data Sheet acc. to OSHA HCS

Printing date 08/31/2021

\*

Reviewed on 08/31/2021

Product identifier	
Trade name: Eriochrome Black T	
Solution	
Article number: E2050	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Aqua Solutions, Inc.	AQUA
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536 USA	
800-256-2586	
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org	
Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
Elam Lia 2 H226 Elammable liquid and dimension	
<i>Flam. Liq. 3 H226 Flammable liquid and vapor.</i>	
GHS08 Health hazard	
ΟΠ500 Πεαιτη παζατά	
Repr. 1B H360 May damage fertility or the unborn child.	
$\mathbf{A}$	
GHS07	
$\checkmark$	
Acute Tox. 4 H302 Harmful if swallowed.	
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin.	
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled.	
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled according to	o the Globally Harmonized System (GH
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements	o the Globally Harmonized System (GH
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled according to	o the Globally Harmonized System (GH
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled according to	o the Globally Harmonized System (GH
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled according to Hazard pictograms	o the Globally Harmonized System (GH
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled according to Hazard pictograms GHS02 GHS07 GHS08	o the Globally Harmonized System (GH
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled according to Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger	o the Globally Harmonized System (GH
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled according to Hazard pictograms GHS02 GHS07 GHS08	o the Globally Harmonized System (GH

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Eriochrome Black T Solution

	(Contd. of page
Hazard statements	
Flammable liquid and vapor.	
Harmful if swallowed, in contact with skin or if inhaled.	
May damage fertility or the unborn child.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	
	•
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
<i>IF exposed or concerned: Get medical advice/attention.</i>	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	is.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = 2	
$\frac{1}{1} \frac{1}{1} \frac{1}$	
Keachvary = 0	
HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> <sup>*1</sup> $Health = *1$	
FIRE 2 Fire = 2	
<b>REACTIVITY</b> $\bigcirc$ Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
<b>vPvB:</b> Not applicable.	
<b><i>i i b</i>. <i>i i i i pi i i i i i i i i i</i></b>	

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Eriochrome Black T Solution

· Dangerous components:

(Contd. of page 2)

99.478%

0.522%

• Table of Nonhazardous Ingredients CAS: 1787-61-7 Eriochrome Black T

Ethylene Glycol Monomethyl Ether

## 4 First-aid measures

#### · Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

US

*Printing date 08/31/2021* 

Reviewed on 08/31/2021

Trade name: Eriochrome Black T Solution

(Contd. of page 3)

· Protective Action Criteria for Chemicals	
• PAC-1:	
Ethylene Glycol Monomethyl Ether	0.3 ppm
• PAC-2:	
Ethylene Glycol Monomethyl Ether	14 ppm
· PAC-3:	
Ethylene Glycol Monomethyl Ether	2000* ppm

# 7 Handling and storage

#### · Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

~

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Ethyle	ne Glycol Monomethyl Ether	
PEL	Long-term value: 80 mg/m <sup>3</sup> , 25 ppm Skin	
REL	Long-term value: 0.3 mg/m³, 0.1 ppm Skin	
TLV	Long-term value: 0.1 ppm Skin; BEI	
WEEL	Skin; B	
Ingred	ients with biological limit values:	
Ethyle	ne Glycol Monomethyl Ether	
L. T	mg/g creatinine D50 Intraperitoneal: urine ime: end of shift at end of workweek D50: 2-Methoxyacetic acid	

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Eriochrome Black T Solution

(Contd. of page 4)

Exposure controls
Personal protective equipment:
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic physical and · General Information	chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Red	
· Odor:	Organic	
Odor threshold:	Not determined.	
• pH-value at 20 °C (68 °F):	4	
· Change in condition		
Melting point/Melting range:	-85 °C (-121 °F)	
Boiling point/Boiling range:	124 °C (255.2 °F)	
· Flash point:	38 °C (100.4 °F)	

Printing date 08/31/2021

Reviewed on 08/31/2021

#### Trade name: Eriochrome Black T Solution

	(Contd. of page 5
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	310 °C (590 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2.4 Vol %
Upper:	20.6 Vol %
· Vapor pressure at 20 °C (68 °F):	10 hPa (7.5 mm Hg)
Density at 20 °C (68 °F):	0.9587 g/cm <sup>3</sup> (8.00035 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	99.5 %
VOC content:	99.48 %
	953.7 g/l / 7.96 lb/gal
Solids content:	0.5 %
• Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

*Printing date 08/31/2021* 

Reviewed on 08/31/2021

Trade name: Eriochrome Black T Solution

(Contd. of page 6)

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)OralLD50503 mg/kgDLD50100 (mg/kg)

Dermal LD50 1,106 mg/kg Inhalative LC50/4h 11.1 mg/l

#### Ethylene Glycol Monomethyl Ether

Oral	LD50	500 mg/kg (ATE)
Dermal	LD50	1,100 mg/kg (ATE)
		11 mg/l (ATE)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

· Toxicity

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Eriochrome Black T Solution

(Contd. of page 7)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT · IMDG, IATA	Flammable liquids, n.o.s. (Ethylene glycol monomethyl ether) FLAMMABLE LIQUID, N.O.S. (ETHYLENE GLYCO MONOMETHYL ETHER)
• Transport hazard class(es)	
·DOT	
RAMARIE LODO	
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	-
· Class · Label	3 Flammable liquids
Packing group	-
· DOT, IMDG, IATA	III
	Not applicable.
Environmental hazards:	11
Environmental hazards: Special precautions for user	Warning: Flammable liquids
Environmental hazards: Special precautions for user Hazard identification number (Kemle	Warning: Flammable liquids r code): 30
Environmental hazards: Special precautions for user	Warning: Flammable liquids

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Eriochrome Black T Solution

	(Contd. of page 8
· Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHYLENE GLYCOI MONOMETHYL ETHER), 3, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

•	Sar	a
---	-----	---

• Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
Ethylene Glycol Monomethyl Ether	
• TSCA (Toxic Substances Control Act):	
Ethylene Glycol Monomethyl Ether	ACTIVE
Eriochrome Black T	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
Ethylene Glycol Monomethyl Ether	
· Chemicals known to cause developmental toxicity:	
Ethylene Glycol Monomethyl Ether	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
	(Contd. on page 1

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Eriochrome Black T Solution

(Contd. of page 9) • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 GHS02 GHS08 · Signal word Danger · Hazard-determining components of labeling: Ethylene Glycol Monomethyl Ether · Hazard statements Flammable liquid and vapor. Harmful if swallowed, in contact with skin or if inhaled. May damage fertility or the unborn child. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 1.0, 08-12-2021: upodated hazard information. STN Revision 0.0 08-30-2021: Creation date for SDS. STN 08/31/2021 / 1.0

(Contd. on page 11)

US

Printing date 08/31/2021

Reviewed on 08/31/2021

#### Trade name: Eriochrome Black T Solution

	(Contd. of page 10)
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Repr. 1B: Reproductive toxicity – Category 1B	
* Data compared to the previous version altered.	