Printing date 11/15/2017

Reviewed on 11/15/2017

- · Product identifier
- Trade name: <u>Chromium Standard</u> 1,000 ppm as Cr
- · Article number: ESP003
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586

· Information department:

Technical Coordinator Sherman Nelson sherman@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 *Hazard*(*s*) *identification*

· Classification of the substance or mixture



GHS08 Health hazard

- Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Muta. 1B H340 May cause genetic defects.
- Carc. 1A H350 May cause cancer.
- *Repr. 1* H360 May damage fertility or the unborn child.

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- Potassium Dichromate
- · Hazard statements
- May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
- May cause genetic defects. May cause cancer.

(Contd. on page 2)

US

Printing date 11/15/2017

Reviewed on 11/15/2017

Trade name: Chromium Standard 1,000 ppm as Cr

May damage fortility on the unbown shild	(Contd. of page 1)
May damage fertility or the unborn child. • Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If on skin: Wash with plenty of water.	
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.	
<i>IF exposed or concerned: Get medical advice/attention.</i>	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>s</i> .
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 0 Fire = 0 Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1 FIRE 0 Fire = 0	
$\begin{array}{c} \text{REACTIVITY} \\ \hline \end{array} Reactivity = 0 \end{array}$	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 7778-50-9 Potassium Dichromate	0.282%

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

99.718%

Printing date 11/15/2017

Reviewed on 11/15/2017

Trade name: Chromium Standard 1,000 ppm as Cr

(Contd. of page 2)

- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

CAS: 7778-50-9 Potassium Dichromate

· PAC-1:

 $0.42 \ mg/m^3$

8.8 mg/m³

 44 mg/m^3

· PAC-2:

CAS: 7778-50-9 Potassium Dichromate

• PAC-3:

CAS: 7778-50-9 Potassium Dichromate

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 4)

- US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/15/2017

Reviewed on 11/15/2017

Trade name: Chromium Standard 1,000 ppm as Cr

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7778-50-9 Potassium Dichromate

- PEL Long-term value: 0.005* mg/m³ Ceiling limit value: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026
- REL Long-term value: 0.0002 mg/m³ as Cr; See Pocket Guide Apps. A and C
- TLV Short-term value: NIC-0.0005* mg/m³ Long-term value: (0.05) NIC-0.0002* mg/m³ as Cr; *inhalable, BEI, NIC-Skin, DSEN, RSEN

· Ingredients with biological limit values:

CAS: 7778-50-9 Potassium Dichromate

BEI 25 µg/L

LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Total chromium (fume)

10 µg/L

LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

US

Printing date 11/15/2017

Reviewed on 11/15/2017

Trade name: Chromium Standard 1,000 ppm as Cr

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties Information on basic physical and chemical properties Concern Information

Color:OrangeOdor:OdorlessOdor threshold:Not determined.pH-value:Not determined.Change in conditionUndetermined.Melting point/Melting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.	Appearance: Form:	Liquid	
Odor:Odorless Not determined.PH-value:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:Undetermined.Boiling point/Melting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: 			
Odor threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:Undetermined.Boiling point/Melting range:Undetermined.Boiling point/Boiling range:IO0 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative density Vapor densityNot determined.Solubility in / Miscibility with		0	
Change in condition Indetermined. Melting point/Melting range: 100 °C (212 °F) Flash point: Not applicable. Flash point: Not applicable. Ignition temperature: Not determined. Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.00177 g/cm ³ (8.35977 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.	Odor threshold:		
Melting point/Melting range:Undetermined. 100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative density Vapor densityNot determined.Vapor density Evaporation rateNot determined.Solubility in / Miscibility withNot determined.	pH-value:	Not determined.	
Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not deplicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor and the set of the	Change in condition		
Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Melting point/Melting range:	• • • • • • • • • • • • • • • • • • • •	
Flammability (solid, gaseous): Not applicable. Ignition temperature: Not determined. Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.00177 g/cm³ (8.35977 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined.	Boiling point/Boiling range:	100 °C (212 °F)	
Ignition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Flash point:	Not applicable.	
Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Flammability (solid, gaseous):	Not applicable.	
Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Ignition temperature:		
Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Decomposition temperature:	Not determined.	
Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.00177 g/cm³ (8.35977 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Vapor density	Auto igniting:	Product is not selfigniting.	
Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Explosion limits:		
Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Lower:	Not determined.	
Density at 20 °C (68 °F):1.00177 g/cm³ (8.35977 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Upper:	Not determined.	
Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Vertical (Content of the second	Density at 20 °C (68 °F):	1.00177 g/cm³ (8.35977 lbs/gal)	
Evaporation rate Not determined. Solubility in / Miscibility with Image: Constraint of the second s	Relative density	Not determined.	
Solubility in / Miscibility with	Vapor density	Not determined.	
	Evaporation rate	Not determined.	
Water: Fully miscible.	Solubility in / Miscibility with		
		Fully miscible.	

Printing date 11/15/2017

Reviewed on 11/15/2017

Trade name: Chromium Standard 1,000 ppm as Cr

		(Contd. of page 5
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	99.7 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gl	
Solids content:	0.3 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 67,280 mg/kg (mouse)

Inhalative LC50/4 h 177 mg/l

CAS: 7778-50-9 Potassium Dichromate

Oral	LD50	190 mg/kg (mouse)
Dermal	LD50	1,100 mg/kg (ATE)
Inhalative	LC50/4 h	0.5 mg/l (ATE)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

· Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

The product can cause inheritable damage.

(Contd. on page 7)

US

Printing date 11/15/2017

Reviewed on 11/15/2017

Trade name: Chromium Standard 1,000 ppm as Cr

(Contd. of page 6)

1

K

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7778-50-9 Potassium Dichromate

· NTP (National Toxicology Program)

CAS: 7778-50-9 Potassium Dichromate

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

<u>12 Ecological information</u>

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number		
· DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	Not regulated	
		(Contd. on page 8)

Printing date 11/15/2017

Reviewed on 11/15/2017

Trade name: Chromium Standard 1,000 ppm as Cr

		(Contd. of page 7)
· Packing group · DOT, IMDG, IATA	Not regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Anne MARPOL73/78 and the IBC Code	e x II of Not applicable.	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 Section 313 (Specific toxic chemical listings): CAS: 7778-50-9 Potassium Dichromate

· TSCA (Toxic Substances Control Act):

Potassium Dichromate

Water

· TSCA new (21st Century Act) (Substances not listed)

CAS: 7778-50-9 Potassium Dichromate

· Proposition 65

 \cdot Chemicals known to cause cancer:

CAS: 7778-50-9 Potassium Dichromate

 \cdot Chemicals known to cause reproductive toxicity for females:

CAS: 7778-50-9 Potassium Dichromate

• Chemicals known to cause reproductive toxicity for males:

CAS: 7778-50-9 Potassium Dichromate

 \cdot Chemicals known to cause developmental toxicity:

CAS: 7778-50-9 Potassium Dichromate

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 7778-50-9 Potassium Dichromate

A(inh), D(oral), K/L(inh), CBD(oral)

· TLV (Threshold Limit Value established by ACGIH)

CAS: 7778-50-9 Potassium Dichromate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7778-50-9 Potassium Dichromate

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

A1

Printing date 11/15/2017

Reviewed on 11/15/2017

Trade name: Chromium Standard 1,000 ppm as Cr (Contd. of page 8) · Hazard pictograms · Signal word Danger · Hazard-determining components of labeling: Potassium Dichromate · Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If on skin: Wash with plenty of water. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. *IF exposed or concerned: Get medical advice/attention.* Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. *If experiencing respiratory symptoms: Call a poison center/doctor.* Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: · Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous). · Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

Exceptions can be made by the authorities in certain cases.

· Contact:

• Date of preparation / last revision 11-15-2017: review SDS for accuracy. STN Creation date for SDS 12-17-2014. STN 11/15/2017 / -

(Contd. on page 10)

_____US

Printing date 11/15/2017

Reviewed on 11/15/2017

Trade name: Chromium Standard 1,000 ppm as Cr

	(Contd. of page 9)
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concern	ing the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Muta. 1B: Germ cell mutagenicity – Category 1B	
Carc. 1A: Carcinogenicity – Category 1A	
Repr. 1: Reproductive toxicity – Category 1	
	US -