Printing date 11/29/2017

Reviewed on 11/29/2017

## **1** Identification

- · Product identifier
- Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable
- Article number: LY155
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225

DEER PARK, TX 77536 USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org
   Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

## 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Danger
- · Hazard-determining components of labeling:
- Hydrochloric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.

Wash thoroughly after handling.

- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)



<sup>-</sup> US

Printing date 11/29/2017

Reviewed on 11/29/2017

#### Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable

	(Contra of mage 1)
Wash contaminated clothing before reuse.	(Contd. of page 1)
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
$\frac{3}{Reactivity} = 0$	
• HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> <sup>13</sup> Health = $*3$	
FIRE 0 $Fire = 0$	
<b>REACTIVITY</b> $0$ Reactivity = 0	
• Other hazards Possults of PPT and vPvP accessment	
• Results of PBT and vPvB assessment • PBT: Not applicable.	
• <b>vPvB</b> : Not applicable.	
3 Composition/information on ingredients	

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7647-01-0 Hydrochloric Acid	2.293%	
· Table of Nonhazardous Ingredients		
CAS: 13477-34-4 Calcium Nitrate Tetrahydrate	0.0011%	
CAS: 7732-18-5 Water	97.706%	

# 4 First-aid measures

#### · Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

- US

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

### Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable

· Advice for firefighters

· Protective equipment: No special measures required.

## 6 Accidental release measures

	ons, protective equipment and emergency procedures quipment. Keep unprotected persons away.	
	cecautions: Dilute with plenty of water.	
	erial for containment and cleaning up:	
	l-binding material (sand, diatomite, acid binders, universal binders, sawdust	).
Use neutralizing d		)•
	ated material as waste according to item 13.	
Ensure adequate		
· Reference to othe		
See Section 7 for	nformation on safe handling.	
	nformation on personal protection equipment.	
	disposal information.	
· Protective Action	Criteria for Chemicals	
· PAC-1:		
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	12 mg/m <sup>3</sup>
· PAC-2:		
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	130 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	770 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

us –

2

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

(0 1

### Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable

· Control parameters	(Contd. of	page
*	values that require monitoring at the workplace:	
CAS: 7647-01-0 Hydro	chloric Acid	
NIOSH RECOMENDE	DEXP LIMI Ceiling limit value: 7.0 mg/m3 mg/m <sup>3</sup>	
PEL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm	
REL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm	
TLV	Ceiling limit value: 2.98 mg/m³, 2 ppm	
· Additional information	The lists that were valid during the creation were used as basis.	

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic phys	sical and chemical properties	
· General Information		
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Odorless	

*Printing date 11/29/2017* 

Reviewed on 11/29/2017

## Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable

Odor threshold:	(Contd. of page Not determined.
<i>pH-value at 20 °C (68 °F):</i>	<2
• · · ·	×2
Change in condition	Undetermined.
Melting point/Melting range: Boiling point/Boiling range:	100  °C (212  °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00394 g/cm³ (8.37788 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	97.7 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gl
Solids content:	0.1 %
Other information	No further relevant information available.

# **10** Stability and reactivity

• *Reactivity* No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

<sup>·</sup> Chemical stability

Printing date 11/29/2017

Reviewed on 11/29/2017

#### Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable

(Contd. of page 5)

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- $\cdot$  on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive* 

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

## · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Generally not hazardous for water
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 11/29/2017

Reviewed on 11/29/2017

## Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable

(Contd. of page 6)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1789
UN proper shipping name	
DOT	Hydrochloric acid mixture
IMDG, IATA	HYDROCHLORIC ACID mixture
Transport hazard class(es)	
DOT	
CORROSIVE	
V	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
,	
PB	
Class	8 Corrosive substances
Label	8 Corrosive substances
	0
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A, S-B
Segregation groups	Acids
Stowage Category	E
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.

Printing date 11/29/2017

Reviewed on 11/29/2017

## Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable

Transport/Additional information:	(Contd. of page
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 1789 HYDROCHLORIC ACID MIXTURE, 8, III

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 Section 313 (Specific toxic chemical listings): CAS: 13477-34-4 Calcium Nitrate Tetrahydrate

• TSCA (Toxic Substances Control Act):

Hydrochloric Acid

Water

• TSCA new (21st Century Act) (Substances not listed) • Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable

	(Contd. of page 8)
Hazard pictograms	
$\wedge$	
GHS05	
Signal word Danger	
Hazard-determining components of labeling:	
Hydrochloric Acid	
Hazard statements	
Causes severe skin burns and eye damage.	
Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>S</i> .
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision
- 11-29-2017: review SDS for accuracy. STN Creation date for SDS 12-09-2014. STN
- 11/29/2017 / -
- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
- Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- NIOSH: National Institute for Occupational S OSHA: Occupational Safety & Health

(Contd. on page 10)

US

Printing date 11/29/2017

Reviewed on 11/29/2017

## Trade name: Calcium Standard 2.0 ppm in 2% HCL NIST Traceable

(Contd. of page 9)

US

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1