Printing date 11/22/2017

Reviewed on 11/22/2017

1 Identification	
 Product identifier Trade name: Periodic Acid 0.5% w/v 	
in 80% v/v Acetic Acid	
· Article number: HPA001A	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 	AQUA SOLUTIONS
· Information department:	
Technical Coordinator	
Sherman Nelson sherman@aquasolutions.org • Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
2 Hazard(s) identification	
· Classification of the substance or mixture	
· Cuissification of the substance of mixture	
GHS02 Flame	
GHS02 Flame	
<i>GHS02 Flame</i> <i>Flam. Liq. 3 H226 Flammable liquid and vapor.</i>	
GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor.	
GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage.	
GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07	ding to the Globally Harmonized System (GHS,
GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H312 Harmful in contact with skin. • Label elements GHS07	ling to the Globally Harmonized System (GHS)
GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H312 Harmful in contact with skin. • Label elements GHS07	ding to the Globally Harmonized System (GHS
GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H312 Harmful in contact with skin. Label elements GHS label elements The product is classified and labeled accord. Hazard pictograms Guide Science	ding to the Globally Harmonized System (GHS,
Flam. Liq. 3 H226 Flammable liquid and vapor. Flam. Liq. 3 H226 Flammable liquid and vapor. GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS05 GHS07 Acute Tox. 4 H312 Harmful in contact with skin. Label elements The product is classified and labeled accord Hazard pictograms GHS02 GHS05 GHS02 GHS05 GHS07 Signal word Danger Hazard-determining components of labeling:	ling to the Globally Harmonized System (GHS,
Flam. Liq. 3 H226 Flammable liquid and vapor. Flam. Liq. 3 H226 Flammable liquid and vapor. GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS05 GHS07 Acute Tox. 4 H312 Harmful in contact with skin. Label elements The product is classified and labeled accord Hazard pictograms GHS02 GHS05 GHS02 GHS05 GHS07 Signal word Danger Signal word Danger	ling to the Globally Harmonized System (GHS,

Printing date 11/22/2017

Reviewed on 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

	(Contd. of page 1)
Harmful in contact with skin.	
Causes severe skin burns and eye damage.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wate	r/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, ij	f present and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international re	egulations.
· Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 2	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 2 $Fire = 2$	
REACTIVITY $\begin{bmatrix} 1 \end{bmatrix}$ Reactivity = 1	
• Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 64-19-7 Acetic Acid	80.703%
· Table of Nonhazardous Ingredients	
CAS: 10450-60-9 Periodic Acid	0.479%

(Contd. on page 3) US

Printing date 11/22/2017

Reviewed on 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

CAS: 7732-18-5 Water

(Contd. of page 2) 18.818%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

	ons, protective equipment and emergency procedures	
Wear protective eq	uipment. Keep unprotected persons away.	
• Environmental pro		
Dilute with plenty	of water.	
Do not allow to en	ter sewers/ surface or ground water.	
· Methods and mate	erial for containment and cleaning up:	
Absorb with liquid	-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing a	gent.	
Dispose contamina	ated material as waste according to item 13.	
Ensure adequate v	entilation.	
· Reference to other	r sections	
See Section 7 for in	nformation on safe handling.	
See Section 8 for in	nformation on personal protection equipment.	
See Section 13 for	disposal information.	
· Protective Action	Criteria for Chemicals	
· PAC-1:		
CAS: 64-19-7	Acetic Acid	5 ppm
CAS: 10450-60-9	Periodic Acid	0.18 mg/m ³
		(Contd. on page 4

Printing date 11/22/2017

Reviewed on 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

		(Contd. of page 3)
· PAC-2:		
CAS: 64-19-7	Acetic Acid	35 ppm
CAS: 10450-60-9	Periodic Acid	2.1 mg/m^3
· PAC-3:		
CAS: 64-19-7	Acetic Acid	250 ppm
CAS: 10450-60-9	Periodic Acid	12 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-19-7 Acetic Acid

- PEL Long-term value: 25 mg/m³, 10 ppm
- REL Short-term value: 37 mg/m³, 15 ppm
- Long-term value: 25 mg/m³, 10 ppm
- TLV Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.

(Contd. on page 5)

Printing date 11/22/2017

Reviewed on 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Vinegar
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	Undetermined
Melting point/Melting range: Boiling point/Boiling range:	$100 \ ^{\circ}C \ (212 \ ^{\circ}F)$
Flash point:	40 °C (104 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	485 °C (905 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits: Lower:	4 Vol %

Printing date 11/22/2017

Reviewed on 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

	(Contd. o	of page
Upper:	17 Vol %	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.04383 g/cm ³ (8.71076 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	80.7 %	
Water:	18.8 %	
VOC content:	80.70 %	
	842.4 g/l / 7.03 lb/gl	
Solids content:	0.5 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 4,101 mg/kg (rat) Dermal LD50 1,313 mg/kg (rabbit)

CAS: 64-19-7 Acetic Acid

Oral LD50 3,310 mg/kg (rat)

Dermal LD50 1,060 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

(Contd. on page 7)

US

Printing date 11/22/2017

Reviewed on 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

(Contd. of page 6)

- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

Printing date 11/22/2017

Reviewed on 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

(Contd. of page 7)

UN-Number DOT, IMDG, IATA	UN2920
UN proper shipping name DOT IMDG, IATA	Corrosive liquids, flammable, n.o.s. (Acetic acid, glacial) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ACETIC ACI GLACIAL)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8, 3
IMDG	
Class	8 Corrosive substances
Label	8/3
IATA Class Label	8 Corrosive substances 8 (3)
Packing group	
DOT, IMDG, IATA	П
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	83 E E S C
EMS Number:	F-E,S-C Acids
Segregation groups Stowage Category	E Actus
Stowage Code	SW1 Protected from sources of heat. SW2 Clear of living quarters.

Printing date 11/22/2017

Reviewed on 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

	(Contd. of page 8)
· Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
• IMDG • Limited quantities (LQ) • Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2920 CORROSIVE LIQUIDS, FLAMMABLE, N.O.S. (ACETIC ACID, GLACIAL), 8 (3), II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
Acetic Acid
Periodic Acid
Water
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

Printing date 11/22/2017

Reviewed on 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

· Hazard pictograms	(Contd. of page 9)
GHS02 GHS05 GHS07	
· Signal word Danger	
· Hazard-determining components of labeling:	
Acetic Acid	
· Hazard statements	
Flammable liquid and vapor.	
Harmful in contact with skin.	
Causes severe skin burns and eye damage.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/showe	r.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen	it and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ons.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

- · Contact:
- Date of preparation / last revision 11-22-2017: review SDS for accuracy. STN
- Creation date for SDS 01-23-2015. STN 11/22/2017 / -
- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

Printing date 11/22/2017

Trade name: Periodic Acid 0.5% w/v in 80% v/v Acetic Acid

Reviewed on 11/22/2017

	(Contd. of page 10)
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	

US