Printing date 02/01/2018

Reviewed on 02/01/2018

Identification	
Identification	
Product identifier	
• Trade name: <u>Dimethylglyoxime</u> <u>1% w/v in Methanol</u>	
Article number: VUL010	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier:	
Aqua Solutions, Inc.	I AQUA I SOLUTIONS
6913 Highway 225 DEER PARK, TX 77536	SOLUTIONS
USA	
800-256-2586	
• Information department: Technical Coordinator	
Sherman Nelson sherman@aquasolutions.org	
• Emergency telephone number: Chemtrec: 800-424-9300	
<i>Chemtrec:</i> 800-424-9300 <i>Canutec:</i> 613-996-6666	
Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 1 H224 Extremely flammable liquid and vapor.	
GHS08 Health hazard	
STOT SE 1 H370 Causes damage to organs.	
STOT SE 1 H370 Causes damage to organs.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed.	
· Label elements	a to the Globally Harmonized System (GHS)
· GHS label elements The product is classified and labeled according	g to the Otobally Harmonized System (OHS).
	g to the Globally Harmonized System (GHS)
· GHS label elements The product is classified and labeled according	g to the Otobally Harmonized System (OHS)
· GHS label elements The product is classified and labeled according	g to the Globally Harmonized System (GHS).
· GHS label elements The product is classified and labeled according	g to the Globally Harmonized System (GHS)
• GHS label elements The product is classified and labeled according • Hazard pictograms • GHS02 GHS07 GHS08	g to the Globally Harmonized System (GHS)
<ul> <li>GHS label elements The product is classified and labeled according</li> <li>Hazard pictograms</li> <li>GHS02</li> <li>GHS07</li> <li>GHS08</li> <li>Signal word Danger</li> </ul>	g to the Globally Harmonized System (GHS).
<ul> <li>GHS label elements The product is classified and labeled according</li> <li>Hazard pictograms</li> <li>GHS02</li> <li>GHS07</li> <li>GHS08</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Methanol (Methyl Alcohol)</li> </ul>	g to the Globally Harmonized System (GHS).
<ul> <li>GHS label elements The product is classified and labeled according</li> <li>Hazard pictograms</li> <li>GHS02</li> <li>GHS07</li> <li>GHS08</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Methanol (Methyl Alcohol) Dimethylglyoxime</li> </ul>	g to the Globally Harmonized System (GHS).
<ul> <li>GHS label elements The product is classified and labeled according</li> <li>Hazard pictograms</li> <li>GHS02</li> <li>GHS07</li> <li>GHS08</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Methanol (Methyl Alcohol)</li> </ul>	g to the Globally Harmonized System (GHS).

Printing date 02/01/2018

Reviewed on 02/01/2018

# Trade name: Dimethylglyoxime 1% w/v in Methanol

CAS: 95-45-4 Dimethylglyoxime

	(Contd. of page 1)
Harmful if swallowed.	
Causes damage to organs.	
• Precautionary statements Keep guon from heat(marks/open flames/hot surfaces No smoking	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
Specific treatment (see on this label).	
Rinse mouth.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	2
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 1 Fire = 4 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH1Health = $*1$ FIRE4Fire = 4REACTIVITY0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT</b> : Not applicable.	
• <b>vPvB</b> : Not applicable.	
2 Composition linformation on incredients	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	98.753%
	/

(Contd. on page 3)

1.247%

US

*Printing date 02/01/2018* 

Reviewed on 02/01/2018

# Trade name: Dimethylglyoxime

1% w/v in Methanol

(Contd. of page 2)

#### 4 First-aid measures

#### · Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

#### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- *Ensure adequate ventilation.* • *Reference to other sections*
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm
CAS: 95-45-4	Dimethylglyoxime	0.99 mg/m <sup>3</sup>
· PAC-2:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm
CAS: 95-45-4	Dimethylglyoxime	11 mg/m <sup>3</sup>
· PAC-3:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
		(Contd. on page 4)
		1

Printing date 02/01/2018

Reviewed on 02/01/2018

Trade name: Dimethylglyoxime 1% w/v in Methanol

CAS: 95-45-4 Dimethylglyoxime

 $\frac{\text{(Contd. of page 3)}}{65 \ mg/m^3}$ 

# 7 Handling and storage

#### · Handling:

- Precautions for safe handling Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

 Further information about storage conditions: Keep receptacle tightly sealed. Do not gas tight seal receptacle. Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### CAS: 67-56-1 Methanol (Methyl Alcohol)

- PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin
- TLV Short-term value: 328 mg/m<sup>3</sup>, 250 ppm Long-term value: 262 mg/m<sup>3</sup>, 200 ppm Skin; BEI

#### · Ingredients with biological limit values:

CAS: 67-56-1 Methanol (Methyl Alcohol)

BEI 15 mg/L

LD50 Intraperitoneal: urine Time: end of shift

LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

*Printing date 02/01/2018* 

Reviewed on 02/01/2018

Trade name: Dimethylglyoxime 1% w/v in Methanol

(Contd. of page 4)

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves**
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic physical and c	hemical properties
· General Information	
· Appearance: Form:	Limid
Form: Color:	Liquid Clean to pale vellow
· Odor:	Clear to pale yellow Alcohol
• Ouor: • Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-97.8 °C (-144 °F)
Boiling point/Boiling range:	>34 °C (>93.2 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
• Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
• Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)

Printing date 02/01/2018

Reviewed on 02/01/2018

#### Trade name: Dimethylglyoxime 1% w/v in Methanol

		(Contd. of page
Density at 20 °C (68 °F):	0.78638 g/cm <sup>3</sup> (6.56234 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/w	vater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	98.8 %	
VOC content:	98.75 %	
	776.6 g/l / 6.48 lb/gl	
Solids content:	1.2 %	
Other information	No further relevant information available.	

### **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 1,134-2,460 mg/kg (rat)

 Inhalative
 LC50/4 h
 130 mg/l (rat)

### CAS: 67-56-1 Methanol (Methyl Alcohol)

OralLD50100 mg/kg (ATE)DermalLD50300 mg/kg (ATE)InhalativeLC50/4 h3 mg/l (ATE)

#### · Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

(Contd. of page 6)

# Safety Data Sheet acc. to OSHA HCS

*Printing date 02/01/2018* 

Reviewed on 02/01/2018

### Trade name: Dimethylglyoxime

1% w/v in Methanol

Harmful

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

# **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	UN1993	
· UN proper shipping name		
$\cdot DOT$	Flammable liquids, n.o.s. (Methanol)	
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (METHANOL)	

Printing date 02/01/2018

Reviewed on 02/01/2018

Trade name: Dimethylglyoxime 1% w/v in Methanol

	(Contd. of pag
· Transport hazard class(es)	
DOT	
R-MMABLE LOUD	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	
• Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	336
· EMS Number:	<i>F-E,<u>S-E</u></i>
· Stowage Category	В
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
• Quantity limitations	On passenger aircraft/rail: 5 L
2	On cargo aircraft only: 60 L
· IMDG	
· IMDG · Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
( <u>L</u> )	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANOL), 3, II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 02/01/2018

Reviewed on 02/01/2018

Trade name: Dimethylglyoxime 1% w/v in Methanol

	(Contd. of page 8)
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol (Methyl Alcohol)	
· TSCA (Toxic Substances Control Act):	
Methanol (Methyl Alcohol)	
Dimethylglyoxime	
· TSCA new (21st Century Act) (Substances not listed)	
CAS: 95-45-4 Dimethylglyoxime	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Methanol (Methyl Alcohol) Dimethylglyoxime
Hazard statements Extremely flammable liquid and vapor. Harmful if swallowed. Causes damage to organs.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

(Contd. on page 10)

Printing date 02/01/2018

Reviewed on 02/01/2018

#### Trade name: Dimethylglyoxime 1% w/v in Methanol

(Contd. of page 9)

Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Specific treatment (see on this label). Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: · Date of preparation / last revision 02-01-2018: review SDS for accuracy. STN Creation date for SDS 03-13-2014. STN 02/01/2018 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 1: Flammable liquids - Category 1 Acute Tox. 4: Acute toxicity - Category 4 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1