Printing date 05/07/2021

\*

\*

Reviewed on 05/07/2021

1 Identification	
· Product identifier	
· Trade name: Thymolphthalein	
<u>10% w/v in Methanol</u>	
• Article number: 9410	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier:	
Aqua Solutions, Inc. 6913 Highway 225	
DEER PARK, TX 77536	COLONIONO
USA 800-256-2586	
· Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org • <b>Emergency telephone number:</b>	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Canalec. 015-590-0000	
2 Hazard(s) identification	
• Classification of the substance or mixture	
GHS02 Flame	
<i>GHS02 Flame</i> <i>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</i>	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	n and the visual organs.
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard STOT SE 1 H370 Causes damage to the central nervous system	n and the visual organs.
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	n and the visual organs.
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard STOT SE 1 H370 Causes damage to the central nervous system	n and the visual organs.
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard STOT SE 1 H370 Causes damage to the central nervous system GHS07	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard STOT SE 1 H370 Causes damage to the central nervous system GHS07 Acute Tox. 4 H302 Harmful if swallowed. Label elements GHS label elements The product is classified and labeled accor	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard STOT SE 1 H370 Causes damage to the central nervous system GHS07 Acute Tox. 4 H302 Harmful if swallowed. Label elements GHS label elements The product is classified and labeled accor	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard STOT SE 1 H370 Causes damage to the central nervous system GHS07 Acute Tox. 4 H302 Harmful if swallowed. · Label elements · GHS label elements The product is classified and labeled accor	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard STOT SE 1 H370 Causes damage to the central nervous system GHS07 Acute Tox. 4 H302 Harmful if swallowed. Label elements GHS label elements The product is classified and labeled accor Hazard pictograms	
<ul> <li>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</li> <li>GHS08 Health hazard</li> <li>STOT SE 1 H370 Causes damage to the central nervous system</li> <li>GHS07</li> <li>Acute Tox. 4 H302 Harmful if swallowed.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled accor</li> <li>Hazard pictograms</li> <li>GHS02 GHS07 GHS08</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling:</li> </ul>	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard STOT SE 1 H370 Causes damage to the central nervous system GHS07 Acute Tox. 4 H302 Harmful if swallowed. Label elements GHS label elements The product is classified and labeled accor Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger	
<ul> <li>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</li> <li>GHS08 Health hazard</li> <li>STOT SE 1 H370 Causes damage to the central nervous system</li> <li>GHS07</li> <li>Acute Tox. 4 H302 Harmful if swallowed.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled accord</li> <li>Hazard pictograms</li> <li>GHS02 GHS07 GHS08</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Methanol (Methyl Alcohol)</li> </ul>	

Printing date 05/07/2021

# Trade name: Thymolphthalein 10% w/v in Methanol

Reviewed on 05/07/2021

	(Contd. of page
Causes damage to the central nervous system and the visual organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/s	shower
If on skin (of hair). Take off immediately an comaminated clonning, Kinse skin with water). IF exposed: Call a POISON CENTER or doctor/physician.	shower.
Specific treatment (see on this label). Rinse mouth.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international reg	ulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
$\begin{array}{c} Fire = 3\\ Reactivity = 0 \end{array}$	
HMIS-ratings (scale 0 - 4)	
HEALTH *1 $Health = *1$	
FIRE 3 $Fire = 3$	
<b>REACTIVITY</b> $O$ <i>Reactivity</i> = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
Composition/information on ingredients	
Chemical characterization: Mixtures	
<b>Description:</b> Mixture of the substances listed below with nonhazardous additions.	
Description: Mixture of the substances listed below with nonhazardous additions. Dangerous components:	07.00
Description: Mixture of the substances listed below with nonhazardous additions. Dangerous components: CAS: 67-56-1 Methanol (Methyl Alcohol)	87.69%
Description: Mixture of the substances listed below with nonhazardous additions. Dangerous components:	87.69%

(Contd. on page 3)

US

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Thymolphthalein

10% w/v in Methanol

(Contd. of page 2)

# **4** First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
• PAC-1:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	530 ppm
· PAC-2:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	2,100 ppm
·	(Contd. on page 4)

US –

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Thymolphthalein 10% w/v in Methanol

· PAC-3:

7200\* ppm

(Contd. of page 3)

CAS: 67-56-1 Methanol (Methyl Alcohol)

# 7 Handling and storage

### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

### CAS: 67-56-1 Methanol (Methyl Alcohol)

- PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin
- TLV Short-term value: 328 mg/m<sup>3</sup>, 250 ppm Long-term value: 262 mg/m<sup>3</sup>, 200 ppm Skin; BEI

### · Ingredients with biological limit values:

CAS: 67-56-1 Methanol (Methyl Alcohol)

BEI 15 mg/L

LD50 Intraperitoneal: urine Time: end of shift

LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

US

Printing date 05/07/2021

Trade name: Thymolphthalein 10% w/v in Methanol Reviewed on 05/07/2021

(Contd. of page 4) Wash hands before breaks and at the end of work. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Yellow-grey	
Odor:	Methanol	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	647 °C (1,196.6 °F)	
Flash point:	11 °C (51.8 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	455 °C (851 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	

Printing date 05/07/2021

Reviewed on 05/07/2021

#### Trade name: Thymolphthalein 10% w/v in Methanol

	(Contd. of page
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
<i>Density at 20 °C (68 °F):</i>	0.8124 g/cm <sup>3</sup> (6.77948 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	87.7 %
VOC content:	87.69 %
	712.4 g/l / 5.95 lb/gal
Solids content:	12.3 %
Other information	No further relevant information available.

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,354-3,158 mg/kg (rat)

Inhalative LC50/4h 146 mg/l (rat)

### CAS: 67-56-1 Methanol (Methyl Alcohol)

Oral LD50 100 mg/kg (ATE)

(Contd. on page 7)

<sup>-</sup> US

(Contd. of page 6)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Thymolphthalein 10% w/v in Methanol

Dermal LD50 300 mg/kg (ATE)

Inhalative LC50/4h 3 mg/l (ATE)

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

 $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

Printing date 05/07/2021

\*

Reviewed on 05/07/2021

Trade name: Thymolphthalein 10% w/v in Methanol

(Contd. of page 7)

Transport information	
UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (METHANOL)
Transport hazard class(es)	
DOT	
RAMABLE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-A
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
$\sim$	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
( <u>~</u> )	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

(Contd. on page 9)

US

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Thymolphthalein

10% w/v in Methanol

(Contd. of page 8)

ACTIVE

ACTIVE

### **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

• TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)

Thymolphthalein

• Hazardous Air Pollutants

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• *Hazard-determining components of labeling: Methanol (Methyl Alcohol)* 

• Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes damage to the central nervous system and the visual organs.

Printing date 05/07/2021

Reviewed on 05/07/2021

### Trade name: Thymolphthalein 10% w/v in Methanol

(Contd. of page 9) · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 1.0 05-07-2021: updated hazard information. STN Revision 1.0, 10-03-2019: updated product description. STN 05/07/2021 / 1.0
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 • \* Data compared to the previous version altered.