Printing date 02/20/2019

Reviewed on 02/20/2019

# **1** Identification · Product identifier • Trade name: Mixed Metals Spike 300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se • Article number: HOE047 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS03 GHS05 GHS07 · Signal word Danger · Hazard-determining components of labeling: Nitric Acid Aluminum Nitrate

(Contd. on page 2)

<sup>–</sup> ÚS

Printing date 02/20/2019

Reviewed on 02/20/2019

### Trade name: Mixed Metals Spike 300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 1) · Hazard statements May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0The substance possesses oxidizing properties. · HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

<sup>-</sup>US -

Printing date 02/20/2019

Reviewed on 02/20/2019

### Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 2)
5.1004%
0.409%
0.0709%
0.0564%
0.0076%
0.0045%
0.0037%
0.001%
0.0007%
94.346%

### **4** First-aid measures

### · Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- *Immediately call a doctor.*

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions: Dilute with plenty of water.*

(Contd. on page 4)

Printing date 02/20/2019

Reviewed on 02/20/2019

Trade name: Mixed N 300 ppm	1etals Spike 1 Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se	
<ul> <li>Methods and mat Absorb with liquid Use neutralizing a Dispose contamin Ensure adequate Reference to othe See Section 7 for See Section 8 for See Section 13 for</li> </ul>	ated material as waste according to item 13. ventilation.	(Contd. of page 3)
• PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 7784-27-2	Aluminum Nitrate	83 mg/m <sup>3</sup>
CAS: 7782-61-8	Ferric Nitrate	22 mg/m <sup>3</sup>
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	27 mg/m <sup>3</sup>
CAS: 19004-19-4	Cupric Nitrate Hydrate	$42 mg/m^3$
CAS: 13478-00-7	Nickel Nitrate, Reagent Grade, Crystal	1.5 mg/m <sup>3</sup>
CAS: 7446-08-4	selenium dioxide	$0.84 \ mg/m^3$
· PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 7784-27-2	Aluminum Nitrate	920 mg/m <sup>3</sup>
CAS: 7782-61-8	Ferric Nitrate	110 mg/m <sup>3</sup>
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	300 mg/m <sup>3</sup>
CAS: 19004-19-4	Cupric Nitrate Hydrate	150 mg/m <sup>3</sup>
CAS: 13478-00-7	Nickel Nitrate, Reagent Grade, Crystal	53 mg/m <sup>3</sup>
CAS: 7446-08-4	selenium dioxide	1.6 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 7784-27-2	Aluminum Nitrate	$5,500 \text{ mg/m}^3$
CAS: 7782-61-8	Ferric Nitrate	$640 \text{ mg/m}^3$
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	$1,800 \text{ mg/m}^3$
	Cupric Nitrate Hydrate	$240 \text{ mg/m}^3$
	Nickel Nitrate, Reagent Grade, Crystal	$320 \text{ mg/m}^3$
CAS: 7446-08-4	selenium dioxide	$9.5 mg/m^3$

# 7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 5)

US

Printing date 02/20/2019

Reviewed on 02/20/2019

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 4)

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

TLV Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 02/20/2019

Reviewed on 02/20/2019

Trade name: Mixed Metals Spike 300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:	<b>v</b> · · · · ·	
Form:	Liquid	
Color: Odor:	Clear Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.01961 g/cm <sup>3</sup> (8.50865 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	94.3 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	

Printing date 02/20/2019

Reviewed on 02/20/2019

(Contd. of page 6)

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

Solids content: • Other information 0.5 % *No further relevant information available.* 

### **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 898 mg/kg

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

 $\cdot$  on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal	1
CAS: 7446-08-4 selenium dioxide	3
· NTP (National Toxicology Program)	
CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
	- US -
	(Contd. on page 8)

Printing date 02/20/2019

Reviewed on 02/20/2019

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 7)

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI
	ACID)
• Transport hazard class(es)	
DOT	
CORROSIVE	
· Class	8 Corrosive substances

Printing date 02/20/2019

Reviewed on 02/20/2019

### Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

	(Contd. of page
Label	8
IMDG, IATA	
8.	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F- $A$ , $S$ - $B$
Segregation groups	Acids
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{EQ})$	Code: E2
· · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
-	(NITRIC ACID), 8, II

# 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extre	emely hazardous substances):
CAS: 7697-37-2	Nitric Acid
· Section 313 (Spec	ific toxic chemical listings):
CAS: 7697-37-2	Nitric Acid
CAS: 7784-27-2	Aluminum Nitrate
CAS: 7782-61-8	Ferric Nitrate
CAS: 7789-02-8	Chromium Nitrate Nonahydrate
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade
	(Contd. on page 10)

Printing date 02/20/2019

Reviewed on 02/20/2019

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

CAS: 13478-00-7       Nickel Nitrate, Reagent Grade, Crystal         CAS: 7446-08-4       selenium dioxide <b>FSCA (Toxic Substances Control Act):</b> Nitric Acid         Hydrochloric Acid         Yelenium dioxide         Vater <b>Proposition 65 Chemicals known to cause cancer:</b> CAS: 13478-00-7         Nickel Nitrate, Reagent Grade, Crystal <b>Chemicals known to cause reproductive toxicity for females:</b> None of the ingredients is listed. <b>Chemicals known to cause reproductive toxicity for males:</b> None of the ingredients is listed. <b>Chemicals known to cause developmental toxicity:</b> None of the ingredients is listed.	l. of page
<b>FSCA (Toxic Substances Control Act):</b> Witric Acid         Hydrochloric Acid         Hydrochloric Acid         Water         Proposition 65         Chemicals known to cause cancer:         CAS: 13478-00-7         Nickel Nitrate, Reagent Grade, Crystal         Chemicals known to cause reproductive toxicity for females:         None of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         None of the ingredients is listed.         Chemicals known to cause developmental toxicity:	
Nitric Acid Hydrochloric Acid	
Hydrochloric Acid         Hydrochloric Acid         velenium dioxide         Water         Proposition 65         Chemicals known to cause cancer:         CAS: 13478-00-7         Nickel Nitrate, Reagent Grade, Crystal         Chemicals known to cause reproductive toxicity for females:         None of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         None of the ingredients is listed.         Chemicals known to cause developmental toxicity:	
Vater Proposition 65 Chemicals known to cause cancer: CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity:	
Water         Proposition 65         Chemicals known to cause cancer:         CAS: 13478-00-7         Nickel Nitrate, Reagent Grade, Crystal         Chemicals known to cause reproductive toxicity for females:         None of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         None of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         None of the ingredients is listed.         Chemicals known to cause developmental toxicity:	
Proposition 65         Chemicals known to cause cancer:         CAS: 13478-00-7       Nickel Nitrate, Reagent Grade, Crystal         Chemicals known to cause reproductive toxicity for females:         None of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         None of the ingredients is listed.         Chemicals known to cause developmental toxicity:	
Chemicals known to cause cancer:         CAS: 13478-00-7       Nickel Nitrate, Reagent Grade, Crystal         Chemicals known to cause reproductive toxicity for females:         None of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         None of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         None of the ingredients is listed.         Chemicals known to cause developmental toxicity:	
CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity:	
Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity:	
None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity:	
Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity:	
None of the ingredients is listed. Chemicals known to cause developmental toxicity:	
Chemicals known to cause developmental toxicity:	
lone of the ingradients is listed	
tone of the ingreatents is instea.	
Carcinogenic categories	

 • EPA (Environmental Protection Agency)

 CAS: 7446-08-4
 selenium dioxide

 • TLV (Threshold Limit Value established by ACGIH)

 None of the ingredients is listed.

 • NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Nitric Acid Aluminum Nitrate
Hazard statements May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage.
Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

(Contd. on page 11)

<sup>-</sup> US

Printing date 02/20/2019

Reviewed on 02/20/2019

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 10)

Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eve protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 0.2 01-22-2019: updated shipping information. STN Revision 0.1, 06-11-2018 updated density results based on spreadsheet. STN 02/20/2019 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Liq. 2: Oxidizing liquids - Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1