Printing date 01/03/2018 Reviewed on 01/03/2018

1 Identification

· Product identifier

· Trade name: Lead Nitrate 0.0025 Molar

in 70% Ethanol

· Article number: SPE906

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 1 H224 Extremely flammable liquid and vapor.



GHS08 Health hazard

STOT SE 2 H371 May cause damage to organs.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Isopropanol

Methanol (Methyl Alcohol)

· Hazard statements

Extremely flammable liquid and vapor.

May cause damage to organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

 $Use\ explosion-proof\ electrical/ventilating/lighting/equipment.$

(Contd. on page 2)

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

(Contd. of page 1)

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Call a poison center/doctor.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 4

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 *0 Health = *0

Fire = 4

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	58.265%
CAS: 67-56-1 Methanol (Methyl Alcohol)	3.237%
CAS: 67-63-0 Isopropanol	3.237%
· Table of Nonhazardous Ingredients	
CAS: 10099-74-8 Lead Nitrate	0.0976%
CAS: 7732-18-5 Water	35.164%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

	· ·	
· PAC-1:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m³
· PAC-2:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 10099-74-8	Lead Nitrate	180 mg/m^3
· PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 10099-74-8	Lead Nitrate	$1,100 \text{ mg/m}^3$

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:
--

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

CAS: 67-56-1 Methanol (Methyl Alcohol)

PEL Long-term value: 260 mg/m³, 200 ppm

REL Short-term value: 325 mg/m³, 250 ppm

 $Long\text{-}term\ value:\ 260\ mg/m^3,\ 200\ ppm$

Skin

TLV Short-term value: 328 mg/m³, 250 ppm

Long-term value: 262 mg/m³, 200 ppm

Skin; BEI

CAS: 67-63-0 Isopropanol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm

 $Long\text{-}term\ value:\ 492\ mg/m^3,\ 200\ ppm$

BEI

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol (Methyl Alcohol)

(Contd. on page 5)

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

(Contd. of page 4)

BEI 15 mg/L

LD50 Intraperitoneal: urine

Time: end of shift

LD50: Methanol (background, nonspecific)

CAS: 67-63-0 Isopropanol

BEI 40 mg/L

LD50 Intraperitoneal: urine

Time: end of shift at end of workweek LD50: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

 ${\it Keep \ away \ from \ foodstuffs, \ beverages \ and \ feed.}$

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless

Odor: Alcohol

Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: <35 °C (<95 °F)

(Contd. on page 6)

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

	(Contd. of page
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	19 Vol %
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.8531 g/cm³ (7.11912 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	64.7 %
Water:	35.2 %
VOC content:	64.74 %
	552.3 g/l / 4.61 lb/gl
Solids content:	58.4 %
Other information	No further relevant information available.

10 Stability and reactivity

- $\cdot \textit{Reactivity No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· <i>LD/LC50</i> 1	values that	t are relevant for classification:
ATE (Acua	te Toxicity	Estimate)
Oral	LD50	36,671-85,544 mg/kg (rat)
Inhalative	LC50/4 h	751 mg/l (rat)

CAS: 67-56-1 Methanol (Methyl Alcohol) Oral LD50 100 mg/kg (ATE)

Dermal LD50 300 mg/kg (ATE)
Inhalative LC50/4 h 3 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (Internation	nal Agency for Research on Cancer)	
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1
CAS: 67-63-0	Isopropanol	3
CAS: 10099-74-8	Lead Nitrate	2A
,	oxicology Program)	
CAS: 10099-74-8	Lead Nitrate	R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1993
	0111793
UN proper shipping name DOT	Element I de l'encide en en (Edement Medement I en en en el)
IMDG, IATA	Flammable liquids, n.o.s. (Ethanol, Methanol, Isopropanol) FLAMMABLE LIQUID, N.O.S. (ETHANOL, METHAN
Imbo, IATA	Isopropanol)
Transport hazard class(es)	
DOT	
PLANMABLE DUOU	
	2.77
Class Label	3 Flammable liquids 3
	,
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3 Frammable liquids 3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F- E , S - E
Stowage Category	E
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On same a singulate only 20 I

On cargo aircraft only: 30 L

(Contd. on page 9)

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

· IMDG
· Limited quantities (LQ)
· Excepted quantities (EQ)

Code: E3
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 300 ml

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ETHANOL, METHANOL, ISOPROPANOL), 3, II

Sara Section 355 (extremely hazardous substances): None of the ingredients is listed. Section 313 (Specific toxic chemical listings): CAS: 67-56-1 Methanol (Methyl Alcohol) CAS: 67-63-0 Isopropanol CAS: 10099-74-8 Lead Nitrate TSCA (Toxic Substances Control Act): Ethyl Alcohol, Absolute 200 Proof Methanol (Methyl Alcohol) Isopropanol Lead Nitrate Water Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	· Safety, health an	d environmental regulations/legislation specific for the substance o	or mixture
None of the ingredients is listed. Section 313 (Specific toxic chemical listings): CAS: 67-56-1 Methanol (Methyl Alcohol) CAS: 67-63-0 Isopropanol CAS: 10099-74-8 Lead Nitrate TSCA (Toxic Substances Control Act): Ethyl Alcohol, Absolute 200 Proof Methanol (Methyl Alcohol) Isopropanol Lead Nitrate Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)			
Section 313 (Specific toxic chemical listings): CAS: 67-56-1			
CAS: 67-56-1 Methanol (Methyl Alcohol) CAS: 67-63-0 Isopropanol CAS: 10099-74-8 Lead Nitrate TSCA (Toxic Substances Control Act): Ethyl Alcohol, Absolute 200 Proof Methanol (Methyl Alcohol) Isopropanol Lead Nitrate Water Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate	None of the ingre	dients is listed.	
CAS: 67-63-0 Isopropanol CAS: 10099-74-8 Lead Nitrate TSCA (Toxic Substances Control Act): Ethyl Alcohol, Absolute 200 Proof Methanol (Methyl Alcohol) Isopropanol Lead Nitrate Water Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	· Section 313 (Spec	cific toxic chemical listings):	
CAS: 10099-74-8 Lead Nitrate TSCA (Toxic Substances Control Act): Ethyl Alcohol, Absolute 200 Proof Methanol (Methyl Alcohol) Isopropanol Lead Nitrate Water Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	CAS: 67-56-1	Methanol (Methyl Alcohol)	
TSCA (Toxic Substances Control Act): Ethyl Alcohol, Absolute 200 Proof Methanol (Methyl Alcohol) Isopropanol Lead Nitrate Water Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)			
Ethyl Alcohol, Absolute 200 Proof Methanol (Methyl Alcohol) Isopropanol Lead Nitrate Water Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	CAS: 10099-74-8	Lead Nitrate	
Methanol (Methyl Alcohol) Isopropanol Lead Nitrate Water Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	TSCA (Toxic Sul	ostances Control Act):	
Isopropanol Lead Nitrate Water Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	•	· ·	
Lead Nitrate Water Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	Methanol (Methy	l Alcohol)	
Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)			
Proposition 65 Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	Lead Nitrate		
Chemicals known to cause cancer: CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)			
CAS: 10099-74-8 Lead Nitrate Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)			
Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)			
None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	CAS: 10099-74-8	Lead Nitrate	
Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)			
None of the ingredients is listed. Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	None of the ingre	dients is listed.	
Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	· Chemicals knowi	n to cause reproductive toxicity for males:	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	None of the ingre	dients is listed.	
CAS: 67-56-1 Methanol (Methyl Alcohol) Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	· Chemicals knowi	n to cause developmental toxicity:	
Carcinogenic categories EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	CAS: 64-17-5 Et	hyl Alcohol, Absolute 200 Proof	
EPA (Environmental Protection Agency) CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	CAS: 67-56-1 M	ethanol (Methyl Alcohol)	
CAS: 10099-74-8 Lead Nitrate TLV (Threshold Limit Value established by ACGIH)	· Carcinogenic cat	egories	
· TLV (Threshold Limit Value established by ACGIH)	•	• •	
·	CAS: 10099-74-8	Lead Nitrate	i
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	TLV (Threshold	Limit Value established by ACGIH)	
- ·-· · · · · · - ··· / · · · · · · · · · · · · · · · · 	CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1
	CAR 10000 74 C	Lead Nitrate	

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

(Contd. of page 9)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

502 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Isopropanol

Methanol (Methyl Alcohol)

· Hazard statements

Extremely flammable liquid and vapor.

May cause damage to organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Call a poison center/doctor.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

01-03-2018: review SDS for accuracy. STN

Revision 0.0, 02-04-2016: Creation date for SDS. STN

01/03/2018/-

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 11)

Printing date 01/03/2018 Reviewed on 01/03/2018

Trade name: Lead Nitrate 0.0025 Molar in 70% Ethanol

(Contd. of page 10)

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flam. Liq. 1: Flammable liquids – Category 1

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

US