Printing date 05/18/2023

Reviewed on 05/18/2023

1 Identification · Product identifier · Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃, 250 gpL NaCl, 70 gpL NaOH • Article number: OXY012 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 **2** Hazard(s) identification · Classification of the substance or mixture GHS03 Flame over circle **Oxidizing Liquids 1** H271 May cause fire or explosion; strong oxidizer. GHS08 Health hazard Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. GHS07

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃ 250 gpL NaCl, 70 gpL NaOH



(Contd. on page 3)

US

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃ 250 gpL NaCl, 70 gpL NaOH

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health = 3 FIRE 0 Fire = 0 REACTIVITY 0 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

	· Dangerous components:		
	CAS: 7775-09-9	Sodium Chlorate	21.324%
	CAS: 1310-73-2	Sodium Hydroxide	5.971%
	CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.145%
ſ	v	ardous Ingredients	
	CAS: 7732-18-5	Water	72.561%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.*

(Contd. on page 4)

US

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃ 250 gpL NaCl, 70 gpL NaOH

		(Contd. of page 3)
	quipment. Keep unprotected persons away.	
• Environmental pr		
	luct to reach sewage system or any water course.	
	authorities in case of seepage into water course or sewage system.	
Dilute with plenty		
	nter sewers/ surface or ground water.	
	erial for containment and cleaning up:	
	<i>l-binding material (sand, diatomite, acid binders, universal binders, sawdust).</i>	
Use neutralizing a	ated material as waste according to section 13.	
Ensure adequate v	õ	
• Reference to other		
	information on safe handling.	
	information on personal protection equipment.	
	disposal information.	
	Criteria for Chemicals	
· PAC-1:		
CAS: 7775-09-9 S	Sodium Chlorate	3.6 mg/m ³
CAS: 1310-73-2 S	Sodium Hydroxide	$0.5 \ mg/m^{3}$
CAS: 7664-93-9 S	Sulfuric Acid 96 - 98%	0.20 mg/m ³
• PAC-2:		
CAS: 7775-09-9 S	Sodium Chlorate	40 mg/m^3
CAS: 1310-73-2 S	Sodium Hydroxide	5 mg/m ³
CAS: 7664-93-9 S	Sulfuric Acid 96 - 98%	8.7 mg/m ³
· PAC-3:		
	Sodium Chlorate	240 mg/m ³
CAS: 7775-09-9 S		
	Sodium Hydroxide	50 mg/m ³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃ 250 gpL NaCl, 70 gpL NaOH

(Contd. of page 4)

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended *exposure limit.*

At this time, the remaining constituent has no known exposure limits.

CAS: 1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: $2 mg/m^3$

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m^3

REL Long-term value: 1 mg/m³

TLV Long-term value: $0.2* mg/m^3$ *as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃ 250 gpL NaCl, 70 gpL NaOH

· Body protection: Protective work clothing

• Change in condition Undetermined. Melting point/Melting range: 100 °C (212 °F) • Flash point: Not applicable. • Flash point: Not applicable. • Flammability (solid, gaseous): Not applicable. • Decomposition temperature: Not determined. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. Explosive when mixed with combustible material. • Explosion limits: Lower: Not determined. • Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water: Fully miscible.	Physical and chemical proper	ties	
General InformationAppearance:Form:LiquidColor:ClearOdor:OdorlessOdor threshold:Not determined.pH-value:Not determined.PhysicsUndetermined.Boiling point/Melting range:Undetermined.Boiling point/Melting range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Pecomposition temperature:Not determined.Danger of explosion:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard. Explosion limits:Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor density in / Miscibility with Water:Fully miscible.Parition coefficient (n-octanol/water): Not determined.Viscosity:Dynamic: Not determined.Outer:Not determined.Viscosity:Not determined.Outer:Not determined.Solvent content:Not determined.Viscosity:Not determined.Density in / Miscibility with Water:Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent content:Not determined.Viscosity:Dynamic: Not determined. <td< th=""><th colspan="3">. Information on basic physical and chemical properties</th></td<>	. Information on basic physical and chemical properties		
Appearance:LiquidForm:LiquidColor:OdorlessOdor threshold:Not determined.off-value:Not determined.off-value:Not determined.off-value:Undetermined.off-value:Not determined.off-value:Not determined.off-value:Not applicable.off-value:Not applicable.off-value:Not applicable.off-value:Not determined.off-value:Not applicable.off-value:Not determined.off-value:Product is not selfigniting.off-value:Product is not selfigniting.off-value:Product so not present an explosion hazard. Explosion limits:Lower:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)obsitive densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Varie:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Oyar density:Not determined.Vater:Not determined.Viscosity:Not determined.Ordice:Not determined.Vater:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Over:Not determined.Vater:Not determined.Vater:Not determined.Visc			
Form:Liquid Color:Clear CelarOdor:OdorlessOdor threshold:Not determined.•pH-value:Not determined.•pH-value:Not determined.•Change in condition Melting point/Melting range:Undetermined.Boiling point/Melting range:100 °C (212 °F)•Flash point:Not applicable.•Flammability (solid, gaseous):Not applicable.•Decomposition temperature:Not determined.•Danger of explosion:Product is not selfigniting.•Danger of explosion:Product does not present an explosion hazard. Explosive when mixed with combustible material.•Explosion limits: Lower:Not determined.Upper:Not determined.•Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)•Density at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)•Relative densityNot determined.•Vapor ensityNot determined.•Vapor pressure at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)•Relative densityNot determined.•Vapor officient (n-octanol/water): Not determined.•Vapor applicable.Fully miscible.•Vater:Fully miscible.•Vater:Not determined.•Vapor applicable.Not determined.			
Color:ClearOdor:OdorlessOdor threshold:Not determined.pH-value:Not determined.Change in condition Metting point/Belting range:Undetermined.Boiling point/Belting range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Peromosition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard. Explosive when mixed with combustible material.Explosion limits: Lower:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):23 hPa (17.3 mm Hg)Pensity at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Retarive density Vapor pressure at 20 °C (68 °F):Not determined.Vapor density Vapor densityNot determined.Vapor density Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:72.6 % 20.00 % 0.0 g/1 / 0.00 lb/galSolids content:27.3 %		Liquid	
Odor:Odorless Not determined.Odor threshold:Not determined.pH-value:Not determined.change in condition Meting point/Boiling range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Decomposition temperature:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard. Explosive when mixed with combustible material.• Explosion limits: Lower: Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)• Not determined.Not determined.• Vapor ensityNot determined.• Vapor officient (n-octanol/water): Not determined.• Vapor appressure at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)• Not determined.• Vapor appressure at 20 °C (68 °F):0.0 determined.• Vapor appressure at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)• Relative densityNot determined.• Vapor appressure at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)• Relative densityNot determined.• Vapor ensityNot determined.• Vapor ensityNot determined.• Solubility in / Miscibility with Water:Not determined.• Vapor ensityNot determined.• Solvent content:Not determined.• Viscosi	Color:		
Odor threshold:Not determined.PH-value:Not determined.PH-value:Not determined.Boiling point/Melting range:Undetermined.Boiling point/Melting range:Undetermined.Boiling point/Boiling range:Not applicable.Flash point:Not applicable.Flash point:Not determined.Person position temperature:Not determined.Decomposition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard. Explosive when mixed with combustible material.Explosion limits: Lower:Not determined.Vapper:Not determined.Vapper:Not determined.Vapor pressure at 20 °C (68 °F):1.7241 g/cm³ (9.78376 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solubility in / Miscibility with Water:Not determined.Viscosity: Dynamic: Water:Not determined.Solubility in / Miscibility with Water:Not determined.Viscosity: Dynamic: Water:Not determined.Solubility in / Miscibility with Water:Not determined.<			
Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) Relative density Not determined. Vapor pressure at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor pressure at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) Relative density Not determined. Vapor pressure Not determined. Vogor pressure Not determined. Solubility in / Miscibility with Mot determined. Viscosity: Dynamic: Not determined. Solvent content: <t< th=""><th></th><th>Not determined.</th></t<>		Not determined.	
Melting point/Melting range:Undetermined. 100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Jgnition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard. Explosive when mixed with combustible material.Explosion limits: Lower:Not determined.Vappressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Relative densityNot determined.Vapor pressure at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Relative densityNot determined.Solubility in / Miscibility with 	· pH-value:	Not determined.	
MeTiting point/Metiting range:Undetermined. 100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Jgnition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard. Explosive when mixed with combustible material.Explosion limits: Lower:Not determined.Vapper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Relative densityNot determined.Vapor pressure at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:72.6 % 0.00 % 0.0 g/1 / 0.00 lb/galSolids content:27.3 %	· Change in condition		
Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard. Explosive when mixed with combustible material.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Relative densityNot determined.Vapor ansityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:72.6 % 0.00 % 0.0 g/1 / 0.00 lb/galSolids content:72.3 %		Undetermined	
Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosive when mixed with combustible material. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Opnamic: Not determined. Viscosity: Not determined. Opnamic: Not determined. Voc content: Not determined. Voc content: 0.00 % 0.00 % 0.0 g/l / 0.00 lb/gal Solubal content: 27.3 %			
Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosive when mixed with combustible material. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Not determined. Dynamic: Not determined. Viscosity: Not determined. Voc content: 72.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal Solids content: 27.3 %			
Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosive when mixed with combustible material. Explosion limits: Explosive when mixed with combustible material. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Voccosity: Not determined. Solvent content: 72.6 % VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal Solids content: 27.3 %			
Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosive when mixed with combustible material. Explosion limits: Explosive when mixed with combustible material. Lower: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Vstative density Not determined. Vstare: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. VOC content: 0.00 % 0.00 % 0.00 g// 0.00 lb/gal Solids content: 27.3 %	• • • • •	**	
Danger of explosion: Product does not present an explosion hazard. Explosive when mixed with combustible material. Explosion limits: Image: Splosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Volc content: You determined. VOC content: 0.00 % 0.00 g/ / 0.00 lb/gal 0.0 g/ / 0.00 lb/gal Solids content: 27.3 %			
Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Oensity at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Relative density Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:72.6 % 0.00 g/1/0.00 lb/galSolids content:72.3 %	· Ignition temperature:	Product is not selfigniting.	
Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Vapor pressure at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water):Not determined.• Viscosity: Dynamic: Kinematic:Not determined.• Solvent content: Water:72.6 % 0.00 % 0.0 g/l / 0.00 lb/gal• Solids content:27.3 %	• Danger of explosion:		
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic: Kinematic:Not determined.Solvent content: Water:72.6 % 0.0 g/l / 0.00 lb/galSolids content:27.3 %		Explosive when mixed with combustible material.	
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17241 g/cm³ (9.78376 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:72.6 % 0.00 % 0.0 g/l / 0.00 lb/galSolids content:27.3 %	• Explosion limits:		
• Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water: • Vater: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not determined. Dynamic: Not determined. • Kinematic: Not determined. • Solvent content: Not determined. • VOC content: 0.00 % • 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal		Not determined.	
• Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.17241 g/cm³ (9.78376 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water: • Fully miscible. Fully miscible. • Partition coefficient (n-octanol/water): Not determined. Not determined. • Viscosity: Not determined. Dynamic: Not determined. • Solvent content: Not determined. • VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal	Upper:	Not determined.	
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Kinematic: Not determined. Solvent content: 72.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 27.3 %	· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Kinematic: Not determined. Solvent content: 72.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 27.3 % 27.3 %	· Density at 20 °C (68 °F):	1.17241 g/cm ³ (9.78376 lbs/gal)	
Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:72.6 % 0.00 % 0.0 g/l / 0.00 lb/galSolids content:27.3 %			
• Evaporation rate Not determined. • Solubility in / Miscibility with Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • • Viscosity: Not determined. • Dynamic: Not determined. • Kinematic: Not determined. • Solvent content: 72.6 % • VOC content: 0.00 % • 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal		Not determined.	
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:72.6 %Water:72.6 %VOC content:0.00 %0.00 %0.0 g/l / 0.00 lb/galSolids content:27.3 %		Not determined.	
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:72.6 %Water:72.6 %VOC content:0.00 %0.00 %0.0 g/l / 0.00 lb/galSolids content:27.3 %	. Saluhility in / Miscihility with		
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: 72.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 27.3 %	· ·	Fully miscible	
• Viscosity: Dynamic: Not determined. Dynamic: Not determined. Kinematic: Not determined. • Solvent content: 72.6 % Water: 72.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 27.3 %	• Partition coefficient (n-octanol/water): Not determined.		
Dynamic:Not determined.Kinematic:Not determined.Solvent content:72.6 %Water:72.6 %VOC content:0.00 %0.00 g/l / 0.00 lb/galSolids content:27.3 %			
Kinematic:Not determined.Solvent content:72.6 %Water:72.6 %VOC content:0.00 %0.00 g/l / 0.00 lb/galSolids content:27.3 %		Not determined	
Solvent content: 72.6 % Water: 72.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal Solids content: 27.3 %			
Water: 72.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 27.3 %	киетанс:	1voi ueiei mineu.	
VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 27.3 %			
0.0 g/l / 0.00 lb/gal Solids content: 27.3 %			
Solids content: 27.3 %	VOC content:		
		0.0 g/l / 0.00 lb/gal	
• Other information No further relevant information available.	Solids content:	27.3 %	
	• Other information	No further relevant information available.	

(Contd. on page 7)

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃ 250 gpL NaCl, 70 gpL NaOH

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 2,191 mg/kg

· Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

1

K

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃, 250 gpL NaCl, 70 gpL NaOH

(Contd. of page 7)

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- \cdot Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Sodium Hydroxide)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Sodium Hydroxide)
Transport hazard class(es)	
DOT	
• Class	8 Corrosive substances
Label	8
· IMDG, IATA	
UN YUL	
V	
· Class	8 Corrosive substances
· Label	8
Packing group	
· DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemle	

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃ 250 gpL NaCl, 70 gpL NaOH

	(Contd. of page
· EMS Number:	F-A,S-B
· Segregation groups	(SGG18) Alkalis, (SGG4) chlorates
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
\cdot Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUN HYDROXIDE), 8, II

15 Regulatory information

· Section 355 (extremely hazardous substances):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
· Section 313 (Specific toxic chemical listings):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Sodium Chlorate	ACTIVE
Sodium Hydroxide	ACTIVE
Sulfuric Acid 96 - 98%	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

⁻ US -

Printing date 05/18/2023

· Carcinogenic categories

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃ 250 gpL NaCl, 70 gpL NaOH

(Contd. of page 9)

EDA (Environmental Protection Access)	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	1
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmoniz	ed System (GHS)
Hazard pictograms	,eu 2981em (0112)
\vee \vee \vee \vee	
GHS03 GHS05 GHS07 GHS08	
Signal word Danger	
Hazard-determining components of labeling: Sodium Hydroxide	
Sodium Tryaroxide Sodium Chlorate	
Sulfuric Acid 96 - 98%	
Hazard statements	
May cause fire or explosion; strong oxidizer.	
Causes severe skin burns and eye damage.	
May cause cancer.	
May cause respiratory irritation.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep/Store away from clothing and other combustible materials	
Take any precaution to avoid mixing with combustibles.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
Wear fire/flame resistant/retardant clothing.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show	ver.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres	ent and easy to
Continue rinsing.	
Immediately call a poison center/doctor.	
If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before r	emoving clothes.
<i>IF exposed or concerned: Get medical advice/attention.</i>	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	· · · · · · · · · ·
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of Store in a well wentilated place. Keep container tightly closed	explosion.
Store in a well-ventilated place. Keep container tightly closed.	
Store Looked up	
Store locked up. Dispose of contents/container in accordance with local/regional/national/international regula.	tions

- US

Printing date 05/18/2023

*

Reviewed on 05/18/2023

Trade name: Level 7 Cell Liquor Std. 1.7 gpL NaClO₃ 250 gpL NaCl, 70 gpL NaOH

(Contd. of page 10)

 National regulations: Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).
 Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
16 Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
· Department issuing SDS: Environment protection department.
· Contact:
• Date of preparation / last revision
Revision 1.0 05/18/2023 reviewed SDS for accuracy. S.T.N.
Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN
Creation date for SDS 09-13-2014. STN
05/18/2023
• Abbreviations and acronyms:
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Oxidizing Liquids 1: Oxidizing liquids – Category 1
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A
Eye Damage 1: Serious eye damage/eye irritation – Category 1
Carcinogenicity 1A: Carcinogenicity – Category 1A
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
• * Data compared to the previous version altered.

US -