Printing date 06/11/2021

Reviewed on 06/11/2021

1 Identification

- · Product identifier
- Trade name: <u>Hydrochloric Acid 0.28 N</u> Soln., NIST Traceable
- · Article number: CON017
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- · Hazard-determining components of labeling:
- Hydrochloric Acid
- Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.
- Wash thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

[—] US

Printing date 06/11/2021


Reviewed on 06/11/2021

Trade name: Hydrochloric Acid 0.28 N Soln., NIST Traceable

(Contd. of page 1)

2.663%

97.337%



· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- CAS: 7647-01-0 Hydrochloric Acid

• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- *Protective equipment:* Mouth respiratory protective device.

(Contd. on page 3)

Printing date 06/11/2021

Reviewed on 06/11/2021

Trade name: Hydrochloric Acid 0.28 N Soln., NIST Traceable

(Contd. of page 2)

US

Personal precau	tions, protective equipment and emergency procedures	
	ry protective device.	
	equipment. Keep unprotected persons away.	
	precautions: Dilute with plenty of water.	
	aterial for containment and cleaning up:	
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing		
	inated material as waste according to item 13.	
Ensure adequate		
Reference to oth		
	r information on safe handling. r information on personal protection equipment.	
	or disposal information.	
	n Criteria for Chemicals	
<i>PAC-1:</i>		
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppi
PAC-2:		
CAS: 7647-01-0	Hydrochloric Acid	22 ppi
PAC-3:		
CAS: 7647 01 0	Hydrochloric Acid	100 ppi

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:				
CAS: 7647-01-0 Hydrochloric Acid				
NIOSH RECOMENDED EXP I	LIMI Ceiling limit value: 7.0 mg/m3 mg/m ³			
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm			
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm			
	· · ·	(Contd. on page 4)		

US

Safety Data Sheet acc. to OSHA HCS

Printing date 06/11/2021

Reviewed on 06/11/2021

Trade name: Hydrochloric Acid 0.28 N Soln., NIST Traceable

TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm
	hat were valid during the creation were used as basis.
• Exposure controls	
· Personal protective equipment:	
· General protective and hygienic m	easures:
Keep away from foodstuffs, beverage	
Immediately remove all soiled and	
Wash hands before breaks and at th	ne end of work.
Avoid contact with the eyes.	
Avoid contact with the eyes and skin	n.
· Breathing equipment:	
	llution use respiratory filter device. In case of intensive or longer exposure i
respiratory protective device that is	independent of circulating air.
· Protection of hands:	
n n	
Protective gloves	
There are gives	
	neable and resistant to the product/ the substance/ the preparation.
	dation to the glove material can be given for the product/ the preparation/ i
chemical mixture.	
	onsideration of the penetration times, rates of diffusion and the degradation
· Material of gloves	
The selection of the suitable aloves	does not only depend on the material but also on further marks of quality of
varies from manufacturer to manuf	acturer. As the product is a preparation of several substances, the resistance
varies from manufacturer to manufacturer to manufacturer to manufacturer the glove material can not be calcu	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application.
varies from manufacturer to manufacture to manufacture the glove material can not be calcu. • Penetration time of glove material	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application.
varies from manufacturer to manufacture to manufacture glove material can not be calcu • Penetration time of glove material The exact break through time has	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application.
varies from manufacturer to manufacture to manufacture glove material can not be calcu • Penetration time of glove material The exact break through time has observed.	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application.
varies from manufacturer to manufacture to manufacture glove material can not be calcu • Penetration time of glove material The exact break through time has	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application.
varies from manufacturer to manufacture to manufacture glove material can not be calcu • Penetration time of glove material The exact break through time has observed.	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application.
 varies from manufacturer to manufacture to manufacture glove material can not be calcule. Penetration time of glove material The exact break through time has observed. Eye protection: 	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application.
varies from manufacturer to manufacture to manufacture glove material can not be calcu • Penetration time of glove material The exact break through time has observed.	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application.
 varies from manufacturer to manufacture to manufacture to material can not be calcule. Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles 	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to
 varies from manufacturer to manufacture to manufacture glove material can not be calcule. Penetration time of glove material The exact break through time has observed. Eye protection: 	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to
 varies from manufacturer to manufacture to manufacture to material can not be calcule. Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles 	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to
 varies from manufacturer to manufacture to manufacture to material can not be calculated. Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles Body protection: Protective work c 	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing
 varies from manufacturer to manufacture to manufacture to material can not be calcule. Penetration time of glove material The exact break through time has observed. Eye protection: Tightly sealed goggles 	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing
 varies from manufacturer to manufacture to manufacturer to manufactur	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing
 varies from manufacturer to manufacture to manufacturer to manufactur	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing
 varies from manufacturer to manufacture to manufacturer to manufactur	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing
 varies from manufacturer to manufacture to manufacturer to manufactur	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing rties chemical properties
 varies from manufacturer to manufacture to manufacture to manufacturer to manufacturer to manufacture to glove material and the glove material and the glove material and the exact break through time has observed. Eye protection: Tightly sealed goggles Body protection: Protective work c Physical and chemical prope Information on basic physical and General Information Appearance: Form: 	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing rties chemical properties Liquid
varies from manufacturer to manufacture to manufacturer to manufacturer to manufacturer to manufacturer to manufacturer to manufacturer to material can not be calculated of the glove material and the glove material and the exact break through time has observed. • Eye protection: • Eye protection: • Body protection: Protective work can be added and the exact break through time has observed. • Body protection: Protective work can be added and the exact break through time has be added and the exact break through time has observed. • Body protection: Protective work can be added and the exact break through time has be added and the exact break through time has observed. • Body protection: Protective work can be added and the exact break through the exact break through time has be added and the exact break through time has be added and the exact break through time has be added at the exact break	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing rties chemical properties Liquid Clear
 varies from manufacturer to manufacture to manufacture to manufacturer to manufacturer to manufacture to glove material and the glove material and the glove material and the exact break through time has observed. Eye protection: Tightly sealed goggles Body protection: Protective work c Physical and chemical prope Information on basic physical and General Information Appearance: Form: 	to be found out by the manufacturer of the protective gloves and has to lothing rties chemical properties Liquid
varies from manufacturer to manufacture to manufacturer to manufacturer to manufacturer to manufacturer to manufacturer to material can not be calculed Penetration time of glove material The exact break through time has observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work c • Physical and chemical prope • Information on basic physical and • General Information • Appearance: Form: Color: • Odor:	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing rties chemical properties Liquid Clear Odorless
varies from manufacturer to manufacture to manufacturer to man	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing rties chemical properties Liquid Clear Odorless Not determined.
varies from manufacturer to manufacture to manufacturer to man	acturer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to lothing rties chemical properties Liquid Clear Odorless Not determined.

Printing date 06/11/2021

Reviewed on 06/11/2021

Trade name:	Hydrochloric Acid 0.28 N
	Soln., NIST Traceable

	(C	ontd. of page 4)
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
• Density at 20 •C (68 •F):	1.00349 g/cm ³ (8.37412 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	97.3 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.

(Contd. on page 6)

US

Printing date 06/11/2021

Reviewed on 06/11/2021

Trade name: Hydrochloric Acid 0.28 N Soln., NIST Traceable

(Contd. of page 5)

- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

US -

Printing date 06/11/2021

Reviewed on 06/11/2021

(Contd. of page 6)

Trade name: Hydrochloric Acid 0.28 N Soln., NIST Traceable

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not regulated	
Packing group		
DOT, IMDG, IATA	Not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

 • TSCA (Toxic Substances Control Act):

 Water
 ACTIVE

 Hydrochloric Acid
 ACTIVE

· Hazardous Air Pollutants

CAS: 7647-01-0 Hydrochloric Acid

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 8)

US -

Printing date 06/11/2021

Reviewed on 06/11/2021

Trade name: Hydrochloric Acid 0.28 N Soln., NIST Traceable

(Contd. of page 7)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: Hydrochloric Acid

- · Hazard statements
- Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

 Date of preparation / last revision Revision 0.1, 02-13-2020: updated SDS with current data. STN Revision 1.0 05-07-2021: updated hazard information. STN 06/11/2021 / Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)

US

Printing date 06/11/2021

Reviewed on 06/11/2021

Trade name: Hydrochloric Acid 0.28 N Soln., NIST Traceable

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TI V: Threebold Limit Volue	(Contd. of page 8)
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	