Printing date 04/25/2022

Reviewed on 04/25/2022

# **1** Identification · Product identifier · Trade name: Thymolphthalein 10% w/v in Methanol • Article number: THE129 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 **2** Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Toxicity - Oral 3 H301 Toxic if swallowed. H311 Toxic in contact with skin. Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 H331 Toxic if inhaled. GHS08 Health hazard

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

(Contd. on page 2)

US

Printing date 04/25/2022

Reviewed on 04/25/2022

### Trade name: Thymolphthalein 10% w/v in Methanol

	(Contd. of page 1
Hazard-determining components of labeling:	
Methanol	
Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes damage to the central nervous system and the visual organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/showe	<i>r</i> .
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulatio	ns.
Classification system:	
NFPA ratings (scale 0 - 4)	
$\frac{1}{3}$ Health = 2	
$\frac{2}{2} \int \frac{Fire}{P} = 3$	
2 $0$ Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH *2 $Health = *2$	
FIRE 3 $Fire = 3$	
$\frac{1}{\text{REACTIVITY}[0]} Reactivity = 0$	
$\begin{array}{c} \text{Reactivity} \\ 0 \end{array} \end{array} $	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
<b>vPvB:</b> Not applicable.	

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 04/25/2022

Reviewed on 04/25/2022

Trade name: Thymolphthalein 10% w/v in Methanol

 (Contd. of page 2)

 • Dangerous components:

 CAS: 67-56-1
 Methanol

 • Table of Nonhazardous Ingredients

 CAS: 125-20-2
 Thymolphthalein

 12.31%

#### 4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- $\cdot$  Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
  Wear protective equipment. Keep unprotected persons away.
  Environmental precautions: Dilute with plenty of water.
  Do not allow to enter sewers/ surface or ground water.
  Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
  Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

US

Printing date 04/25/2022

Trade name: Thymolphthalein 10% w/v in Methanol Reviewed on 04/25/2022

· Protective Action Criteria for Chemicals	(Contd. of page 3)
• PAC-1:	
CAS: 67-56-1 Methanol	530 ppm
· PAC-2:	
CAS: 67-56-1 Methanol	2,100 ppm
· PAC-3:	
CAS: 67-56-1 Methanol	7200* ppm

### 7 Handling and storage

#### · Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
   Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s) No further relevant information available.*

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

<b>Control</b>	parameters
----------------	------------

· Com	· Components with limit values that require monitoring at the workplace:	
CAS.	: 67-56-1 Methanol	
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm	
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI	
· Ingre	edients with biological limit values:	
CAS.	: 67-56-1 Methanol	
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)	
1	(Contd. on page 5)	
	-US	

Printing date 04/25/2022

· pH-value:

· Change in condition

Melting point/Melting range: Boiling point/Boiling range: Reviewed on 04/25/2022

Trade name: Thymolphthalein 10% w/v in Methanol

• Exposure controls • Personal protective equipme • General protective and hygic	e lists that were valid during the creation were used as basis.
· Personal protective equipme	
	nut.
Keep away from foodstuffs, b	
	and contaminated clothing.
Wash hands before breaks ar	
Store protective clothing sepa	
Avoid contact with the eyes a	
· Breathing equipment:	
In case of brief exposure or l	low pollution use respiratory filter device. In case of intensive or longer exposure use that is independent of circulating air.
· Protection of hands:	
Protective gloves	
The glove material has to be	impermeable and resistant to the product/ the substance/ the preparation.
	mmendation to the glove material can be given for the product/ the preparation/ th
	al on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves	
The selection of the suitable varies from manufacturer to the glove material can not be	gloves does not only depend on the material, but also on further marks of quality and manufacturer. As the product is a preparation of several substances, the resistance of e calculated in advance and has therefore to be checked prior to the application.
• Penetration time of glove me	
	ne has to be found out by the manufacturer of the protective gloves and has to be
observed. • <b>Eye protection:</b>	
Tightly sealed gog	ggles
• Body protection: Protective	work clothing

Not determined.

*Undetermined.* 647 °*C* (1,196.6 °*F*)

(Contd. on page 6)

US

Printing date 04/25/2022

Reviewed on 04/25/2022

Trade name:	Thymolphthalein
	10% w/v in Methanol

	(Contd. of page 5)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.8124 g/cm <sup>3</sup> (6.77948 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	87.7 %
VOC content:	87.69 %
	712.4 g/l / 5.95 lb/gal
Solids content:	12.3 %
Other information	No further relevant information available.

## 10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 04/25/2022

\*

Reviewed on 04/25/2022

Trade name: Thymolphthalein 10% w/v in Methanol

(Contd. of page 6)

Acute tox	icity:	
		tt are relevant for classification:
ATE (Acı	te Toxicit	y Estimate)
Oral	LD50	114 mg/kg
Dermal	LD50	342 mg/kg
Inhalative	2 LC50/4h	3.42 mg/l
on the eye Sensitizat Additiona The prodi	e: No irrita i <b>on:</b> No se i <b>l toxicolo</b> g	e <b>ct:</b> tant effect. iting effect. g <b>ical information:</b> he following dangers according to internally approved calculation methods for preparation
on the eye Sensitizat Additiona The produ Toxic Carcinog	e: No irrita ion: No se al toxicolog act shows t enic catego	rant effect. uting effect. nsitizing effects known. g <b>ical information:</b> he following dangers according to internally approved calculation methods for preparation <b>ories</b>
on the eye Sensitizat Additiona The produ Toxic Carcinog IARC (In	e: No irrita ion: No se al toxicolog act shows t enic catega ternationa	tant effect. uting effect. nsitizing effects known. g <b>ical information:</b> he following dangers according to internally approved calculation methods for preparation ories I Agency for Research on Cancer)
on the eye Sensitizat Additiona The produ Toxic Carcinog IARC (In	e: No irrita ion: No se al toxicolog act shows t enic catega ternationa	rant effect. uting effect. nsitizing effects known. g <b>ical information:</b> he following dangers according to internally approved calculation methods for preparation <b>ories</b>
on the eye Sensitizat Additiona The produ Toxic Carcinogo IARC (In None of th	e: No irrita ion: No se al toxicolog act shows t enic categ ternationa he ingredie	tant effect. uting effect. nsitizing effects known. gical information: he following dangers according to internally approved calculation methods for preparation ories I Agency for Research on Cancer)
on the eye Sensitizat Additiona The produ Toxic Carcinog IARC (In None of th NTP (Nat	e: No irrita ion: No se il toxicolog act shows t enic categ ternationa he ingredie tional Tox	tant effect. nsitizing effects known. gical information: he following dangers according to internally approved calculation methods for preparation ories I Agency for Research on Cancer) wats is listed.

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- $\cdot$  **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

US

Printing date 04/25/2022

Trade name: Thymolphthalein 10% w/v in Methanol Reviewed on 04/25/2022

(Contd. of page 7)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)
Transport hazard class(es)	
DOT	
RAMARIE ECCO	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-A
Stowage Category	В
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ `	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	1L

ACTIVE

ACTIVE

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2022

Reviewed on 04/25/2022

Trade name:	Thymolphthalein
	10% w/v in Methanol

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

### **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 $\cdot$  Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol

• TSCA (Toxic Substances Control Act): Methanol

Thymolphthalein

· Hazardous Air Pollutants

CAS: 67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



Printing date 04/25/2022

Reviewed on 04/25/2022

### Trade name: Thymolphthalein 10% w/v in Methanol

· Signal word Danger	(Contd. of page 9)
• Hazard-determining components of labeling:	
Methanol	
· Hazard statements	
Highly flammable liquid and vapor.	
<i>Toxic if swallowed, in contact with skin or if inhaled.</i>	
Causes damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	5.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

 Date of preparation / last revision Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN Revision 1.0, 10-03-2019: updated product description. STN 04/25/2022 / 1.1
 Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous GoodsDOT: US Department of TransportationIATA: International Air Transport AssociationEINECS: European Inventory of Existing Commercial Chemical SubstancesELINCS: European List of Notified Chemical SubstancesCAS: Chemical Abstracts Service (division of the American Chemical Society)NFPA: National Fire Protection Association (USA)HMIS: Hazardous Materials Identification System (USA)VOC: Volatile Organic Compounds (USA, EU)LC50: Lethal concentration, 50 percent

(Contd. on page 11)

US

Printing date 04/25/2022

Trade name: Thymolphthalein 10% w/v in Methanol Reviewed on 04/25/2022

(Contd. of page 10)

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 • \* Data compared to the previous version altered.

US