
Printing date 12/04/2017 Reviewed on 12/04/2017

1 Identification

- · Product identifier
- · Trade name: Methyl Tert-Butyl Ether (MTBE), Reagent ACS Grade
- · Article number: M3111
- CAS Number: 1634-04-4 EC number:
- 216-653-1 • Index number: 603-181-00-X



· Manufacturer/Supplier: Aqua Solutions, Inc.

6913 Highway 225 DEER PARK, TX 77536

USA

800-256-2586

· Information department:

Technical Coordinator

Canutec: 613-996-6666

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS06

GHS07

· Signal word Danger





Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Methyl Tert-Butyl Ether (MTBE), Reagent ACS Grade

(Contd. of page 1)

· Hazard statements

Highly flammable liquid and vapor.

Toxic in contact with skin.

Causes skin irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.


Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 3

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

1634-04-4 Methyl Tert-Butyl Ether (MTBE)

- · Identification number(s)
- · EC number: 216-653-1
- · Index number: 603-181-00-X

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Methyl Tert-Butyl Ether (MTBE), Reagent ACS Grade

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1: 50 ppm
- · PAC-2: 570 ppm
- · PAC-3: 5300* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Methyl Tert-Butyl Ether (MTBE), Reagent ACS Grade

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 1634-04-4 Methyl Tert-Butyl Ether (MTBE)

TLV Long-term value: 180 mg/m³, 50 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Methyl Tert-Butyl Ether (MTBE), Reagent ACS Grade

· Body protection: Protective work clothing

(Contd. of page 4)

· Information on basic physical and o	chemical properties		
· General Information · Appearance:			
Form:	Liquid		
Color:	Colorless		
· Odor:	Petroleum		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	-108.6 °C (-163.5 °F)		
Boiling point/Boiling range:	55.2 °C (131.4 °F)		
· Flash point:	-30 °C (-22 °F)		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	460 °C (860 °F)		
· Decomposition temperature:	Not determined.		
· Auto igniting:	Not determined.		
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.		
· Explosion limits:			
Lower:	1.6 Vol %		
Upper:	8.4 Vol %		
· Vapor pressure at 20 °C (68 °F):	268 hPa (201 mm Hg)		
· Density at 20 °C (68 °F):	0.7405 g/cm³ (6.17947 lbs/gal)		
Relative density	Not determined.		
· Vapor density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
Water at 25 °C (77 °F):	51 g/l		

10 Stability and reactivity

Dynamic at 20 °C (68 °F):

 $\cdot \textit{Reactivity No further relevant information available}.$

· Partition coefficient (n-octanol/water): Not determined.

· Chemical stability

· Viscosity:

Kinematic:

· Other information

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

0.27 mPas

Not determined.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Methyl Tert-Butyl Ether (MTBE), Reagent ACS Grade

(Contd. of page 5)

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values	that are	relevant	for c	lassification:
------------------	----------	----------	-------	----------------

Oral	LD50	4,000 mg/kg (rat)
		1,000 mg/kg (rabbit)
Inhalative	LC50/4 h	142 mg/l (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) 3
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

110

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Methyl Tert-Butyl Ether (MTBE), Reagent ACS Grade

(Contd. of page 6)

4 Transport information				
· UN-Number				
· DOT, IMDG, IATA	UN2398			
· UN proper shipping name				
· DOT · IMDG, IATA	Methyl tert-butyl ether METHYL tert-BUTYL ETHER			
	MEINIL WII-DUIIL EINER			
· Transport hazard class(es)				
$\cdot DOT$				
RAMMABLE LOUD				
·Class	3 Flammable liquids			
· Label	3			
· IMDG, IATA				
· Class	3 Flammable liquids			
· Label	3			
· Packing group · DOT, IMDG, IATA	II			
· Environmental hazards: · Marine pollutant:	No			
_				
· Special precautions for user · Danger code (Kemler):	Warning: Flammable liquids 33			
· EMS Number:	F-E,S-D			
· Stowage Category	E			
· Transport in bulk according to Annex	II of			
MARPOL73/78 and the IBC Code	Not applicable.			
· Transport/Additional information:				
\cdot DOT				
· Quantity limitations	On passenger aircraft/rail: 5 L			
v .	On cargo aircraft only: 60 L			
· Hazardous substance:	1000 lbs, 454 kg			
· IMDG				
Limited quantities (LQ)	1L Code F2			
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml			
	Maximum net quantity per timer packaging: 50 ml Maximum net quantity per outer packaging: 500 ml			
· UN "Model Regulation":	UN 2398 METHYL TERT-BUTYL ETHER, 3, II			
Or mout Regulation .	on 2570 militili i iliki boʻlili lililik, 3, ii			

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Methyl Tert-Butyl Ether (MTBE), Reagent ACS Grade

(Contd. of page 7)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act):

Methyl Tert-Butyl Ether (MTBE)

- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) A3
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS06



GHS02

GHSO

- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

Toxic in contact with skin.

Causes skin irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Methyl Tert-Butyl Ether (MTBE), Reagent ACS Grade

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

12-04-2017: review SDS for accuracy. STN Creation date for SDS 02-06-2014. STN 12/04/2017 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

US