Printing date 12/18/2017 Reviewed on 12/18/2017

1 Identification

· Product identifier

· Trade name: Nessler's Reagent

(Special) B-18

· Article number: ODP054

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05 GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Potassium Hydroxide

(Contd. on page 2)

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

(Contd. of page 1)

Mercuric Chloride

Potassium Iodide

· Hazard statements

Toxic if swallowed.

Causes severe skin burns and eye damage.

Suspected of causing genetic defects.

Suspected of damaging fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3

Fire = 0

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 1310-58-3	Potassium Hydroxide	10.445%
CAS: 7681-11-0	Potassium Iodide	4.083%
	(C	td on moon 2)

(Contd. on page 3)

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

CAS: 7487-94-7 Mercuric Chloride	(Contd. of page 2) 1.429%	
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5 Water	84.0432%	

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Reviewed on 12/18/2017 Printing date 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

· Protective Action Criteria for Chemicals	(Contd. of page 3
· PAC-1:	
CAS: 1310-58-3 Potassium Hydroxide	$0.18 mg/m^3$
CAS: 7681-11-0 Potassium Iodide	1.3 mg/m^3
CAS: 7487-94-7 Mercuric Chloride	0.1 mg/m^3
· PAC-2:	
CAS: 1310-58-3 Potassium Hydroxide	2 mg/m ³
CAS: 7681-11-0 Potassium Iodide	15 mg/m^3
CAS: 7487-94-7 Mercuric Chloride	0.14 mg/m^3
· PAC-3:	·
CAS: 1310-58-3 Potassium Hydroxide	54 mg/m ³
CAS: 7681-11-0 Potassium Iodide	87 mg/m ³
CAS: 7487-94-7 Mercuric Chloride	38 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Cont	rol parameters	
· Com	· Components with limit values that require monitoring at the workplace:	
CAS.	: 1310-58-3 Potassium Hydroxide	
REL	Ceiling limit value: 2 mg/m³	
TLV	Ceiling limit value: 2 mg/m³	
CAS.	: 7681-11-0 Potassium Iodide	
TLV	Long-term value: 0.01* ppm *as inhalable fraction and vapor	
CAS.	: 7487-94-7 Mercuric Chloride	
PEL	Long-term value: 0.1 mg/m³ as Hg; see OSHA standard interpretation memo	
REL	Long-term value: 0.05* mg/m³ Ceiling limit value: 0.1 mg/m³ as Hg; *Vapor; Skin	
	(Contd. on page 5)	

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

(Contd. of page 4)

TLV Long-term value: 0.025 mg/m³

as Hg; Skin; BEI

· Ingredients with biological limit values:

CAS: 7487-94-7 Mercuric Chloride

BEI 35 μg/L

LD50 Intraperitoneal: urine

Time: prior to shift

LD50: Total inorganic mercury (background)

15 μg/L

LD50 Intraperitoneal: blood

Time: end of shift at end of workweek

LD50: Total inorganic mercury (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 6)

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

· Body protection: Protective work clothing

(Contd. of page 5)

Information on basic physical and o	chamical properties	
General Information	cnemicai properiies	
Appearance:		
Form:	Liquid	
Color:	Yellow	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.10217 g/cm³ (9.19761 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	84.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	16.0 %	
Other information	No further relevant information available.	

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values that are relevant for classification:		
ATE (A	ATE (Acute Toxicity Estimate)		
		68 mg/kg	
Dermal	LD50	2,869 mg/kg (rat)	
CAS: 13	CAS: 1310-58-3 Potassium Hydroxide		

		3 Potassium Hydroxide
Oral	LD50	500 mg/kg (ATE)

CAS: 7487-94-7 Mercuric Chloride

Oral LD50 5 mg/kg (ATE) Dermal LD50 5 mg/kg (ATE)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritani

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 7487-94-7 Mercuric Chloride	3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN2922

· UN proper shipping name

 $\cdot DOT$

Corrosive liquids, toxic, n.o.s. (Potassium hydroxide, Mercuric

chloride)

· IMDG, IATA CORRO

CORROSIVE LIQUID, TOXIC, N.O.S. (POTASSIUM HYDROXIDE, MERCURIC CHLORIDE)

- · Transport hazard class(es)
- $\cdot DOT$







· Class 8 Corrosive substances

(Contd. on page 9)

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

T 1 1	(Contd. of page
Label	8, 6.1
IMDG	
8	
Class	8 Corrosive substances
Label	8/6.1
IATA	
8	
Class	8 Corrosive substances
Label	8 (6.1)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
	Yes (DOT)
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler): EMS Number:	86 F-A,S-B
EMS Number: Segregation groups	Alkalis, heavy metals and their salts (including their organometal
Segregation groups	compounds)
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
Remarks:	On cargo aircraft only: 30 L Special marking with the symbol (fish and tree).
	Special marking min the symbol (fish and tree).
IMDG Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 2922 CORROSIVE LIQUIDS, TOXIC, N.O.S. (POTASSIU
	HYDROXIDE, MERCURIC CHLORIDE), 8 (6.1), II

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

(Contd. of page 9)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

CAS: 7487-94-7 Mercuric Chloride

· Section 313 (Specific toxic chemical listings):

CAS: 7487-94-7 Mercuric Chloride

· TSCA (Toxic Substances Control Act):

Potassium Hydroxide

Potassium Iodide

Mercuric Chloride

Water

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 7487-94-7 Mercuric Chloride

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

CAS: 7487-94-7 Mercuric Chloride

C

· TLV (Threshold Limit Value established by ACGIH)

CAS: 7487-94-7 Mercuric Chloride

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05 GHS06

· Signal word Danger

· Hazard-determining components of labeling:

Potassium Hydroxide

Mercuric Chloride

Potassium Iodide

· Hazard statements

Toxic if swallowed.

Causes severe skin burns and eye damage.

(Contd. on page 11)

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

(Contd. of page 10)

Suspected of causing genetic defects.

Suspected of damaging fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- $\cdot \textit{Date of preparation / last revision}$

12-18-2017: review SDS for accuracy. STN

Creation date for SDS 01-05-2015. STN

12/18/2017 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

 ${\it IATA: International Air Transport Association}$

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 $HMIS: Hazardous\ Materials\ Identification\ System\ (USA)$

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

(Contd. on page 12)

Printing date 12/18/2017 Reviewed on 12/18/2017

Trade name: Nessler's Reagent (Special) B-18

(Contd. of page 11)

Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1