Printing date 10/04/2017

Reviewed on 10/04/2017

Identification	
· Product identifier	
• Trade name: <u>Nitric Acid</u>	
· Article number: AM199	
· CAS Number:	
7697-37-2	
• EC number: 231-714-2	
· Index number:	
007-004-00-1	SOLUTIONS
\cdot Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225 DEER PARK, TX 77536	
USA	
800-256-2586	
· Information department:	
Technical Coordinator	
Sherman Nelson sherman@aquasolutions.org	
• Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Canalec. 015-990-0000	
2 Hazard(s) identification	
• Classification of the substance or mixture	
• Classification of the substance or mixture	
Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer.	
• Classification of the substance or mixture GHS03 Flame over circle	
Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer.	
Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer.	
 Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements 	
 Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. 	rding to the Globally Harmonized System (GH
 Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled accord 	rding to the Globally Harmonized System (GH
 Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled accord 	rding to the Globally Harmonized System (GH
 Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled accord 	rding to the Globally Harmonized System (GH
 Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled accord Hazard pictograms GHS03 GHS05 	rding to the Globally Harmonized System (GH
 Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled accord Hazard pictograms 	rding to the Globally Harmonized System (GH
 Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled accord Hazard pictograms GHS03 GHS05 Signal word Danger Hazard-determining components of labeling: Nitric Acid Hazard statements 	rding to the Globally Harmonized System (GH
 Classification of the substance or mixture GHS03 Flame over circle Ox. Liq. 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Label elements GHS label elements The substance is classified and labeled accord Hazard pictograms GHS03 GHS05 Signal word Danger Hazard-determining components of labeling: Nitric Acid 	rding to the Globally Harmonized System (GH

US -

Printing date 10/04/2017

Reviewed on 10/04/2017

Trade name: Nitric Acid

(Contd. of page 1)
Precautionary statements
Keep away from heat.
Keep/Store away from clothing/combustible materials.
Take any precaution to avoid mixing with combustibles.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
In case of fire: Use for extinction: CO2, powder or water spray.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
4 0 $A = 3$ $B = 4$ $Fire = 3$ $Reactivity = 0$
The substance possesses oxidizing properties.
HMIS-ratings (scale 0 - 4)
HEALTH4Health = 4FIRE3Fire = 3REACTIVITY \mathbf{R}
Other hazards Results of PBT and vPvB assessment PBT: Not applicable.
vPvB: Not applicable.
Composition/information on ingredients
Chemical characterization: Substances

- · CAS No. Description
- 7697-37-2 Nitric Acid
- · Identification number(s)
- **EC number:** 231-714-2
- Index number: 007-004-00-1

4 First-aid measures

- \cdot Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

US

Printing date 10/04/2017

Reviewed on 10/04/2017

Trade name: Nitric Acid

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- $\cdot \textit{Environmental precautions: Dilute with plenty of water.}$
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
0.16 ppm		
· PAC-2:		
24 ppm		
· PAC-3:		
92 ppm		

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

US -

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/04/2017

Reviewed on 10/04/2017

Trade name: Nitric Acid

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/04/2017

Reviewed on 10/04/2017

Trade name: Nitric Acid

· Body protection: Protective work clothing

9 Physical and chemical proper	ties
· Information on basic physical and o	chemical properties
· General Information	
· Appearance:	
Form:	Slightly fuming
Color:	Clear
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-41.6 °C (-43 °F)
Boiling point/Boiling range:	83 °C (181 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	4 hPa (3 mm Hg)
• Density at 20 °C (68 °F):	1.5 g/cm ³ (12.518 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0~%
VOC content:	0.0 g/l / 0.00 lb/gl
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

(Contd. on page 6)

US

Printing date 10/04/2017

Reviewed on 10/04/2017

Trade name: Nitric Acid

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Generally not hazardous for water

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Reviewed on 10/04/2017

Trade name: Nitric Acid

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

12031 ric acid TRIC ACID
TRIC ACID
Corrosive substances
5.1
Corrosive substances .1
Corrosive substances
5.1)
rning: Corrosive substances
5
A,S-Q
ds

(Contd. of page 6)

Printing date 10/04/2017

Reviewed on 10/04/2017

Trade name: Nitric Acid

	(Contd. of page
· Segregation Code	SG6 Segregation as for class 5.1
	SG16 Stow "separated from" class 4.1
	SG17 Stow "separated from" class 5.1
	SG19 Stow "separated from" class 7
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· Hazardous substance:	1000 lbs, 454 kg
· IMDG	
Limited quantities (LQ)	1L
\cdot Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2031 NITRIC ACID, 8 (5.1), II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Substance is listed.	
Section 313 (Specific toxic chemical listings):	
Substance is listed.	
TSCA (Toxic Substances Control Act):	
Substance is listed.	
Proposition 65	
Chemicals known to cause cancer:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
Chemicals known to cause developmental toxicity:	
Substance is not listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
Substance is not listed.	
TLV (Threshold Limit Value established by ACGIH)	
Substance is not listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	

Printing date 10/04/2017

Reviewed on 10/04/2017

Trade name: Nitric Acid

(Contd. of page 8) • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms
GHS03 GHS05
· Signal word Danger
· Hazard-determining components of labeling:
Nitric Acid
· Hazard statements
May intensify fire; oxidizer.
Causes severe skin burns and eye damage.
· Precautionary statements
Keep away from heat.
Keep/Store away from clothing/combustible materials.
Take any precaution to avoid mixing with combustibles.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing. Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
In case of fire: Use for extinction: CO2, powder or water spray.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of preparation / last revision Revision 0.0, 05-05-2015: Creation Date for SDS. STN 10-04-2017: review SDS for accuracy. STN 10/04/2017 / Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EDUECO E E Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

⁻ US

Printing date 10/04/2017

Reviewed on 10/04/2017

Trade name: Nitric Acid

(Contd. of page 9)

US

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Liq. 2: Oxidizing liquids – Category 2 Skin Corr. 1A: Skin corrosion/irritation – Category 1A