Printing date 04/22/2021 Reviewed on 04/22/2021

1 Identification

· Product identifier

· Trade name: Perchloric Acid 0.01 Normal

in n-Butyl Alcohol

· Article number: SPE475A

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



 $GHS02\ Flame$

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS05

GHS07

· Signal word Danger

(Contd. on page 2)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

(Contd. of page 1)

· Hazard-determining components of labeling:

n-Butyl Alcohol

Acetic Acid

· Hazard statements

Flammable liquid and vapor.

Harmful if swallowed.

Causes skin irritation.

Causes serious eve damage.

May cause respiratory irritation. May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3Fire = 3

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 3)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

(Contd. of page 2)

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 71-36-3 n-Butyl Alcohol	87.314%			
CAS: 64-19-7 Acetic Acid	12.125%			
· Table of Nonhazardous Ingredients				
CAS: 108-24-7 Acetic Anhydride	0.389%			
CAS: 7601-90-3 Perchloric acid 68 - 70% w/w	0.173%			

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

(Contd. on page 4)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

(Contd. of page 3)

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

	•			
· PAC-1:				
CAS: 71-36-3	n-Butyl Alcohol	60	ррт	
CAS: 64-19-7	Acetic Acid	5 p	рт	
CAS: 108-24-7	Acetic Anhydride	0.5	ppm	
CAS: 7601-90-3	S: 7601-90-3 Perchloric acid 68 - 70% w/w			
· PAC-2:		·		
CAS: 71-36-3	n-Butyl Alcohol	80	00 ppm	
CAS: 64-19-7	Acetic Acid	35	ppm	
CAS: 108-24-7	Acetic Anhydride	15	ppm	
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	6.7	7 ppm	
· PAC-3:				
CAS: 71-36-3	n-Butyl Alcohol	8000*	** <i>ppm</i>	
CAS: 64-19-7	Acetic Acid	250 p _I	250 ppm	
CAS: 108-24-7	Acetic Anhydride 10		рт	
CAS: 7601-90-3	3 Perchloric acid 68 - 70% w/w 40		m	

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

(Contd. of page 4)

· Control parameters

· Com	· Components with limit values that require monitoring at the workplace:			
CAS:	71-36-3 n-Butyl Alcohol			
PEL	Long-term value: 300 mg/m³, 100 ppm			
REL	Ceiling limit value: 150 mg/m³, 50 ppm Skin			
TLV	Long-term value: 61 mg/m³, 20 ppm			
CAS:	: 64-19-7 Acetic Acid			
PEL	Long-term value: 25 mg/m³, 10 ppm			
REL	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm			
TLV	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm			

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 6)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

· Body protection: Protective work clothing

(Contd. of page 5)

Information on basic physical and chemical properties			
- Information on vasic physical and c - General Information	nemicui properties		
Appearance:			
Form:	Liquid		
Color:	Clear		
Odor:	Distinct		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	116 °C (240.8 °F)		
Flash point:	35 °C (95 °F)		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:	340 °C (644 °F)		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.		
Explosion limits:			
Lower:	1.5 Vol %		
Upper:	17 Vol %		
Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)		
Density at 20 °C (68 °F):	$0.83492 \ g/cm^3 \ (6.96741 \ lbs/gal)$		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
Partition coefficient (n-octanol/wate	r): Not determined.		
Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Solvent content:			
Organic solvents:	99.8 %		
VOC content:	99.83 %		
	833.5 g/l / 6.96 lb/gal		
Solids content:	0.0 %		

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

(Contd. of page 6)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are	relevant for	classification:
---------------------------	--------------	-----------------

ATE (Acute Toxicity Estimate)

Oral LD50 905 mg/kg (rat)

Dermal LD50 8,743 mg/kg (rabbit)

CAS: 71-36-3 n-Butyl Alcohol

Oral LD50 500 mg/kg (ATE)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 8)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

(Contd. of page 7)

- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

7 4 7			•	r	y •
14.1	rans	nort	ากา	orma	non
T 1 T	. I will	$\rho \sigma r \nu$	וטוט	OI III W	VI VIII

•	UN	-N	uml	ber
---	----	----	-----	-----

· DOT, IMDG, IATA

· UN proper shipping name

 $\cdot DOT$ Flammable liquids, corrosive, n.o.s. (Butanols, Acetic acid,

UN2924

· IMDG, IATA FLAMMABLE LIQUID, CORROSIVE, N.O.S. (BUTANOLS,

ACETIC ACID, GLACIAL)

- · Transport hazard class(es)
- $\cdot DOT$





· Class 3 Flammable liquids 3, 8

· Label

· IMDG





· Class 3 Flammable liquids

(Contd. on page 9)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

	(Contd. of page
Label	3/8
IATA	
3 3	
Class	3 Flammable liquids
Label	3 (8)
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	38 F-E,S-C
· EMS Number: · Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	5L Code El
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per unter packaging. 30 ml Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O. (BUTANOLS, ACETIC ACID, GLACIAL), 3 (8), III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 71-36-3 n-Butyl Alcohol	
· TSCA (Toxic Substances Control Act):	
n-Butyl Alcohol	ACTIVE
Acetic Acid	ACTIVE
(Contd	on page 10)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

(Contd. of page 9) Acetic Anhydride *ACTIVE* Perchloric acid 68 - 70% w/w **ACTIVE** · Hazardous Air Pollutants None of the ingredients is listed. Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) CAS: 71-36-3 n-Butyl Alcohol D· TLV (Threshold Limit Value) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health)

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





None of the ingredients is listed.



GHS02

GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

n-Butyl Alcohol

Acetic Acid

· Hazard statements

Flammable liquid and vapor.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation. May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

(Contd. on page 11)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Perchloric Acid 0.01 Normal in n-Butyl Alcohol

(Contd. of page 10)

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 2.0, 01-12-2020: Updated sections 1, 2 and 15 to meet Fanns new requirements

Revision 0.0, 03-17-2021: Creation date for SDS. STN

04/22/2021 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

 ${\it IATA: International Air Transport Association}$

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 $HMIS: Hazardous\ Materials\ Identification\ System\ (USA)$

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3