Printing date 05/22/2023

Reviewed on 05/22/2023

Product identifier Trade name: Actic Acid 10% v/v Color Coded Red Article number: VUL383 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 013 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann® aquasolutions.org Emergency telephone number: Chamtree: 800-424-9300 Canutee: 613-996-6666 Information of the substance or mixture Coordinator GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Eye Damage 1 H318 Causes serious eye damage. Serifization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS02 GHS03 GHS04 Serification = Skin 1 H317 May cause an allergic skin reaction. Label elements Coording and the product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms Signal word Danger		
Trade name: Acetic Acid 10% v/v Color Coded Ref Article number: VU1383 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. Again Solutions, Inc. Of13 Highway 223 DEER PARK, TX 77536 SA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Caute:: 613-996-6666 Hazard(s) identification Classification of the substance or mixture \widetilde{V} \widetilde{V} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \widetilde{V} \widetilde	Identification	
Color Coded RedArticle number:VUI383Details of the supplier of the safety data sheetAqua Solutions, Inc.6913 Highway 225DEER PARK, TX 77536USA800-256-2586Information department:Technical CoordinatorScherman Nelson shermann® aquasolutions.orgEmergency telephone number:Chemrice:S00-424-9300Canutes:613:01:01:01:01:01:01:01:01:01:01:01:01:01:	Product identifier	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, hc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-255-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemirec: 800-424-9300 Canutec: 613-996-6666 Interaction of the substance or mixture \overrightarrow{V} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \overrightarrow{V} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \overrightarrow{V} GHS05 Corrosion Skin Corrosion 1A H314 Causes servere skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Eye Damage 1 H318 Causes serious eye damage. \overrightarrow{V} GHS07 Sensitization - Skin 1 H317 May cause an allergic skin reaction. Interaction for the product is classified and labeled according to the Globally Harmonized System (GHS) Hazard-determining components of labeling: Accit Acid, Glacial Hazard statements Hazard statements Hazard statements Hazard statements Hazard statements Hazard statements Hazard detained according to the Globally Harmonized System (GHS) Hazard-detained function functio	• Trade name: <u>Acetic Acid 10% v/v</u> <u>Color Coded Red</u>	
Manufacturer/Supplier: Agua Solutions. Inc. Social Soc	• Article number: VUL383	
Technical Coordinator Sherman Nelson shermann @aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-996-6666 Hazard(s) identification Classification of the substance or mixture $$ $\overbrace{$ $$ $$ $\overbrace{$ $$	6913 Highway 225 DEER PARK, TX 77536 USA	AQUA SOLUTIONS
Classification of the substance or mixture \widetilde{Vort} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \widetilde{Vort} GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. \widetilde{Vort} GHS07 Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS) $\widetilde{HS102}$ $\widetilde{GHS05}$ $\widetilde{GHS02}$ $\widetilde{GHS05}$ $\widetilde{GHS05}$ $\widetilde{GHS05}$ $\widetilde{GHS02}$ $\widetilde{GHS05}$ $\widetilde{GHS05}$ $\widetilde{GHS07}$ Signal word Danger Hzard-determining components of labeling: Accetic Acid, Glacial Hzard statements Flammable liquid and vapor. Hzard statements	Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300	
$\overrightarrow{v} GHS02 \ Flame$ Flammable Liquids 3 H226 Flammable liquid and vapor. $\overrightarrow{v} GHS05 \ Corrosion$ Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. $\overrightarrow{v} GHS07$ Sensitization - Skin 1 H317 May cause an allergic skin reaction. $\overrightarrow{label elements}$ GHS02 GHS03 GHS07 Sensitization - Skin 1 H317 May cause an allergic skin reaction. $\overrightarrow{label elements}$ GHS02 GHS05 Corrosion $\overrightarrow{v} GHS05 \ \overrightarrow{v} GHS07$ Signal word Danger Hzaard-determining components of labeling: Acetic Acid, Glacial Hzaard statements Flammable liquid and vapor.	P Hazard(s) identification	
Eye Damage 1H318 Causes serious eye damage. $$ $$ $$ $$ Sensitization - Skin 1H317 May cause an allergic skin reaction.Label elementsGHS label elementsGHS label elements $$ </th <th>Flammable Liquids 3 H226 Flammable liquid and vapor.</th> <th></th>	Flammable Liquids 3 H226 Flammable liquid and vapor.	
Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms $\overbrace{GHS02}^{V}$ $\overbrace{GHS05}^{V}$ $\overbrace{GHS07}^{V}$ Signal word Danger Hazard-determining components of labeling: Acetic Acid, Glacial Hazard statements Flammable liquid and vapor.		eye damage.
Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: Acetic Acid, Glacial Hazard statements Flammable liquid and vapor.	GHS07	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms Image: Components of labeling: Signal word Danger Hazard-determining components of labeling: Acetic Acid, Glacial Hazard statements Flammable liquid and vapor.		action.
Signal word Danger Hazard-determining components of labeling: Acetic Acid, Glacial Hazard statements Flammable liquid and vapor.		according to the Globally Harmonized System (GHS)
Signal word Danger Hazard-determining components of labeling: Acetic Acid, Glacial Hazard statements Flammable liquid and vapor.		
 Hazard-determining components of labeling: Acetic Acid, Glacial Hazard statements Flammable liquid and vapor. 	GHS02 GHS05 GHS07	
Acetic Acid, Glacial Hazard statements Flammable liquid and vapor.	· Signal word Danger	
Flammable liquid and vapor.	,	

US

Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2023

Trade name: Acetic Acid 10% v/v Color Coded Red Reviewed on 05/22/2023

(Contd. of page 1) Causes severe skin burns and eye damage. May cause an allergic skin reaction. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 20 Fire = 0FIRE **REACTIVITY** O Reactivity = 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

Deservption main		
· Dangerous compo	onents:	
CAS: 64-19-7 Acc	etic Acid, Glacial	10.472%
• Table of Nonhaza	rdous Ingredients	
CAS: 7732-18-5	Water	89.404%
		(Contd. on page 3)

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Acetic Acid 10% v/v Color Coded Red

	(Cor	ntd. of page 2)
CAS: 94-13-3	Propyl Paraben	0.099%
	1,2 Propanediol (Propylene Glycol)	0.024%
CAS: 25956-17-6	Allura Red (Red No. 40)	0.001%
CAS: 15905-32-5	Erythrosin B (Red #3) CI 45430	0.0002%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 *Fire-fighting measures*

· Extinguishing media

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

⁻ U

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Acetic Acid 10% v/v Color Coded Red

• Protective Action Criteria for Chemicals (Contd. of page		
· PAC-1:		
CAS: 64-	19-7 Acetic Acid, Glacial	5 ppm
	1,2 Propanediol (Propylene Glycol)	30 mg/m ³
• PAC-2:		
CAS: 64-	19-7 Acetic Acid, Glacial	35 ppm
	1,2 Propanediol (Propylene Glycol)	1,300 mg/m ³
• PAC-3:		
CAS: 64-	19-7 Acetic Acid, Glacial	250 ppm
	1,2 Propanediol (Propylene Glycol)	7,900 mg/m ³

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- $\cdot \textit{Further information about storage conditions: Keep receptacle tightly sealed.}$
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-19-7 Acetic Acid, Glacial

- PEL Long-term value: 25 mg/m³, 10 ppm
- REL Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
- *TLV* Short-term value: 15 ppm Long-term value: 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

(Contd. on page 5)

[–] US

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Acetic Acid 10% v/v Color Coded Red

(Contd. of page 4)

Avoid contact w	ith the eyes.
-----------------	---------------

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Red	
Odor:	Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	40 °C (104 °F)	
Flammability (solid, gaseous):	Flammable.	
Auto igniting:	485 °C (905 °F)	
Decomposition temperature:	Not determined.	

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Acetic Acid 10% v/v Color Coded Red

	(Contd. of page
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	17 Vol %
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00553 g/cm ³ (8.39115 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	10.5 %
Water:	89.4 %
VOC content:	10.47 %
	105.3 g/l / 0.88 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- ATE (Acute Toxicity Estimate)

Dermal LD50 10,122 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

(Contd. on page 7)

US –

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Acetic Acid 10% v/v Color Coded Red

(Contd. of page 6)

- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

US

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Acetic Acid 10% v/v Color Coded Red

• Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, IMDG, IATA	UN1760
UN proper shipping name DOT	Corrosive liquids, n.o.s. (Acetic Acid, Glacial
IMDG, IATA) CORROSIVE LIQUID, N.O.S. (Acetic Acid, Glacial)
Transport hazard class(es)	
DOT	
CORROSIVE 3	
Class	3 Flammable liquids
Label	8
Class	3 Flammable liquids
Label	8
Packing group DOT, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code):	
EMS Number: Segregation groups	F-A,S-B (SGG1) Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Acetic Acid 10% v/v	
Color Coded Red	

	(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (ACETIC ACID, GLACIAL), 8, III

15 Regulatory information

Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Acetic Acid, Glacial	ACTIV
Propyl Paraben	ACTIVI
1,2 Propanediol (Propylene Glycol)	ACTIV
Allura Red (Red No. 40)	ACTIV
Erythrosin B (Red #3) CI 45430	ACTIV
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
None of the ingredients is listed. Chemicals known to cause developmental toxicity:	
Chemicals known to cause developmental toxicity:	
Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic categories EPA (Environmental Protection Agency)	
Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic categories	
Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic categories EPA (Environmental Protection Agency)	

US-

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Acetic Acid 10% v/v Color Coded Red

(Contd. of page 9)

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- · Hazard-determining components of labeling: Acetic Acid, Glacial · Hazard statements Flammable liquid and vapor. Causes severe skin burns and eye damage. May cause an allergic skin reaction. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. *Use explosion-proof electrical/ventilating/lighting/equipment.* Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 1.0 05/22/2023, reviewed SDS for accuracy. S.T.N.

(Contd. on page 11)

US

Printing date 05/22/2023

Trade name: Acetic Acid 10% v/v Color Coded Red

Reviewed on 05/22/2023

	(Contd. of page 10)
Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN	
Creation date for SDS 11-12-2014. STN	
05/22/2023	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 3: Flammable liquids – Category 3	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Sensitization - Skin 1: Skin sensitisation – Category 1	
* Data compared to the previous version altered.	
- •	US