US

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/13/2021

**1** Identification

· Product identifier

Reviewed on 04/13/2021

# · Trade name: Methanol 70% v/v Solution • Article number: 5610 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org Technical Coordinator Sherman Nelson sherman@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 **2** Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard STOT SE 1 H370 Causes damage to the central nervous system and the visual organs. GHS07 Acute Tox. 4 H302 Harmful if swallowed. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol (Methyl Alcohol) (Contd. on page 2)

Printing date 04/13/2021

Reviewed on 04/13/2021

#### Trade name: Methanol 70% v/v Solution

|  | (Contd. of page 1) |
|--|--------------------|
| Hazard statements  |                    |
| Highly flammable liquid and vapor.   |                    |
| Harmful if swallowed.  |                    |
| Causes damage to the central nervous system and the visual organs.                               |                    |
| Precautionary statements   |                    |
| Keep away from heat/sparks/open flames/hot surfaces No smoking.                                  |                    |
| Keep container tightly closed.   |                    |
| Ground/bond container and receiving equipment.   |                    |
| Use explosion-proof electrical/ventilating/lighting/equipment.                                   |                    |
| Use only non-sparking tools.   |                    |
| Take precautionary measures against static discharge.  |                    |
| Do not breathe dust/fume/gas/mist/vapors/spray.  |                    |
| Wash thoroughly after handling.  |                    |
| Do not eat, drink or smoke when using this product.  |                    |
| Wear protective gloves/protective clothing/eye protection/face protection.                       |                    |
| If swallowed: Call a poison center/doctor if you feel unwell.                                    |                    |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show | ver.               |
| IF exposed: Call a POISON CENTER or doctor/physician.  |                    |
| Specific treatment (see on this label).  |                    |
| Rinse mouth.   |                    |
| In case of fire: Use for extinction: CO2, powder or water spray.                                 |                    |
| Store in a well-ventilated place. Keep cool.   |                    |
| Store locked up.   |                    |
| Dispose of contents/container in accordance with local/regional/national/international regular   | tions              |
| Classification system:   | 10/13.             |
| • NFPA ratings (scale 0 - 4)   |                    |
|  |                    |
| Health = 1   |                    |
| Fire = $3$   |                    |
| <b>0</b> Reactivity = 0  |                    |
| HMIS-ratings (scale 0 - 4)   |                    |
|  |                    |
| HEALTH 2 $Health = 2$  |                    |
| FIRE 2 $Fire = 2$  |                    |
| <b>REACTIVITY</b> 0 Reactivity = 0   |                    |
|  |                    |
| Other hazards  |                    |
| Results of PBT and vPvB assessment   |                    |
| PBT: Not applicable.   |                    |
| <b>vPvB:</b> Not applicable.   |                    |
|  |                    |
|  |                    |
| Composition/information on ingredients   |                    |
| Chemical characterization: Mixtures  |                    |
| <b>Description:</b> Mixture of the substances listed below with nonhazardous additions.          |                    |
| Dangerous components:  |                    |
| Ŭ Î  | 64.080%            |
| CAS: 67-56-1 Methanol (Methyl Alcohol)   | 64.873%            |
|  |                    |

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

(Contd. on page 3)

35.127%

US

*Printing date 04/13/2021* 

Reviewed on 04/13/2021

Trade name: Methanol

70% v/v Solution

(Contd. of page 2)

# **4** First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

# **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

| Personal precautions, protective equipment and emergency procedures                              |                  |
|--|------------------|
| Mount respiratory protective device.   |                  |
| Wear protective equipment. Keep unprotected persons away.  |                  |
| Environmental precautions:   |                  |
| Dilute with plenty of water.   |                  |
| Do not allow to enter sewers/ surface or ground water.   |                  |
| Methods and material for containment and cleaning up:  |                  |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). |                  |
| Dispose contaminated material as waste according to item 13.                                     |                  |
| Ensure adequate ventilation.   |                  |
| Reference to other sections  |                  |
| See Section 7 for information on safe handling.  |                  |
| See Section 8 for information on personal protection equipment.                                  |                  |
| See Section 13 for disposal information.   |                  |
| Protective Action Criteria for Chemicals   |                  |
| • PAC-1:   |                  |
| CAS: 67-56-1 Methanol (Methyl Alcohol)   | 530 ppm          |
| • PAC-2:   |                  |
| CAS: 67-56-1 Methanol (Methyl Alcohol)   | 2,100 ppm        |
|  | ontd. on page 4) |

US –

Printing date 04/13/2021

Reviewed on 04/13/2021

Trade name: Methanol

70% v/v Solution

· PAC-3:

7200\* ppm

(Contd. of page 3)

CAS: 67-56-1 Methanol (Methyl Alcohol)

# 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- $\cdot$  Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### CAS: 67-56-1 Methanol (Methyl Alcohol)

- PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin
- TLV Short-term value: 328 mg/m<sup>3</sup>, 250 ppm Long-term value: 262 mg/m<sup>3</sup>, 200 ppm Skin; BEI

### · Ingredients with biological limit values:

CAS: 67-56-1 Methanol (Methyl Alcohol)

BEI 15 mg/L

LD50 Intraperitoneal: urine Time: end of shift

LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

US

Printing date 04/13/2021

Reviewed on 04/13/2021

#### Trade name: Methanol 70% v/v Solution

(Contd. of page 4) Wash hands before breaks and at the end of work. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and General Information | chemical properties          |  |
|---|------------------------------|--|
| Appearance:   |                              |  |
| Form:   | Liquid                       |  |
| Color:  | Clear                        |  |
| Odor:   | Methanol                     |  |
| Odor threshold:                                       | Not determined.              |  |
| pH-value:   | Not determined.              |  |
| Change in condition                                   |                              |  |
| Melting point/Melting range:                          | Undetermined.                |  |
| Boiling point/Boiling range:                          | 64 °C (147.2 °F)             |  |
| Flash point:  | 11 °C (51.8 °F)              |  |
| Flammability (solid, gaseous):                        | Not applicable.              |  |
| Ignition temperature:                                 | 455 °C (851 °F)              |  |
| Decomposition temperature:                            | Not determined.              |  |
| Auto igniting:  | Product is not selfigniting. |  |

*Printing date 04/13/2021* 

Reviewed on 04/13/2021

#### Trade name: Methanol

70% v/v Solution

|                                       | (Contd. of page  |
|---------------------------------------|--|
| Danger of explosion:                  | Product is not explosive. However, formation of explosive air/vapo<br>mixtures are possible. |
| Explosion limits:                     |  |
| Lower:                                | 5.5 Vol %  |
| Upper:                                | 44 Vol %   |
| · Vapor pressure at 20 °C (68 °F):    | 128 hPa (96 mm Hg)   |
| Density at 20 °C (68 °F):             | 0.88855 g/cm <sup>3</sup> (7.41495 lbs/gal)  |
| Relative density                      | Not determined.  |
| · Vapor density                       | Not determined.  |
| Evaporation rate                      | Not determined.  |
| Solubility in / Miscibility with      |  |
| Water:                                | Fully miscible.  |
| Partition coefficient (n-octanol/wate | e <b>r):</b> Not determined.   |
| · Viscosity:                          |  |
| Dynamic:                              | Not determined.  |
| Kinematic:                            | Not determined.  |
| Solvent content:                      |  |
| Organic solvents:                     | 64.9 %   |
| Water:                                | 35.1 %   |
| VOC content:                          | 64.87 %  |
|                                       | 576.4 g/l / 4.81 lb/gal  |
| Solids content:                       | 0.0 %  |
| • Other information                   | No further relevant information available.   |

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

#### · Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,830-4,268 mg/kg (rat)

Inhalative LC50/4h 198 mg/l (rat)

(Contd. on page 7)

<sup>·</sup> Chemical stability

US

*Printing date 04/13/2021* 

Reviewed on 04/13/2021

#### Trade name: Methanol

70% v/v Solution

|                     |                     | (Contd. of page 6)    |
|---------------------|---------------------|-----------------------|
| CAS: 67-5           | 6-1 Metha           | unol (Methyl Alcohol) |
| Oral                | LD50                | 100 mg/kg (ATE)       |
| Dermal              | LD50                | 300 mg/kg (ATE)       |
| Inhalative          | LC50/4h             | 3 mg/l (ATE)          |
| · Primary ir        | ritant effe         | ct:                   |
| $\cdot$ on the skin | <b>ı:</b> No irrite | ant effect.           |

• on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.
- $\cdot \textit{Recommended cleansing agent: Water, if necessary with cleansing agents.}$

(Contd. on page 8)

Printing date 04/13/2021

Reviewed on 04/13/2021

Trade name: Methanol

70% v/v Solution

(Contd. of page 7)

| Transport information   |   |
|---|---|
| · UN-Number<br>· DOT, IMDG, IATA  | UN1993  |
| · UN proper shipping name<br>· DOT<br>· IMDG, IATA                      | Flammable liquids, n.o.s. (Methanol)<br>FLAMMABLE LIQUID, N.O.S. (METHANOL)                         |
| Transport hazard class(es)  |   |
| DOT   |   |
| PLAMABLE COUD   |   |
| · Class   | 3 Flammable liquids   |
| · Label<br>· IMDG, IATA   | 3   |
| - Class   | 3 Flammable liquids   |
| · Label   | 3   |
| Packing group<br>DOT, IMDG, IATA  | 11  |
| Environmental hazards:<br>Marine pollutant:                             | No  |
| Special precautions for user  | Warning: Flammable liquids  |
| • Hazard identification number (Kemler code):                           |   |
| · EMS Number:<br>· Stowage Category                                     | F-A,S-A<br>B  |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable.   |
| Transport/Additional information:                                       |   |
| DOT   |   |
| Quantity limitations  | On passenger aircraft/rail: 5 L<br>On cargo aircraft only: 60 L                                     |
| · IMDG  |   |
| Limited quantities (LQ)   |   |
| Excepted quantities (EQ)  | Code: E2<br>Maximum net quantity per image packaging: 30 ml   |
|   | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
|   | UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II  |

(Contd. on page 9)

US

Printing date 04/13/2021

Reviewed on 04/13/2021

Trade name: Methanol

70% v/v Solution

(Contd. of page 8)

ACTIVE

ACTIVE

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

• TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)

Water

· Hazardous Air Pollutants

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• *Hazard-determining components of labeling: Methanol (Methyl Alcohol)* 

• Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes damage to the central nervous system and the visual organs.

*Printing date 04/13/2021* 

Reviewed on 04/13/2021

#### Trade name: Methanol

70% v/v Solution

(Contd. of page 9) · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 0.2, updated pH Information. STN Revision 1.0 updated description to a 1.0 mg/L from a 0.1 mg/L solution. STN 04/13/2021 / -
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1