Printing date 12/13/2017

Reviewed on 12/13/2017

DNS

1 Identification

- · Product identifier
- Trade name: <u>Ceric Ammonium Nitrate</u> 0.1 Normal Certified Solution
- Article number: ND377
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number: Chemtrec: 800-424-9300
- Canutec: 613-996-6666

2 Hazard(s) identification

GH	S02 Flame
Flam. Liq. 3	H226 Flammable liquid and vapor.
В <i>GH</i>	S03 Flame over circle
Ox. Liq. 2	H272 May intensify fire; oxidizer.
GH	S08 Health hazard
STOT RE 2	H373 May cause damage to organs through prolonged or repeated exposure.
GH	S05 Corrosion
Skin Corr. 1A	H314 Causes severe skin burns and eye damage.
Eye Dam. 1	H318 Causes serious eye damage.
С. Сн	807
Acute Tox. 4	H302 Harmful if swallowed.
Label elemen GHS label ele	ts ments The product is classified and labeled according to the Globally Harmonized System (GHS (Contd. on page)

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name: Ceric Ammonium Nitrate 0.1 Normal Certified Solution



The substance possesses oxidizing properties.

(Contd. on page 3)

US

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name:	Ceric Ammonium Nitrate
	0.1 Normal Certified Solution

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

· Other hazards

· Results of PBT and vPvB assessment

= 3

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:					
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	46.554%			
CAS: 16774-21-3	Ceric Ammonium Nitrate	4.446%			
· Table of Nonhazardous Ingredients					
CAS: 7732-18-5	Water	49.0%			

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Immediately call a doctor.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available. · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 4)

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name: Ceric Ammonium Nitrate 0.1 Normal Certified Solution

(Contd. of page 3)

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
See Section 13 for disposal information.	
See Section 13 for disposal information. • Protective Action Criteria for Chemicals	0.61 ppm
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1:	0.61 ppm 1.2 mg/m
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7601-90-3 Perchloric acid 68 - 70% w/w CAS: 16774-21-3 Ceric Ammonium Nitrate	
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7601-90-3 Perchloric acid 68 - 70% w/w	1.2 mg/m
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7601-90-3 Perchloric acid 68 - 70% w/w CAS: 16774-21-3 Ceric Ammonium Nitrate • PAC-2:	1.2 mg/m 6.7 ppm
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 7601-90-3 Perchloric acid 68 - 70% w/w CAS: 16774-21-3 Ceric Ammonium Nitrate PAC-2: CAS: 7601-90-3 Perchloric acid 68 - 70% w/w CAS: 16774-21-3 Ceric Ammonium Nitrate	1.2 mg/m 6.7 ppm
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7601-90-3 Perchloric acid 68 - 70% w/w CAS: 16774-21-3 Ceric Ammonium Nitrate • PAC-2: CAS: 7601-90-3 Perchloric acid 68 - 70% w/w	

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

US

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name: Ceric Ammonium Nitrate 0.1 Normal Certified Solution

(Contd. of page 4)

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physic General Information	cal and chemical properties	
Appearance:		
Form:	Liquid	
Color:	Orange	
Odor:	Odorless	
Odor threshold:	Not determined.	

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name: Ceric Ammonium Nitrate 0.1 Normal Certified Solution

	(Contd. of page
<i>pH-value at 20 °C (68 °F):</i>	<2
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	40 °C (104 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	39.1 hPa (29.3 mm Hg)
• Density at 20 °C (68 °F):	1.23314 g/cm ³ (10.29055 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	49.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gl
Solids content:	4.4 %
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No further relevant information available.$
- $\cdot \textit{Hazardous decomposition products: No dangerous decomposition products known.}$

(Contd. on page 7)

US

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name: Ceric Ammonium Nitrate

0.1 Normal Certified Solution

(Contd. of page 6)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,953 mg/kg

CAS: 7601-90-3 Perchloric acid 68 - 70% w/w

Oral LD50 500 mg/kg (ATE)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name: Ceric Ammonium Nitrate 0.1 Normal Certified Solution

· **vPvB**: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN3093
· UN proper shipping name · DOT · IMDG, IATA	Corrosive liquids, oxidizing, n.o.s. (Perchloric acid) CORROSIVE LIQUID, OXIDIZING, N.O.S. (PERCHLORIC ACII
· Transport hazard class(es)	
·DOT	
CORROSIVE B B	
· Class	8 Corrosive substances
· Label	8, 5.1
· Class	8 Corrosive substances
· Label	8/5.1
· Class	8 Corrosive substances
· Label	8 (5.1)
· Packing group	

JS –

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name: Ceric Ammonium Nitrate 0.1 Normal Certified Solution

	(Contd. of page
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	8
· EMS Number:	F- A , S - Q
· Segregation groups	Acids
· Stowage Category	E
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 3093 CORROSIVE LIQUIDS, OXIDIZING, N.O.S
-	(PERCHLORIC ACID), 8 (5.1), II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 Section 313 (Specific toxic chemical listings): CAS: 16774-21-3 Ceric Ammonium Nitrate

· TSCA (Toxic Substances Control Act):

Perchloric acid 68 - 70% w/w

Ceric Ammonium Nitrate

Water

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

⁻ US

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name: Ceric Ammonium Nitrate 0.1 Normal Certified Solution

(Contd. of page 9)

EPA (Environmental Protection Agency)	
CAS: 16774-21-3 Ceric Ammonium Nitrate	I
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globall	hy Harmonized System (CHS)
Hazard pictograms	iy Hurmonized System (0115).
$ \land \land$	
< ∛シ >< ♡ ><	
GHS02 GHS03 GHS05 GHS07 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
Perchloric acid 68 - 70% w/w	
Ceric Ammonium Nitrate	
Hazard statements	
Flammable liquid and vapor.	
May intensify fire; oxidizer.	
Harmful if swallowed.	
Causes severe skin burns and eye damage.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep/Store away from clothing/combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with	h water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact len	ises, if present and easy to a
Continue rinsing.	
Immediately call a poison center/doctor.	
Get medical advice/attention if you feel unwell.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool.	

(Contd. on page 11)

US

Printing date 12/13/2017

Reviewed on 12/13/2017

Trade name: Ceric Ammonium Nitrate 0.1 Normal Certified Solution

(Contd. of page 10)

US

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

Contact:	
Date of preparation / last revision	
12-13-2017: review SDS for accuracy. STN	
Creation date for SDS 09-04-2014. STN	
12/13/2017 / -	
Abbreviations and acronyms:	,
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio	nal
Carriage of Dangerous Goods by Road)	
MDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Liq. 3: Flammable liquids – Category 3	
Ox. Liq. 2: Oxidizing liquids – Category 2	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam, 1: Serious eye damage/eye irritation – Category 1	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	