Printing date 01/29/2018

Reviewed on 01/29/2018

1 Identification

- · Product identifier
- Trade name: Potassium Permanganate 0.05 Normal, NIST Traceable, Solution
- · Article number: UC091
- \cdot Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- Information department: Technical Coordinator
 Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 *Hazard*(*s*) *identification*

- *Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).*
- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- Hazard statements Not Applicable
- · Precautionary statements
- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)



Printing date 01/29/2018

Reviewed on 01/29/2018

Trade name: Potassium Permanganate 0.05 Normal, NIST Traceable, Solution

(Contd. of page 1)

0.158%

99.842%

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous components: Not Applicable

 \cdot Table of Nonhazardous Ingredients

CAS: 7722-64-7 Potassium Permanganate

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- · Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

• PAC-1:

CAS: 7722-64-7 Potassium Permanganate

 $\overline{8.6 \text{ mg/m}^3}$

(Contd. on page 3)

US

Printing date 01/29/2018

Reviewed on 01/29/2018

Trade name: Potassium Permanganate 0.05 Normal, NIST Traceable, Solution

• PAC-2:

CAS: 7722-64-7 Potassium Permanganate

• PAC-3:

CAS: 7722-64-7 Potassium Permanganate

7 Handling and storage

· Handling:

- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- $\cdot \textit{Further information about storage conditions: None.}$
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- \cdot Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

(Contd. on page 4)

(Contd. of page 2)

14 mg/m³

150 mg/m³

_____US

Printing date 01/29/2018

Reviewed on 01/29/2018

(Contd. of page 3)

Trade name: Potassium Permanganate 0.05 Normal, NIST Traceable, Solution

· Body protection: Protective work clothing

Laferna et an 1 and 1 and 1	1	
Information on basic physical and c	hemical properties	
General Information		
Appearance: Form:	Liquid	
Color:	Dark purple	
· Odor:	Odorless	
• Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	0.99937 g/cm³ (8.33974 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.8 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	0.2 %	
• Other information	No further relevant information available.	

(Contd. on page 5)

Printing date 01/29/2018

Reviewed on 01/29/2018

Trade name: Potassium Permanganate 0.05 Normal, NIST Traceable, Solution

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 7722-64-7 Potassium Permanganate

Oral LD50 500 mg/kg (ATE)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 6)

Printing date 01/29/2018

Reviewed on 01/29/2018

Trade name: Potassium Permanganate 0.05 Normal, NIST Traceable, Solution

· **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADN, IMDG, IATA	Not regulated
UN proper shipping name DOT, ADN, IATA IMDG	Not regulated Not Regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	Not regulated
Packing group DOT, IMDG, IATA	Not regulated
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT Remarks:	Not regulated
IMDG Remarks:	Not regulated
IATA Remarks:	Not regulated
UN "Model Regulation":	Not regulated

(Contd. on page 7)

US

(Contd. of page 5)

Printing date 01/29/2018

Reviewed on 01/29/2018

Trade name: Potassium Permanganate 0.05 Normal, NIST Traceable, Solution

(Contd. of page 6)

5 Regulatory inforn	pation	
· Safety, health and env · Sara	vironmental regulations/legislation specific for the substance or mixture	
· Section 355 (extremel	y hazardous substances):	
None of the ingredient	s is listed.	
· Section 313 (Specific	toxic chemical listings):	
CAS: 7722-64-7 Pota	ssium Permanganate	
· TSCA (Toxic Substan	ces Control Act):	
Potassium Permangar	nate	
Water		
· Proposition 65		
· Chemicals known to c	ause cancer:	
None of the ingredient	s is listed.	
· Chemicals known to a	ause reproductive toxicity for females:	
None of the ingredient	s is listed.	
· Chemicals known to a	ause reproductive toxicity for males:	
None of the ingredient	s is listed.	
· Chemicals known to a	ause developmental toxicity:	
None of the ingredient	s is listed.	
· Carcinogenic categor	ies	
· EPA (Environmental		
CAS: 7722-64-7 Pota		
· TLV (Threshold Limi	t Value established by ACGIH)	
None of the ingredient	•	
	Institute for Occupational Safety and Health)	
None of the ingredient		
• GHS label elements N		
· Hazard pictograms N		
· Signal word Not Appl	icable	
· Hazard statements No	t Applicable	
· Precautionary statem	ents	
	oison center/doctor if you feel unwell.	
If on skin: Wash with		
0	iously with water for several minutes. Remove contact lenses, if present and easy	to
Continue rinsing.		
	ntainer in accordance with local/regional/national/international regulations.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

US

Printing date 01/29/2018

Reviewed on 01/29/2018

Trade name: Potassium Permanganate 0.05 Normal, NIST Traceable, Solution

(Contd. of page 7)

	(conta. of page 7)
Date of preparation / last revision	
01-29-2018: review SDS for accuracy. STN	
Creation date for SDS 06-17-2014. STN	
01/29/2018 / -	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conce	rning the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	