Printing date 11/20/2017 Reviewed on 11/20/2017

1 Identification

· Product identifier

· Trade name: <u>Hydranal®</u>

Composite 5

· Article number: H2033

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 1 H360 May damage fertility or the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

2-methylimidazole Imidazole, Certified Iodine *DEA regulated item Sulfur Dioxide

(Contd. on page 2)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

(Contd. of page 1)

· Hazard statements

Combustible liquid.

Causes severe skin burns and eye damage.

Suspected of causing cancer.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from flames and hot surfaces. – No smoking.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Immediately call a poison center/doctor.

Get medical advice/attention if you feel unwell.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3

Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 111-90-0 Carbitol

50.0%

(Contd. on page 3)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

| | (Contd | of page 2) |
|----------------|----------------------------|------------|
| CAS: 7446-09-5 | Sulfur Dioxide | 10.0% |
| CAS: 693-98-1 | 2-methylimidazole | 10.0% |
| CAS: 7553-56-2 | Iodine *DEA regulated item | 10.0% |
| CAS: 288-32-4 | Imidazole, Certified | 10.0% |

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

| · Protective Action | n Criteria for Chemicals | (Contd. of page |
|---------------------|----------------------------|-----------------|
| · PAC-1: | | |
| CAS: 111-90-0 | Carbitol | 75 ppm |
| CAS: 7446-09-5 | Sulfur Dioxide | 0.20 ppm |
| CAS: 7553-56-2 | Iodine *DEA regulated item | 0.1 ppm |
| CAS: 288-32-4 | Imidazole, Certified | 0.66 mg/m |
| · PAC-2: | | |
| CAS: 111-90-0 | Carbitol | 100 ppm |
| CAS: 7446-09-5 | Sulfur Dioxide | 0.75 ppm |
| CAS: 7553-56-2 | Iodine *DEA regulated item | 0.5 ppm |
| CAS: 288-32-4 | Imidazole, Certified | 7.3 mg/m |
| · PAC-3: | | · |
| CAS: 111-90-0 | Carbitol | 450 ppm |
| CAS: 7446-09-5 | Sulfur Dioxide | 30 ppm |
| CAS: 7553-56-2 | Iodine *DEA regulated item | 5 ppm |
| CAS: 288-32-4 | Imidazole, Certified | 44 mg/m |

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| | 111-90-0 Carbitol |
|--------|--|
| WEEL | Long-term value: 25 ppm |
| CAS: 2 | 7446-09-5 Sulfur Dioxide |
| PEL | Long-term value: 13 mg/m³, 5 ppm |
| REL | Short-term value: 13 mg/m³, 5 ppm Long-term value: 5 mg/m³, 2 ppm |
| TLV | Short-term value: 0.65 mg/m³, 0.25 ppm |

(Contd. on page 5)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

(Contd. of page 4)

| CAS: 7 | 7553-56-2 Iodine *DEA regulated item |
|--------|--|
| PEL | Ceiling limit value: 1 mg/m³, 0.1 ppm |
| REL | Ceiling limit value: 1 mg/m³, 0.1 ppm |
| TLV | Short-term value: 1 mg/m³, 0.1** ppm |
| | Long-term value: $0.1*mg/m^3$, $0.01*ppm$ |
| | *as inhalable fraction and vapor;**vapor |

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

(Contd. on page 6)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

| | (Contd. of | pa |
|--|--|----|
| Color: | Dark brown | |
| Odor: | Characteristic | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | -10 °C (14 °F) | |
| Flash point: | 93 °C (199.4 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | 190 °C (374 °F) | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Not determined. | |
| Explosion limits: | | |
| Lower: | 1.2 Vol % | |
| Upper: | 11.6 Vol % | |
| Vapor pressure at 20 °C (68 °F): | 3.4 hPa (2.6 mm Hg) | |
| Density at 20 °C (68 °F): | 1.17 g/cm³ (9.76365 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/water | er): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Organic solvents: | 50.0 % | |
| VOC content: | 50.00 % | |
| | 585.0 g/l / 4.88 lb/gl | |
| Solids content: | 30.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- $\cdot \textit{Reactivity} \ \textit{No further relevant information available}.$
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

(Contd. of page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 values that are relevant for classification: | | | | |
|--|------------------------------------|---------------------|--|--|
| ATE (Acut | ATE (Acute Toxicity Estimate) | | | |
| Oral | LD50 | 5,404 mg/kg (mouse) | | |
| Dermal | <i>LD50</i> | 2,357 mg/kg | | |
| Inhalative | LC50/4 h | 23.6 mg/l | | |
| | CAS: 7446-09-5 Sulfur Dioxide | | | |
| Inhalative | LC50/4 h | 3 mg/l (ATE) | | |
| CAS: 693- | CAS: 693-98-1 2-methylimidazole | | | |
| Oral | LD50 | 1,400 mg/kg (mouse) | | |
| Dermal | <i>LD50</i> | 300 mg/kg (ATE) | | |
| CAS: 288- | CAS: 288-32-4 Imidazole, Certified | | | |
| Oral | LD50 | 880 mg/kg (mouse) | | |

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

| · IARC (International Agency for Research on Cancer) | | |
|---|-------------------|------------|
| CAS: 7446-09-5 | Sulfur Dioxide | 3 |
| CAS: 693-98-1 | 2-methylimidazole | 2 <i>B</i> |
| · NTP (National Toxicology Program) | | |
| None of the ingredients is listed. | | |
| · OSHA-Ca (Occupational Safety & Health Administration) | | |
| None of the ingredients is listed. | | |

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 8)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

(Contd. of page 7)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

∙ DOT NA1993
 ∙ IMDG, IATA UN1993

· UN proper shipping name

· DOT COMBUSTIBLE LIQUID, N.O.S (Carbitol)
· IMDG, IATA FLAMMABLE LIQUID, N.O.S. (Carbitol)

- · Transport hazard class(es)
- $\cdot DOT$



· Class 3 Combustible liquids

· Label

· IMDG, IATA



· Class 3 Flammable liquids

· Label 3

(Contd. on page 9)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

| | (Contd. of page |
|--|--|
| · Packing group · DOT, IMDG, IATA | III |
| · Environmental hazards: · Marine pollutant: | No |
| Special precautions for user EMS Number: Stowage Category | Warning: Flammable liquids F-E, <u>S-E</u> A |
| · Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. |
| · UN ''Model Regulation'': | UN 1993 FLAMMABLE LIQUIDS, N.O.S. (CARBITOL), 3, III |

15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara · Section 355 (extremely hazardous substances): CAS: 7446-09-5 Sulfur Dioxide · Section 313 (Specific toxic chemical listings): CAS: 111-90-0 Carbitol · TSCA (Toxic Substances Control Act): Carbitol Sulfur Dioxide 2-methylimidazole Iodine *DEA regulated item Imidazole, Certified · Proposition 65 · Chemicals known to cause cancer: CAS: 693-98-1 2-methylimidazole · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: CAS: 7446-09-5 Sulfur Dioxide · Carcinogenic categories

| | 0 | |
|-------------|--|---|
| | | |
| · TLV (Thre | hold Limit Value established by ACGIH) |) |

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

 CAS: 7446-09-5
 Sulfur Dioxide
 A4

 CAS: 7553-56-2
 Iodine *DEA regulated item
 A4

(Contd. on page 10)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

(Contd. of page 9)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

2-methylimidazole

Imidazole, Certified

Iodine *DEA regulated item

Sulfur Dioxide

· Hazard statements

Combustible liquid.

Causes severe skin burns and eye damage.

Suspected of causing cancer.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from flames and hot surfaces. - No smoking.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Immediately call a poison center/doctor.

Get medical advice/attention if you feel unwell.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 11)

Printing date 11/20/2017 Reviewed on 11/20/2017

Trade name: Hydranal® Composite 5

(Contd. of page 10)

· Contact:

· Date of preparation / last revision

11-20-2017: review SDS for accuracy. STN

Revision 0.0, 03-04-2015: Creation date for SDS. STN

11/20/2017 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Carc. 2: Carcinogenicity – Category 2

Repr. 1: Reproductive toxicity – Category 1

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

US