Printing date 10/03/2017

Reviewed on 10/03/2017

1 Identification

- · Product identifier
- Trade name: <u>Hexadecane / Stearic Acid</u> 1:1 Spiking Solution in Acetone
- · Article number: ACB149
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 *Hazard*(*s*) *identification*

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Acetone
Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

• **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Ground/bond container and receiving equipment.

(Contd. on page 2)

US

Printing date 10/03/2017

Reviewed on 10/03/2017

Trade name: Hexadecane / Stearic Acid 1:1 Spiking Solution in Acetone

(Contd. of page 1) Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. *Continue rinsing.* Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH ² Health = 2FIRE 3 Fire = 3**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures · Description: Mixture of the substances listed below with nonhazardous additions. Danganous components

| · Dangerous components: | | | | | |
|-------------------------|-------------------------------------|---------|--|--|--|
| CAS: 67-64-1 | Acetone | 99.494% | | | |
| · Table of Nonho | · Table of Nonhazardous Ingredients | | | | |
| CAS: 57-11-4 | Stearic Acid | 0.253% | | | |
| CAS: 544-76-3 | n-Hexadecane, 99+%, | 0.253% | | | |

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3)

US

Printing date 10/03/2017

Reviewed on 10/03/2017

Trade name: Hexadecane / Stearic Acid 1:1 Spiking Solution in Acetone

(Contd. of page 2)

- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- $\cdot \textit{For safety reasons unsuitable extinguishing agents: Water with full jet}$
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Emigrammental macaging Do not allow to enter sawars/ surface or around water
- $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ \textit{surface or ground water.}$
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

| · PAC-1: | | |
|---------------|---------------------|-------------|
| CAS: 67-64-1 | Acetone | 200 ppm |
| CAS: 57-11-4 | Stearic Acid | 14 mg/m3 |
| CAS: 544-76-3 | n-Hexadecane, 99+%, | 35 mg/m3 |
| · PAC-2: | | |
| CAS: 67-64-1 | Acetone | 3200* ppm |
| CAS: 57-11-4 | Stearic Acid | 150 mg/m3 |
| CAS: 544-76-3 | n-Hexadecane, 99+%, | 380 mg/m3 |
| · PAC-3: | | |
| CAS: 67-64-1 | Acetone | 5700* ppm |
| CAS: 57-11-4 | Stearic Acid | 910 mg/m3 |
| CAS: 544-76-3 | n-Hexadecane, 99+%, | 2,800 mg/m3 |

(Contd. on page 4)

Printing date 10/03/2017

Reviewed on 10/03/2017

Trade name: Hexadecane / Stearic Acid 1:1 Spiking Solution in Acetone

(Contd. of page 3)

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles. • Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

| · Com | ponents | with | limit | values | that i | reauire | monito | oring | at the | workp | lace: |
|-------|---------|------|-------|--------|--------|---------|--------|-------|--------|-------|-------|
| | | | | | | | | | | | |

CAS: 67-64-1 Acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI

· Ingredients with biological limit values:

CAS: 67-64-1 Acetone

BEI 50 mg/L

LD50 Intraperitoneal: urine Time: end of shift

LD50: Acetone (nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Printing date 10/03/2017

Reviewed on 10/03/2017

Trade name: Hexadecane / Stearic Acid 1:1 Spiking Solution in Acetone

(Contd. of page 4)

 \cdot Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and c | chemical properties |
|-------------------------------------|--|
| General Information | |
| Appearance: | y |
| Form: | Liquid |
| Color: | Clear |
| Odor: | Acetone |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | -94.7 °C (-138 °F) |
| Boiling point/Boiling range: | 55 °C (131 °F) |
| Flash point: | -17 °C (1 °F) |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | 465 °C (869 °F) |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapo mixtures are possible. |
| Explosion limits: | |
| Lower: | 2.6 Vol % |
| Upper: | 13 Vol % |
| Vapor pressure at 20 °C (68 °F): | 233 hPa (175 mm Hg) |
| Density at 20 °C (68 °F): | 0.78989 g/cm ³ (6.592 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix. |

US

Printing date 10/03/2017

Reviewed on 10/03/2017

Trade name: Hexadecane / Stearic Acid 1:1 Spiking Solution in Acetone

| | (Contd. o | of page 5 |
|-----------------------------------|--|-----------|
| • Partition coefficient (n-octand | ol/water): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Organic solvents: | 99.5 % | |
| VOC content: | 0.0 g/l / 0.00 lb/gl | |
| Solids content: | 0.3 % | |
| • Other information | No further relevant information available. | |

10 Stability and reactivity

· **Reactivity** No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 67-64-1 Acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

1 I S

Printing date 10/03/2017

Reviewed on 10/03/2017

Trade name: Hexadecane / Stearic Acid 1:1 Spiking Solution in Acetone

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

| UN-Number DOT, IMDG, IATA | UN1993 |
|------------------------------|-------------------------------------|
| UN proper shipping name | |
| DOT | Flammable liquids, n.o.s. (Acetone) |
| IMDG, IATA | FLAMMABLE LIQUID, N.O.S. (ACETONE) |
| Transport hazard class(es) | |
| DOT | |
| Class Label | 3 Flammable liquids 3 |
| | , |
| IMDG, IATA | |
| | 3 Flammable liquids |

Printing date 10/03/2017

Reviewed on 10/03/2017

Trade name: Hexadecane / Stearic Acid 1:1 Spiking Solution in Acetone

| | (Contd. of page |
|--|--|
| Label | 3 |
| Packing group | |
| DOT, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Flammable liquids |
| Danger code (Kemler): | 33 |
| EMS Number: | <i>F-E,<u>S-E</u></i> |
| Stowage Category | B |
| Transport in bulk according to Annex | II of |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 5 L |
| 2 | On cargo aircraft only: 60 L |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (\widetilde{EQ}) | Code: E2 |
| 1 1 (2) | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ACETONE), 3, II |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 10/03/2017

Reviewed on 10/03/2017

Trade name: Hexadecane / Stearic Acid 1:1 Spiking Solution in Acetone

(Contd. of page 8)

Ι

A4

| • | Carcino | genic | catego | ories |
|---|---------|-------|--------|-------|
| | | | | |

· EPA (Environmental Protection Agency)

CAS: 67-64-1 Acetone

· TLV (Threshold Limit Value established by ACGIH)

CAS: 67-64-1 Acetone

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Acetone · Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 10)

Printing date 10/03/2017

Reviewed on 10/03/2017

Trade name: Hexadecane / Stearic Acid 1:1 Spiking Solution in Acetone

| | (Contd. of page 9) |
|--|--------------------|
| Contact: | |
| Date of preparation / last revision | |
| 10-03-2017: review SDS for accuracy. STN | |
| Creation date for SDS 12-11-2014. STN | |
| 10/03/2017 / - | |
| | |
| Abbreviations and acronyms: | |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concernin | g the Internationa |
| Carriage of Dangerous Goods by Road) | |
| IMDG: International Maritime Code for Dangerous Goods | |
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| ACGIH: American Conference of Governmental Industrial Hygienists | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| BEI: Biological Exposure Limit | |
| Flam. Liq. 2: Flammable liquids – Category 2 Eva Junit 2A: Serious and damage/and imitation – Category 2A | |
| Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 | |
| STOT SE 5. Specific target organ toxicity (single exposure) – Calegory 5 | |