Printing date 12/04/2017 Reviewed on 12/04/2017

1 Identification


· Product identifier

· Trade name: Mercuric Oxide (Red), Reagent ACS Grade

· Article number: M2197

• CAS Number: 21908-53-2 • EC number: 244-654-7

• Index number: 080-002-00-6



· Manufacturer/Supplier:

Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 1 H310 Fatal in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS06

GHS08

- · Signal word Danger
- · Hazard statements

Fatal if swallowed, in contact with skin or if inhaled.

May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)



Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Mercuric Oxide (Red), Reagent ACS Grade

(Contd. of page 1)

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves / protective clothing.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Immediately call a poison center/doctor.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Get medical advice/attention if you feel unwell.

Specific treatment is urgent (see on this label).

Rinse mouth.

Take off immediately all contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 4Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 0REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

21908-53-2 Mercuric Oxide (Red)

- · Identification number(s)
- · EC number: 244-654-7
- · Index number: 080-002-00-6

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

(Contd. on page 3)

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Mercuric Oxide (Red), Reagent ACS Grade

(Contd. of page 2)

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1: 1.5 mg/m3
- · PAC-2: 16 mg/m³
- · PAC-3: 30 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Mercuric Oxide (Red), Reagent ACS Grade

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 21908-53-2 Mercuric Oxide (Red)

PEL Long-term value: 0.1 mg/m³

as Hg; see OSHA standard interpretation memo

REL Long-term value: 0.05* mg/m³

Ceiling limit value: 0.1 mg/m^3

as Hg; *Vapor; Skin

TLV Long-term value: 0.025 mg/m³

as Hg; Skin; BEI

· Ingredients with biological limit values:

CAS: 21908-53-2 Mercuric Oxide (Red)

BEI 35 ug/L

LD50 Intraperitoneal: urine

Time: prior to shift

LD50: Total inorganic mercury (background)

15 μg/L

LD50 Intraperitoneal: blood

Time: end of shift at end of workweek

LD50: Total inorganic mercury (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Mercuric Oxide (Red), Reagent ACS Grade

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

$\alpha m \cdot$					
U Physica		-cu	101111001	nra	martiac
9 Physica	A MERCHANE	201	IA STITUTE OF THE		
10,0000				P	P 01 0000

General Information	
Appearance:	
Form:	Powder
Color:	Red
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	400 °C (752 °F)
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Product is not flammable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	11.14 g/cm³ (92.9633 lbs/gal)
Bulk density:	2,000 kg/m³
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	0.005 g/l

(Contd. on page 6)

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Mercuric Oxide (Red), Reagent ACS Grade

(Contd. of page 5)

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50) values	that are	relevant	for o	classi	fication:
-----------	----------	----------	----------	-------	--------	-----------

Oral	LD50	18 mg/kg (rat)
Dermal	<i>LD50</i>	315 mg/kg (rat)
Inhalative		0.5 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: Danger through skin absorption.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) 3
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 7)

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Mercuric Oxide (Red), Reagent ACS Grade

(Contd. of page 6)

- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

TINI NI I	
· UN-Number · DOT, IMDG, IATA	UN1641
UN proper shipping name	
DOT	Mercury oxide
IMDG	MERCURY OXIDE, MARINE POLLUTANT
IATA	MERCURY OXIDE
Transport hazard class(es)	
DOT	
TOXIC 6	
Class	6.1 Toxic substances
Label	6.1
IMDG	
6 32	
Class	6.1 Toxic substances
Label	6.1
IATA	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Environmentally hazardous substance, solid; Marine Pollutant

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Mercuric Oxide (Red), Reagent ACS Grade

	(Contd. of page
Marine pollutant:	Yes (P)
•	Symbol (fish and tree)
Special precautions for user	Warning: Toxic substances
Danger code (Kemler):	60
EMS Number:	F- A , S - A
Segregation groups	Heavy metals and their salts (including their organometalli compounds), mercury and mercury compounds
Stowage Category	A
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 25 kg
~ .	On cargo aircraft only: 100 kg
IMDG	
Limited quantities (LQ)	500 g
Excepted quantities (\widetilde{EQ})	Code: E4
	Maximum net quantity per inner packaging: 1 g
	Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1641 MERCURY OXIDE, 6.1, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances): Substance is listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act):

Mercuric Oxide (Red)

- · TSCA new (21st Century Act) (Substances not listed)
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) D
- · TLV (Threshold Limit Value established by ACGIH) A4
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

(Contd. on page 9)

Printing date 12/04/2017 Reviewed on 12/04/2017

Trade name: Mercuric Oxide (Red), Reagent ACS Grade

(Contd. of page 8)

· Hazard statements

Fatal if swallowed, in contact with skin or if inhaled.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves / protective clothing.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Immediately call a poison center/doctor.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Get medical advice/attention if you feel unwell.

Specific treatment is urgent (see on this label).

Rinse mouth

Take off immediately all contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

12-04-2017: review SDS for accuracy. STN

Creation date for SDS 02-05-2014. STN

12/04/2017 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

P: Marine Pollutant

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 1: Acute toxicity - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2