Printing date 05/18/2023

Reviewed on 05/18/2023

1 Identification

- · Product identifier
- Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable
- · Article number: 7260
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300
- Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Toxicity - Oral 3 H301 Toxic if swallowed. Acute Toxicity - Dermal 3 H311 Toxic in contact with skin. H331 Toxic if inhaled. Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs. GHS05 Corrosion Skin Corrosion 1B H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. GHS07 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. (Contd. on page 2)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable (Contd. of page 1) · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS05 GHS06 GHS08 GHS07 · Signal word Danger · Hazard-determining components of labeling: Methanol Potassium Hydroxide · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes damage to the central nervous system and the visual organs. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0(Contd. on page 3)

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name:	Potassium H	<i>Hydroxide 0.5N</i>
	in Methano	l, NIST Traceable

(Contd. of page 2)

96.531%

3.469%

· HMIS-ratings (scale 0 - 4)

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

CAS: 1310-58-3 Potassium Hydroxide

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

[·] Advice for firefighters

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable

(Contd. of page 3)

Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent. Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
See Section 13 for disposal information.	
See Section 13 for disposal information. Protective Action Criteria for Chemicals	
See Section 13 for disposal information. Protective Action Criteria for Chemicals	530 ppm
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1:	530 ppm 0.18 mg/r
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol CAS: 1310-58-3 Potassium Hydroxide	
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol CAS: 1310-58-3 Potassium Hydroxide	0.18 mg/r
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol CAS: 1310-58-3 Potassium Hydroxide PAC-2:	0.18 mg/r
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol CAS: 1310-58-3 Potassium Hydroxide PAC-2: CAS: 67-56-1 Methanol CAS: 1310-58-3 Potassium Hydroxide	0.18 mg/r 2,100 pp
See Section 13 for disposal information.Protective Action Criteria for ChemicalsPAC-1:CAS: 67-56-1MethanolCAS: 1310-58-3Potassium HydroxidePAC-2:CAS: 67-56-1Methanol	0.18 mg/r 2,100 pp

7 Handling and storage

· Handling:

*

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- *Open and handle receptacle with care. Prevent formation of aerosols.*
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

US

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 67-56-1 Methanol

- PEL Long-term value: 260 mg/m³, 200 ppm
- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

CAS: 1310-58-3 Potassium Hydroxide

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol

BEI 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 6)

US

(Contd. of page 4)

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable

(Contd. of page 5)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· General Information	
· Appearance:	
Form:	Liquid
Color:	Clear
• Odor:	Methanol
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-97.8 °C (-144 °F)
Boiling point/Boiling range:	64 °C (147.2 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
• Auto igniting:	455 °C (851 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
• Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.83382 g/cm ³ (6.95823 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.

S-

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable

	(Con	td. of page
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	96.5 %	
VOC content:	96.53 %	
	804.9 g/l / 6.72 lb/gal	
Solids content:	3.5 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
		103 mg/kg	
Dermal	LD50	311 mg/kg	
Inhalative	LC50/4h	3.11 mg/l	

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable

(Contd. of page 7)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

<u>12 Ecological information</u>

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

*

- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	UN2924
· DOT, IMDG, IATA	UIN2924
· UN proper shipping name	
$\cdot DOT$	Flammable liquids, corrosive, n.o.s. (Methanol, Potassiu
	Hydroxide)
· IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methano
	Potassium Hydroxide)

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name:	: Potassium Hydroxide 0.5N	
	in Methanol, NIST Traceable	

DOT Very Class 3 Flammable liquids Label 3, 8 IMDG Very Very Very Very Very Very Very Very		(Contd. of pa
View 3 Flammable liquids Label 3.8 INDG Second View Second Class 3 Flammable liquids Label 3.8 INTA Second View Second Class 3 Flammable liquids Label 3.8 View Second Class 3 Flammable liquids Label 3.8 View Second Class 3 Flammable liquids Label 3.8 View Second Class 3 Flammable liquids Label 3 (8) Packing group II Environmental hazards: Marine pollutant: Marine pollutant: No Special precautions for user Fe.SC Segregation groups (SGG18) Alkalis Stowage Category B Stowage Category B Sowage Category B Sowage Category B Stowage Category B Sowage Category C	Transport hazard class(es)	
Label 3, 8 IMDG IMDG IMDG Impose Second	DOT	
Label 3, 8 IMDG IMDG IMDG Impose Second		
Label 3, 8 IMDG IMDG IMDG Impose Second		
Label 3, 8 IMDG IMDG IMDG Impose Second	CORROSIVE 3 8	
Label 3, 8 IMDG IMDG IMDG Imposed Class 3 Flammable liquids Label 3/8 IATA Imposed State Class 3 Flammable liquids Label 3/8 Class 3 Flammable liquids Label 3 (8) Packing group II DOT, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 Stowage Category Stowage Category B Stowage Code SW2 Clear of living quarters. Transport/Additional information: Not applicable. Transport/Additional information: On cargo aircraft/rail: 1 L On cargo aircraft/rail: 1 L On cargo aircraft/rail: 5 L IMDG IL Limited quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (Eq) Code: E2 Maximum net quantity per inner packaging: 30 ml		
IMDG Class 3 Flammable liquids Label 3/8 IATA 3/8 Class 3 Flammable liquids Label 3/8 Class 3 Flammable liquids Label 3 (8) Packing group II DOT, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 Stowage Category Sowage Category B Stowage Category B DOT Not applicable. Transport in bulk according to Annex II of MarNPOL73/78 and the IBC Code MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MarNPOL73/78 and the IBC Code MarNOT Cacego aircraft/rail: 1 L On cargo aircraft only: 5 L DOT Code: E2 Maximum net quantitity per outer p		
Class 3 Flammable liquids Label 3/8 LATA 3/8 Class 3 Flammable liquids Label 3/8 Class 3 Flammable liquids Label 3 (8) Packing group 11 DOT, IMDG, IATA 11 Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 Stowage Category Stowage Category B DOT Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of On cargo aircraft only: 5 L On cargo aircraft only: 5 L MDT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L MDE Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per outer packa		э, о
Label 3/8 IATA IATA IATA II Class 3 Flammable liquids Label 3 (8) Packing group II DOT, IMDG, IATA II Environmental hazards: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 EMS Number: F-E,S-C Segregation groups (SGG18) Alkalis Stowage Category B Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of Not applicable. Tansport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L IMDG Limited quantities (LQ) IL Excepted quantities (EQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	IMDG	
Label 3/8 LATA IATA IATA II Class 3 Flammable liquids Label 3 (8) Packing group II DOT, IMDG, IATA II Environmental hazards: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 EMS Number: F-E,S-C Segregation groups (SGG18) Alkalis Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of Not applicable. TARNPORT/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L IMDG Limited quantities (LQ) IL Excepted quantities (EQ) IL Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml		
Label 3/8 IATA IATA IATA II Class 3 Flammable liquids Label 3 (8) Packing group II DOT, IMDG, IATA II Environmental hazards: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 EMS Number: F-E,S-C Segregation groups (SGG18) Alkalis Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations DOT Quantity limitations DOT Code: IMDG Limited quantities (LQ) Limited quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Label 3/8 IATA IATA IATA II Class 3 Flammable liquids Label 3 (8) Packing group II DOT, IMDG, IATA II Environmental hazards: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 EMS Number: F-E,S-C Segregation groups (SGG18) Alkalis Stowage Category B Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of Not applicable. Tansport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L IMDG Limited quantities (LQ) IL Excepted quantities (EQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	3	
Label 3/8 IATA IATA IATA II Class 3 Flammable liquids Label 3 (8) Packing group II DOT, IMDG, IATA II Environmental hazards: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 EMS Number: F-E,S-C Segregation groups (SGG18) Alkalis Stowage Category B Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of Not applicable. Tansport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L IMDG Limited quantities (LQ) IL Excepted quantities (EQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		2 Flammahla lianida
IATA View Class 3 Flammable liquids Label 3 (8) Packing group 1 DOT, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 Second precautions for user EMS Number: F-E,S-C Segregation groups (SGG18) Alkalis Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
ViewStammable liquidsClass3 Flammable liquidsLabel3 (8)Packing groupIDOT, IMDG, IATAIIEnvironmental hazards:NoMarine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 5 LDOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 		
Label3 (8)Packing group DOT, IMDG, IATAIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	IATA	
Label3 (8)Packing group DOT, IMDG, IATAIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Label3 (8)Packing group DOT, IMDG, IATAIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Label3 (8)Packing group DOT, IMDG, IATAIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Label3 (8)Packing group DOT, IMDG, IATAIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	Class	3 Flammable liquids
Packing group II DOT, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 368 Segregation groups EMS Number: F-E,S-C Segregation groups (SGG18) Alkalis Stowage Category B Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 1 L Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L IMDG Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
DOT, IMDG, IATAIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Environmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code): 368Segregation number (Kemler code): 368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		II
Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Special precautions for userWarning: Flammable liquidsHazard identification number (Kemler code): 368368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 5 LDOT Quantity limitationsOn passenger aircraft only: 5 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		No
Hazard identification number (Kemler code): 368EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:DOT Quantity limitationsDOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
EMS Number:F-E,S-CSegregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Segregation groups(SGG18) AlkalisStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Stowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Stowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		В
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 1 L DOT On passenger aircraft/rail: 1 L Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L I IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		SW2 Clear of living quarters.
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 1 L DOT On passenger aircraft/rail: 1 L Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L I IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	Transport in bulk according to Annex II of	
DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		Not applicable.
DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	Transport/Additional information:	
Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 5 LIMDGLimited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
On cargo aircraft only: 5 LIMDGLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 500 ml		On passenger aircraft/rail: 1 I
IMDGLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 500 ml	<i>Quantay umuutons</i>	
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 500 ml		
Excepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 500 ml		11
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Maximum net quantity per outer packaging: 500 ml	Excepted quantities (EQ)	
		(Contd. on pag

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable

(Contd. of page 9)

· UN "Model Regulation":

UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (METHANOL, POTASSIUM HYDROXIDE), 3 (8), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
Methanol	ACTIVE
Potassium Hydroxide	ACTIVE
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
· Carcinogenic categories	

 \cdot EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

(Contd. on page 11)

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable

	(Contd. of page 10)
· Hazard-determining components of labeling:	
Methanol	
Potassium Hydroxide	
Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes severe skin burns and eye damage.	
Causes damage to the central nervous system and the visual organs.	
May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
<i>If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</i>	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present of	and easy to do.
Continue rinsing.	2
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision
- Revision 1.0 05/18/2023, reviewed SDS for accuracy. S.T.N. Creation date for SDS 07-24-2018. STN Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN 05/18/2023 • **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
- DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 12)

[–] US

Printing date 05/18/2023

Reviewed on 05/18/2023

Trade name: Potassium Hydroxide 0.5N in Methanol, NIST Traceable

	(Contd. of page 11)
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
* Data compared to the previous version altered.	
······································	US -