Printing date 05/11/2023


Reviewed on 05/11/2023

1 Identification

- · Product identifier
- Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16
- Article number: 8375
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16

(Contd. of page 1)
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
4 = 2 $Fire = 3$ $Reactivity = 0$
· HMIS-ratings (scale 0 - 4)
HEALTH2Health = 2FIRE3 $Fire = 3$ REACTIVITY0
· Other hazards
· Results of PBT and vPvB assessment
• PBT : Not applicable.
• <i>vPvB:</i> Not applicable.
3 Composition/information on ingredients
• <i>Chemical characterization: Mixtures</i> • <i>Description:</i> Mixture of the substances listed below with nonhazardous additions.
· Dangerous components:
CAS: 67-63-0 Isopropanol 98.515%
• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

CAS: 7761-88-8 Silver Nitrate

(Contd. on page 3)

1.27%

0.216%

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 67-63-0 Isopropanol CAS: 7761-88-8 Silver Nitrate · PAC-2: CAS: 67-63-0 Isopropanol CAS: 7761-88-8 Silver Nitrate · PAC-3: CAS: 67-63-0 Isopropanol

400 ppm

0.047 mg/m³

2000* ppm

 $0.9 \ mg/m^3$

12000** ppm

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16

CAS: 7761-88-8 Silver Nitrate

(Contd. of page 3)

 $5.4 mg/m^{3}$

7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 67-63-0 Isopropanol

PEL Long-term value: 980 mg/m³, 400 ppm

- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- Short-term value: 400 ppm TLVLong-term value: 200 ppm BEI, A4

· Ingredients with biological limit values:

CAS: 67-63-0 Isopropanol

BEI 40 mg/L

LD50 Intraperitoneal: urine Time: end of shift at end of workweek *LD50: Acetone (background, nonspecific)*

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

(Contd. on page 5)

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16

(Contd. of page 4)

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chemical properties				
General Information				
Appearance:				
Form:	Liquid			
Color:	Clear			
Odor:	Alcohol			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition				
Melting point/Melting range:	-89.5 °C (-129.1 °F)			
Boiling point/Boiling range:	Undetermined.			
Flash point:	13 °C (55.4 °F)			
Flammability (solid, gaseous):	Highly flammable.			
Auto igniting:	425 °C (797 °F)			
Decomposition temperature:	Not determined.			
Ignition temperature:	Product is not selfigniting.			
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.			

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16

		(Contd. of page
· Explosion limits:		
Lower:	2 Vol %	
Upper:	12 Vol %	
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)	
• Density at 20 °C (68 °F):	0.79059 g/cm ³ (6.59747 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	98.5 %	
Water:	1.3 %	
VOC content:	98.51 %	
	778.8 g/l / 6.50 lb/gal	
Solids content:	0.2 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 7)

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16

(Contd. of page 6)

3

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

<u>12 Ecological information</u>

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

*

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Flammable liquids, n.o.s. (Isopropanol
FLAMMABLE LIQUID, N.O.S. (Isopropanol
)

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16

	(Contd. of page
• Transport hazard class(es)	
·DOT	
Слимине соор	
3	
· Class	3 Flammable liquids
·Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler co	
· EMS Number:	$F-E, \underline{S-E}$
· Segregation groups	(SGG7) Heavy metals and their salts (including their sates)
· Stowage Category	organometallic compounds) B
• Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL
), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16

ra	
ction 355 (extremely hazardous substances):	
ne of the ingredients is listed.	
ction 313 (Specific toxic chemical listings):	
S: 67-63-0 Isopropanol	
S: 7761-88-8 Silver Nitrate	
CA (Toxic Substances Control Act):	
propanol	ACTIV
iter	ACTIV
ver Nitrate	ACTIV
zardous Air Pollutants	
ne of the ingredients is listed.	
oposition 65	
emicals known to cause cancer:	
ne of the ingredients is listed.	
emicals known to cause reproductive toxicity for females:	
ne of the ingredients is listed.	
emicals known to cause reproductive toxicity for males:	
ne of the ingredients is listed.	
emicals known to cause developmental toxicity:	
ne of the ingredients is listed.	
rcinogenic categories	
A (Environmental Protection Agency)	
ne of the ingredients is listed.	
V (Threshold Limit Value)	
S: 67-63-0 Isopropanol	A
OSH-Ca (National Institute for Occupational Safety and Health)	<u> </u>
ne of the ingredients is listed.	
IS label elements The product is classified and labeled according to the C zard pictograms	Globally Harmonized System (GHS)
\wedge \wedge	

· Signal word Danger

Hazard-determining components of labeling: Isopropanol
Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

• **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 10)

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Silver Nitrate 0.01 N in IPA NIST Traceable, ASTM D3227-16

(Contd. of page 9)

Ground/bond container and receiv	ving equipment.	1.8.1)
Use explosion-proof electrical/ven		
Use only non-sparking tools.		
Take precautionary measures aga	inst static discharge.	
Avoid breathing dust/fume/gas/mis	0	
Wash thoroughly after handling.		
Use only outdoors or in a well-ven	ntilated area.	
	clothing/eye protection/face protection.	
	diately all contaminated clothing. Rinse skin with water/shower.	
	Fresh air and keep comfortable for breathing.	
· · ·	water for several minutes. Remove contact lenses, if present and	easv to do.
Continue rinsing.		
Call a poison center/doctor if you	feel unwell.	
If eye irritation persists: Get media		
In case of fire: Use CO2, powder of		
Store in a well-ventilated place. K		
Store in a well-ventilated place. K		
Store locked up.	eep cooi.	
1	ccordance with local/regional/national/international regulations.	
× •	· · ·	
· Chemical sajely assessment: A Ch	hemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

```
· Date of preparation / last revision
 Revision 1.0 05/11/2023, reviewed SDS for accuracy. STN
 Creation date for SDS 07-11-2014. STN
 05/11/2023
· Abbreviations and acronyms:
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 BEI: Biological Exposure Limit
 Flammable Liquids 2: Flammable liquids – Category 2
 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A
 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3
\cdot * Data compared to the previous version altered.
```

US -