Printing date 01/30/2018

Reviewed on 01/30/2018

| Product identifier | | |
|---|--|-------------------|
| Trade name: <u>Meth</u> <u>Acid</u> | anol / Benzoic Solvent | |
| Article number: U | C104-247 | |
| Details of the supp Manufacturer/Sup Aqua Solutions, Inc 6913 Highway 225 DEER PARK, TX 7 USA 800-256-2586 | | AQUA SOLUTIONS |
| Information depart Technical Coordina Sherman Nelson sh Emergency telepho Chemtrec: 800-424 Canutec: 613-996-0 | ator erman@aquasolutions.org ne number: 1-9300 | |
| | | |
| Hazard(s) ident | ification | |
| Classification of th | e substance or mixture | |
| Classification of the GHS02 I Flam. Liq. 2 H225 | e substance or mixture Flame Highly flammable liquid and vapor. | |
| Classification of the GHS02 I Flam. Liq. 2 H225 | e substance or mixture Flame | |
| Classification of the GHS02 I Flam. Liq. 2 H225 GHS08 I STOT SE 1 H370 | e substance or mixture Flame Highly flammable liquid and vapor. Health hazard Causes damage to organs. | |
| Classification of the GHS02 I Flam. Liq. 2 H225 GHS08 I STOT SE 1 H370 STOT RE 1 H372 | e substance or mixture Flame Highly flammable liquid and vapor. Health hazard | |
| Classification of the GHS02 I Flam. Liq. 2 H225 GHS08 I STOT SE 1 H370 STOT RE 1 H372 | e substance or mixture Flame Highly flammable liquid and vapor. Health hazard Causes damage to organs. Causes damage to the lung through Inhalation. | |
| Classification of the GHS02 I Flam. Liq. 2 H225 GHS08 I STOT SE 1 H370 STOT RE 1 H372 | e substance or mixture Flame Highly flammable liquid and vapor. Health hazard Causes damage to organs. Causes damage to the lung through Inhalation. | |
| Classification of the GHS02 I Flam. Liq. 2 H225 GHS08 I STOT SE 1 H370 STOT RE 1 H372 | e substance or mixture Flame Highly flammable liquid and vapor. Health hazard Causes damage to organs. Causes damage to the lung through Inhalation. | |
| Classification of the GHS02 I Flam. Liq. 2 H225 GHS08 I STOT SE 1 H370 STOT RE 1 H372 GHS05 C Eye Dam. 1 H318 | e substance or mixture Flame Highly flammable liquid and vapor. Health hazard Causes damage to organs. Causes damage to the lung through Inhalation. | |
| Classification of the GHS02 I Flam. Liq. 2 H225 GHS08 I STOT SE 1 H370 STOT RE 1 H372 GHS05 C Eye Dam. 1 H318 OGHS07 Acute Tox. 4 H302 | e substance or mixture Flame Highly flammable liquid and vapor. Health hazard Causes damage to organs. Causes damage to the lung through Inhalation. | |

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Methanol / Benzoic Acid Solvent

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol (Methyl Alcohol) Benzoic Acid, Reagent ACS Grade · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Causes damage to organs. Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Get medical advice/attention if you feel unwell. Specific treatment (see on this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0

(Contd. on page 3)

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Methanol / Benzoic Acid Solvent

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH*3Health =
$$*3$$
FIRE3Fire = 3REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

= 3

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | |
|--|---------|
| CAS: 67-56-1 Methanol (Methyl Alcohol) | 80.667% |
| CAS: 65-85-0 Benzoic Acid, Reagent ACS Grade | 19.333% |

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

(Contd. on page 4)

US

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Methanol / Benzoic Acid Solvent

| | (Contd. of page 3) |
|--|-----------------------|
| Wear protective equipment. Keep unprotected persons away. | |
| · Environmental precautions: | |
| Dilute with plenty of water. | |
| Do not allow to enter sewers/ surface or ground water. | |
| • Methods and material for containment and cleaning up: | |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). | |
| Use neutralizing agent. | |
| Dispose contaminated material as waste according to item 13. | |
| Ensure adequate ventilation. | |
| · Reference to other sections | |
| See Section 7 for information on safe handling. | |
| See Section 8 for information on personal protection equipment. | |
| See Section 13 for disposal information. | |
| · Protective Action Criteria for Chemicals | |
| • PAC-1: | |
| CAS: 67-56-1 Methanol (Methyl Alcohol) | 530 ppm |
| CAS: 65-85-0 Benzoic Acid, Reagent ACS Grade | 13 mg/m ³ |
| · PAC-2: | |
| CAS: 67-56-1 Methanol (Methyl Alcohol) | 2,100 ppm |
| CAS: 65-85-0 Benzoic Acid, Reagent ACS Grade | 140 mg/m ³ |
| · PAC-3: | |
| CAS: 67-56-1 Methanol (Methyl Alcohol) | 7200* ppm |
| CAS: 65-85-0 Benzoic Acid, Reagent ACS Grade | 830 mg/m ³ |

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- $\cdot \textit{Specific end use}(s) \textit{ No further relevant information available}.$

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Methanol / Benzoic Acid Solvent · Control parameters · Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended *exposure limit.* At this time, the remaining constituent has no known exposure limits. CAS: 67-56-1 Methanol (Methyl Alcohol) PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin TLVShort-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI · Ingredients with biological limit values: CAS: 67-56-1 Methanol (Methyl Alcohol) BEI 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Methanol / Benzoic Acid Solvent

(Contd. of page 5)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and | chemical properties |
|--------------------------------------|--|
| General Information | |
| Appearance: | |
| Form: | Liquid |
| Color: | Clear |
| Odor: | Methanol |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 64 °C (147.2 °F) |
| Flash point: | 11 °C (51.8 °F) |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | 455 °C (851 °F) |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapo mixtures are possible. |
| Explosion limits: | |
| Lower: | 5.5 Vol % |
| Upper: | 44 Vol % |
| Vapor pressure at 20 °C (68 °F): | 128 hPa (96 mm Hg) |
| Density at 20 °C (68 °F): | 0.85334 g/cm ³ (7.12112 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| Partition coefficient (n-octanol/wat | er): Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |

US –

Printing date 01/30/2018

Reviewed on 01/30/2018

| Trade name: Methanol / Benzoic | |
|--------------------------------|--|
| Acid Solvent | |

| | (Contd. of page 6 |
|-------------------------------------|--|
| Solvent content: | 80.7 % |
| Organic solvents: | 80.67 % |
| VOC content: | 688.4 g/l / 5.74 lb/gl |
| Solids content: | 19.3 % |
| • Other information | No further relevant information available. |

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 1,261-2,469 mg/kg (rat)

 Inhalative
 LC50/4 h
 159 mg/l (rat)

Innalative LC30/4 h 139 mg/l (rat)

CAS: 67-56-1 Methanol (Methyl Alcohol)

Oral LD50 100 mg/kg (ATE)

Dermal LD50 300 mg/kg (ATE)

Inhalative LC50/4 h 3 mg/l (ATE)

CAS: 65-85-0 Benzoic Acid, Reagent ACS Grade

Oral LD50 500 mg/kg (ATE)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

 \cdot on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Methanol / Benzoic

Acid Solvent

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

| · UN-Number | UN1993 | |
|---------------------------------------|--------------------------------------|--|
| · DOT, IMDG, IATA | 0111995 | |
| \cdot UN proper shipping name | | |
| · DOT | Flammable liquids, n.o.s. (Methanol) | |
| · IMDG, IATA | FLAMMABLE LIQUID, N.O.S. (METHANOL) | |
| · Transport hazard class(es) · DOT | | |
| RAMABLE LOUD | | |
| · Class | 3 Flammable liquids | |

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Methanol / Benzoic Acid Solvent

| | (Contd. of page |
|--------------------------------------|---|
| Label | 3 |
| IMDG, IATA | |
| | |
| | |
| 3 | |
| Class | 3 Flammable liquids |
| Label | 3 |
| Packing group | |
| DOT, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Flammable liquids |
| Danger code (Kemler): | 336 |
| EMS Number: Stowage Category | F-E, <u>S-E</u> B |
| Transport in bulk according to Annex | - |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 5 L |
| | On cargo aircraft only: 60 L |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANOL), 3, II |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

| • Section 355 (extremely hazardous substances): | |
|---|--|
| None of the ingredients is listed. | |

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

· TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)

Benzoic Acid, Reagent ACS Grade

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 10)

US

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Methanol / Benzoic

Acid Solvent

(Contd. of page 9)

D

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 65-85-0 Benzoic Acid, Reagent ACS Grade

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Methanol (Methyl Alcohol) Benzoic Acid, Reagent ACS Grade · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. *Causes damage to organs.* Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Get medical advice/attention if you feel unwell.

(Contd. on page 11)

Printing date 01/30/2018

Reviewed on 01/30/2018

Trade name: Methanol / Benzoic Acid Solvent

(Contd. of page 10)

Specific treatment (see on this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

 \cdot Date of preparation / last revision

01-30-2018: review SDS for accuracy. STN Creation date for SDS 12-05-2014. STN 01/30/2018 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1