Printing date 10/30/2017

Reviewed on 10/30/2017

Product identifier		
Trade name: <u>Salicylic</u> <u>15% w/v</u>	<u>Acid</u> in Methanol	
Article number: DC81	4-245	
Details of the supplier Manufacturer/Supplie Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 7753 USA 800-256-2586		AQUA SOLUTIONS
Information departme Technical Coordinator Sherman Nelson sherm Emergency telephone Chemtrec: 800-424-93 Canutec: 613-996-666	nan@aquasolutions.org <b>number:</b> 00	
Hazard(s) identific	ration	
$\mathbf{A}$	ne ighly flammable liquid and vapor. I and crossbones	
Acute Tox. 3 H331 To	oxic if inhaled.	
GHS08 Hea	lth hazard	
STOT SE 1 H370 Ca	auses damage to organs.	
GHS05 Corr	rosion	
<b>V</b>	auses serious eye damage.	
Eye Dam. 1 H318 Ca		
Eye Dam. 1 H318 Ca		
$\mathbf{A}$	uses skin irritation.	

Printing date 10/30/2017

Trade name: Salicylic Acid 15% w/v in Methanol Reviewed on 10/30/2017

(Contd. of page 1) · Hazard pictograms GHS06 GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol (Methyl Alcohol) Salicylic Acid · Hazard statements Highly flammable liquid and vapor. Toxic if inhaled. Causes skin irritation. Causes serious eye damage. Causes damage to organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4)



(Contd. on page 3)

- U

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Salicylic Acid 15% w/v in Methanol

(Contd. of page 2)

81.087%

18.913%

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 67-56-1 Methanol (Methyl Alcohol)

CAS: 69-72-7 Salicylic Acid

#### 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

Printing date 10/30/2017

Reviewed on 10/30/2017

#### Trade name: Salicylic Acid 15% w/v in Methanol

	(Contd. of page 3)
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	530 ppm
· PAC-2:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	2,100 ppm
· PAC-3:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	7200* ppm

# 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.

 $\cdot \textit{Specific end use}(s) \textit{ No further relevant information available}.$ 

# 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### CAS: 67-56-1 Methanol (Methyl Alcohol)

PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm

(Contd. on page 5)

<sup>·</sup> Control parameters

US

Printing date 10/30/2017

Reviewed on 10/30/2017

#### Trade name: Salicylic Acid 15% w/v in Methanol

(Contd. of page 4)

	(Contra. of page 4)
REL	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin
TLV	Short-term value: 328 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 262 mg/m <sup>3</sup> , 200 ppm
	Skin; BEI
· Ingr	edients with biological limit values:
CAS	: 67-56-1 Methanol (Methyl Alcohol)
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
·Add	tional information: The lists that were valid during the creation were used as basis.
· Ern	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	d contact with the skin.
Avoi	d contact with the eyes and skin.
	•

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Salicylic Acid 15% w/v in Methanol

(Contd. of page 5)

9 Physical and chemical proper	ties
· Information on basic physical and c	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Methanol
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.79311 g/cm <sup>3</sup> (6.6185 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	81.1 %
VOC content:	81.09 %
	643.1 g/l / 5.37 lb/gl
Solids content:	18.9 %
• Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

#### Safety Data Sheet acc. to OSHA HCS

Printing date 10/30/2017

Trade name: Salicylic Acid 15% w/v in Methanol Reviewed on 10/30/2017

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute	Toxicity	Estimate)
------------	----------	-----------

 Oral
 LD50
 4,711 mg/kg (rat)

 Inhalative
 LC50/4 h
 3.7 mg/l

#### CAS: 67-56-1 Methanol (Methyl Alcohol)

 Oral
 LD50
 5,628 mg/kg (rat)

 Dermal
 LD50
 15,800 mg/kg (rabbit)

Inhalative LC50/4 h 3 mg/l (ATE)

CAS: 69-72-7 Salicylic Acid

Oral LD50 891 mg/kg (rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12** Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

(Contd. on page 8)

US

Printing date 10/30/2017

Reviewed on 10/30/2017

#### Trade name: Salicylic Acid 15% w/v in Methanol

(Contd. of page 7)

#### · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

## **14 Transport information** · UN-Number · DOT, IMDG, IATA UN1993 · UN proper shipping name $\cdot DOT$ Flammable liquids, n.o.s. (Methanol) · IMDG, IATA FLAMMABLE LIQUID, N.O.S. (METHANOL) • Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label 3 · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group · DOT, IMDG, IATA Π · Environmental hazards: · Marine pollutant: No (Contd. on page 9) US

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Salicylic Acid 15% w/v in Methanol

	(Contd. of page	
· Special precautions for user	Warning: Flammable liquids	
· Danger code (Kemler):	336	
· EMS Number:	F-E,S-E	
· Stowage Category	B	
· Transport in bulk according to Annex I	I of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
·DOT		
• Quantity limitations	On passenger aircraft/rail: 1 L	
	On cargo aircraft only: 60 L	
· IMDG		
· Limited quantities (LQ)	1L	
$\cdot$ Excepted quantities ( $\widetilde{EQ}$ )	Code: E2	
· · · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANOL), 3, II	

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

• TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)

Salicylic Acid

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

(Contd. on page 10)

<sup>-</sup> US

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Salicylic Acid 15% w/v in Methanol

(Contd. of page 9) · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS06 GHS02 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol (Methyl Alcohol) Salicylic Acid · Hazard statements Highly flammable liquid and vapor. Toxic if inhaled. Causes skin irritation. Causes serious eye damage. Causes damage to organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 11)

US

Printing date 10/30/2017

Reviewed on 10/30/2017

# Trade name: Salicylic Acid 15% w/v in Methanol

	(Contd. of page 10)
Contact:	
Date of preparation / last revision	
Creation date for SDS 12-03-2014. STN	
10-30-2017: review SDS for accuracy. STN	
10/30/2017 / -	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par l	Route (European Agreement concerning the Internationa
Carriage of Dangerous Goods by Road)	(
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Liq. 2: Flammable liquids – Category 2	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	