Printing date 11/10/2021

Reviewed on 11/10/2021

### **1** Identification

- · Product identifier
- Trade name: <u>Cadmium Sulfate 150.0 gpL</u> <u>Prepared to ASTM D3227-16</u>
- · Article number: 1652
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number: Chemtrec: 800-424-9300
- Canutec: 613-996-6666

### **2** *Hazard*(*s*) *identification*

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

- Muta. 1B H340 May cause genetic defects.
- Carc. 1A H350 May cause cancer.
- *Repr. 1B* H360 May damage fertility or the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• *Hazard-determining components of labeling: Cadmium Sulfate 8/3-Hydrate* 

(Contd. on page 2)

US

Printing date 11/10/2021

Reviewed on 11/10/2021

## Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

Sulfuric Acid 96 - 98%	(Contd. of page 1
Hazard statements	
Harmful if swallowed.	
Fatal if inhaled.	
May cause genetic defects.	
May cause cancer.	
May damage fertility or the unborn child.	
Causes damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment is urgent (see on this label).	
Get medical advice/attention if you feel unwell.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regul	lations.
Classification system:	
NFPÅ ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3  0  Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
<b>REACTIVITY O</b> $Reactivity = 0$	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	

· Chemical characterization: Mixtures

\*

• **Description:** Mixture of the substances listed below with nonhazardous additions.

<ul> <li>Dangerous comp</li> </ul>	jonents:	
CAS: 7790-84-3	Cadmium Sulfate 8/3-Hydrate	13.987%
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.286%
		(Contd. on page 3)

Printing date 11/10/2021

Reviewed on 11/10/2021

#### Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

(Contd. of page 2)

85.727%

#### · Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

### 4 First-aid measures

#### · Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.* • *Environmental precautions:*
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

#### • PAC-1:

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

 $\frac{0.1 \text{ mg/m}^3}{(\text{Contd. on page 4})}$ 

– ÚS

Printing date 11/10/2021

Reviewed on 11/10/2021

#### Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

CAS: 7664-93-9	Sulfuric Acid 96 - 98%	(Contd. of page 3) 0.20 mg/m <sup>3</sup>
· PAC-2:		
CAS: 7790-84-3	Cadmium Sulfate 8/3-Hydrate	0.76 mg/m <sup>3</sup>
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7790-84-3	Cadmium Sulfate 8/3-Hydrate	11 mg/m <sup>3</sup>
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m <sup>3</sup>

### 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

· Components with limit values that require monitoring at the	he workplace:
---	---------------

#### CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

- PEL Long-term value: 0.005 mg/m<sup>3</sup>
- as Cd; see 29 CFR 1910.1027
- REL See Pocket Guide App. A
- *TLV* Long-term value: 0.01 0.002\* mg/m<sup>3</sup> as Cd; A2; \*respirable fraction; BEI

#### CAS: 7664-93-9 Sulfuric Acid 96 - 98%

- PEL Long-term value: 1 mg/m<sup>3</sup>
- REL Long-term value: 1 mg/m<sup>3</sup>
- TLV Long-term value: 0.2\* mg/m<sup>3</sup>
  - \*as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

Printing date 11/10/2021

Reviewed on 11/10/2021

#### Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

(Contd. of page 4) Wash hands before breaks and at the end of work. Store protective clothing separately. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles · Body protection: Protective work clothing **9** Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Clear **Odorless** · Odor: · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. 100 °C (212 °F) Boiling point/Boiling range: · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. · Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 6)

Printing date 11/10/2021

Reviewed on 11/10/2021

#### Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

	(Contd. of page
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
• Density at 20 •C (68 •F):	1.0725 g/cm <sup>3</sup> (8.95001 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	85.7 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	14.0 %
· Other information	No further relevant information available.

## 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 715 mg/kg

 Inhalative
 LC50/4h
 0.357 mg/l

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

 Oral
 LD50
 100 mg/kg (ATE)

 Inhalative
 LC50/4h
 0.05 mg/l (ATE)

(Contd. on page 7)

US

Printing date 11/10/2021

Reviewed on 11/10/2021

#### Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

(Contd. of page 6)

1

1

K

K

·	Primary	irritant	effect:
---	---------	----------	---------

• on the skin: No irritant effect.

 $\cdot$  on the eye: No irritating effect.

- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Very toxic

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

US –

<sup>·</sup> Uncleaned packagings:

(Contd. of page 7)

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/10/2021

Reviewed on 11/10/2021

#### Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

· Recommended cleansing agent: Water, if necessary with cleansing agents.

lot regulated lot regulated
ot regulated
ot regulated
ot regulated
ies
ot applicable.
lot applicable.

### **15 Regulatory information**

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· Section 313 (Specific toxic chemical listings):

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• **TSCA** (Toxic Substances Control Act): Water

Sulfuric Acid 96 - 98%

· Hazardous Air Pollutants

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

· Proposition 65

• Chemicals known to cause cancer:

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

ACTIVE

ACTIVE

<sup>·</sup> US ·

Printing date 11/10/2021

Reviewed on 11/10/2021

#### Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

(Contd. of page 8)

A2

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



GHS08

· Signal word Danger

· Hazard-determining components of labeling: Cadmium Sulfate 8/3-Hydrate Sulfuric Acid 96 - 98% · Hazard statements Harmful if swallowed. Fatal if inhaled. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment is urgent (see on this label). Get medical advice/attention if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 10)

US

Printing date 11/10/2021

Reviewed on 11/10/2021

Trade name:	Cadmium Sulfate 150.0 gpL
	Prepared to ASTM D3227-16

(Contd. of page 9)

<ul> <li>National regulations:</li> <li>Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).</li> </ul>	
<ul> <li>Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation Exceptions can be made by the authorities in certain cases.</li> <li>Chemical safety assessment: A Chemical Safety Assessment has not been carried out.</li> </ul>	•
	_
16 Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.	y
· Department issuing SDS: Environment protection department.	
· Contact:	
· Date of preparation / last revision	
Revision 1.0, 08-12-2021: upodated hazard information. STN	
Revision 0.1, 08/05/2019: Updated product description. STN	
11/10/2021 / 1.1	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 2: Acute toxicity – Category 2	
Muta. 1B: Germ cell mutagenicity – Category 1B	
Carc. 1A: Carcinogenicity – Category 1A	
Repr. 1B: Reproductive toxicity – Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	
brot RE 1. Specific in fei of gui toheny (repetited exposite) – Cutegory 1	

• \* Data compared to the previous version altered.

US