Printing date 11/27/2017

Reviewed on 11/27/2017

1 Identification

- · Product identifier
- Trade name: <u>Lithium Chloride</u> <u>Saturated in Ethanol</u>
- · Article number: INV021
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger Hazard statements Highly flammable liquid and vapor. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US


Printing date 11/27/2017

Trade name: Lithium Chloride Saturated in Ethanol Reviewed on 11/27/2017

(Contd. of page 1)

94.802%

5.1977%



· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 7447-41-8 Lithium Chloride

4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 11/27/2017

Trade name: Lithium Chloride Saturated in Ethanol Reviewed on 11/27/2017

(Contd. of page 2)

· Personal precau	tions, protective equipment and emergency procedures	
	equipment. Keep unprotected persons away.	
• Environmental p		
Dilute with plent		
	enter sewers/ surface or ground water.	
	iterial for containment and cleaning up:	
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Ensure adequate		
• Reference to oth		
	· information on safe handling. · information on personal protection equipment.	
	or disposal information.	
$ \partial ee$ $\partial e c u \partial n + j = n$		
	n Criteria for Chemicals	
· Protective Action		1,800 ppr
• Protective Action • PAC-1: CAS: 64-17-5	n Criteria for Chemicals	
• Protective Action • PAC-1: CAS: 64-17-5	n Criteria for Chemicals Ethyl Alcohol, Absolute 200 Proof	
• Protective Action • PAC-1: CAS: 64-17-5 CAS: 7447-41-8	n Criteria for Chemicals Ethyl Alcohol, Absolute 200 Proof	2.3 mg/m
• Protective Action • PAC-1: CAS: 64-17-5 CAS: 7447-41-8 • PAC-2: CAS: 64-17-5	n Criteria for Chemicals Ethyl Alcohol, Absolute 200 Proof Lithium Chloride	2.3 mg/m
• Protective Action • PAC-1: CAS: 64-17-5 CAS: 7447-41-8 • PAC-2: CAS: 64-17-5	n Criteria for Chemicals Ethyl Alcohol, Absolute 200 Proof Lithium Chloride Ethyl Alcohol, Absolute 200 Proof	2.3 mg/m 3300* ppr
• Protective Action • PAC-1: CAS: 64-17-5 CAS: 7447-41-8 • PAC-2: CAS: 64-17-5 CAS: 7447-41-8	n Criteria for Chemicals Ethyl Alcohol, Absolute 200 Proof Lithium Chloride Ethyl Alcohol, Absolute 200 Proof	1,800 ppm 2.3 mg/m ² 3300* ppm 25 mg/m ³ 15000* ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US

Printing date 11/27/2017

Reviewed on 11/27/2017

Trade name: Lithium Chloride

Saturated in Ethanol

(Contd. of page 3)

Control parameters	
Components with limit values that require monitoring at the workplace:	
The following constituent is the only constituent of the product which has a PEL, TLV or other rec	ommended
exposure limit.	
At this time, the remaining constituent has no known exposure limits.	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	
PEL Long-term value: 1900 mg/m³, 1000 ppm	
REL Long-term value: 1900 mg/m³, 1000 ppm	
TLV Short-term value: 1880 mg/m³, 1000 ppm	
Additional information: The lists that were valid during the creation were used as basis.	
Exposure controls	
Personal protective equipment:	
General protective and hygienic measures: Wash hands before breaks and at the end of work.	
Breathing equipment: Not required.	
Protection of hands:	
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.	anation (th
Due to missing tests no recommendation to the glove material can be given for the product/ the prepa chemical mixture.	iration/ ine
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degr	radation
Material of gloves	cicicition
The selection of the suitable gloves does not only depend on the material, but also on further marks of a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the return glove material can not be calculated in advance and has therefore to be checked prior to the application.	esistance o
Penetration time of glove material	
The exact break through time has to be found out by the manufacturer of the protective gloves and observed.	d has to be
Eye protection:	
Tightly sealed goggles	
Body protection: Protective work clothing	

Information on basic physical and General Information	chemical properties	
Appearance: Form:	Liquid	
Color:	Clear	
Odor:	Alcohol	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	13 °C (55.4 °F)	

Printing date 11/27/2017

Trade name: Lithium Chloride

Reviewed on 11/27/2017

Saturated in Ethanol	
	(Contd. of page
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.81555 g/cm ³ (6.80576 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	94.8 %
VOC content:	94.80 %
	773.2 g/l / 6.45 lb/gl
Solids content:	5.2 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 11/27/2017

Reviewed on 11/27/2017

Trade name: Lithium Chloride

Saturated in Ethanol

(Contd. of page 5)

11 Toxicological information	
· Information on toxicological effects	
· Acute toxicity:	
· LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	
Oral LD50 10,120 mg/kg (rat)	
· Primary irritant effect:	
• on the skin: No irritant effect.	
• on the eye: No irritating effect.	
· Sensitization: No sensitizing effects known.	
· Additional toxicological information:	
· Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	1
· NTP (National Toxicology Program)	
None of the ingredients is listed.	

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

US

• Recommended cleansing agent: Water, if necessary with cleansing agents.

Printing date 11/27/2017

Trade name: Lithium Chloride Saturated in Ethanol Reviewed on 11/27/2017

(Contd. of page 6)

Transport information		
UN-Number DOT, IMDG, IATA	UN1170	
UN proper shipping name		
	Ethanol mixture	
IMDG, IATA	ETHANOL mixture	
Transport hazard class(es)		
DOT		
PLAMABLE LOUD		
Class	3 Flammable liquids	
Label	3	
IMDG, IATA		
Class Label	3 Flammable liquids 3	
	5	
Packing group DOT, IMDG, IATA	II	
	11	
Environmental hazards: Marine pollutant:	No	
Special precautions for user Danger code (Kemler):	Warning: Flammable liquids 33	
EMS Number:	<i>F-E,S-D</i>	
Stowage Category	A	
Transport in bulk according to Annex II o	f	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 5 L	
~ ····································	On cargo aircraft only: 60 L	
IMDG		
Limited quantities (LQ)	1L	
Excepted quantities $(\widetilde{E}Q)$	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	

Printing date 11/27/2017

Reviewed on 11/27/2017

(Contd. of page 7)

Trade name: Lithium Chloride Saturated in Ethanol

· UN "Model Regulation":

UN 1170 ETHANOL MIXTURE, 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Ethyl Alcohol, Absolute 200 Proof

Lithium Chloride

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard statements

Highly flammable liquid and vapor.

• Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.

(Contd. on page 9)

AЗ

⁻ US

Printing date 11/27/2017

Reviewed on 11/27/2017

Trade name: Lithium Chloride Saturated in Ethanol

(Contd. of page 8)

 $Use \ explosion-proof \ electrical/ventilating/lighting/equipment.$

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision

11-27-2017: review SDS for accuracy. STN Creation date for SDS 12-29-2014. STN 11/27/2017 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2