Printing date 04/04/2023

Reviewed on 04/04/2023


1 Identification

- · Product identifier
- Trade name: <u>Hydrochloric Acid 0.1N in</u> IPA NIST Traceable, ASTM 4047-13
- · Article number: ERL111
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

	(Contd. of page 1)
Hydrochloric Acid	
· Hazard statements	
Highly flammable liquid and vapor.	
Causes severe skin burns and eye damage.	
May cause drowsiness or dizziness.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge. Do not breathe dusts or mists.	
Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/showe	r
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	7.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	nt and easy to do
Continue rinsing.	ii aha casy io ao.
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ons.
· Classification system:	
· NFPÅ ratings (scale 0 - 4)	
$\begin{array}{c} Health = 3\\ Fire = 0 \end{array}$	
3 0 Fire = 0 Reactivity = 0	
$\mathbf{V} = \mathbf{V}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH 1 Health = 1	
FIRE 3 $Fire = 3$	
$\frac{1}{REACTIVITY[0]} Reactivity = 0$	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT : Not applicable.	
• vPvB: Not applicable.	

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-63-0 Isopropanol

	98.795%
(Cont	td. on page 3)

US

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

CAS: 7647-01-0 Hydrochloric Acid

(Contd. of page 2) 1.205%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precau	tions, protective equipment and emergency procedures	
Mount respirator	y protective device.	
Wear protective	equipment. Keep unprotected persons away.	
• Environmental p	recautions:	
Dilute with plent	v of water.	
Do not allow to e	nter sewers/ surface or ground water.	
• Methods and ma	terial for containment and cleaning up:	
Absorb with liqu	d-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing	agent.	
Dispose contami	nated material as waste according to item 13.	
Ensure adequate	ventilation.	
· Reference to oth	er sections	
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
See Section 13 fo	r disposal information.	
· Protective Action	n Criteria for Chemicals	
· PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
		(Contd. on page 4)
		t

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

(Contd. of page 3)

· PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 7647-01-0	Hydrochloric Acid	100 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Control parameters Components with limit values that i	equire monitoring at the workplace:
CAS: 67-63-0 Isopropanol	
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
CAS: 7647-01-0 Hydrochloric Acid	
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³
PEL	Ceiling limit value: 7 mg/m³, 5 ppm
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm
TLV	Ceiling limit value: 2 ppm A4
Ingredients with biological limit val	lues:
CAS: 67-63-0 Isopropanol	
BEI 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of wor LD50: Acetone (background, n	
	(Contd. on page 5

Printing date 04/04/2023

*

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

Additional	nformation: The lists that were valid during the creation were used as basis.	(Contd. of page
	•	
Exposure c		
	otective equipment:	
	tective and hygienic measures:	
	from foodstuffs, beverages and feed.	
•	remove all soiled and contaminated clothing.	
	before breaks and at the end of work.	
	ct with the eyes.	
	ct with the eyes and skin.	
Breathing e		1
	rief exposure or low pollution use respiratory filter device. In case of intensive or protective device that is independent of circulating air.	ionger exposure u
Protection		
Totection	ij nanas.	
	Protective gloves	
	aterial has to be impermeable and resistant to the product/ the substance/ the pre- ing tests no recommendation to the glove material can be given for the product/ xture.	
	the glove material on consideration of the penetration times, rates of diffusion and	d the degradation
The selection varies from the glove m	n of the suitable gloves does not only depend on the material, but also on further manufacturer to manufacturer. As the product is a preparation of several substan aterial can not be calculated in advance and has therefore to be checked prior to t time of glove material	ces, the resistance
	reak through time has to be found out by the manufacturer of the protective g	gloves and has to l
Eye protect	on:	
	rightly sealed goggles	
Body proted	tion: Protective work clothing	

Information on basic physical and chemical properties General Information		
· Appearance:	1:	
Form:	Liquid	
Color: • Odor:	Colorless de l'alcool	
	l	
• Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	<2	
		(Contd. on page

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

	(Contd. of page
· Change in condition	
Melting point/Melting range:	$-89.5 ^{\circ}C(-129.1 ^{\circ}F)$
Boiling point/Boiling range:	82 °C (179.6 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Highly flammable.
· Ignition temperature:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
· Density at 20 °C (68 °F):	0.79111 g/cm ³ (6.60181 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	98.8 %
VOC content:	98.79 %
	781.6 g/l / 6.52 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

(Contd. of page 6)

3

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- \cdot on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT	Flammable liquids, n.o.s. (Isopropanol
IMDG, IATA) FLAMMABLE LIQUID, N.O.S. (Isopropanol)
• Transport hazard class(es)	
DOT	
RAMARE LOOD	
Class	3 Flammable liquids
Label	3
	3 Flammable liquids 3
· Label · Packing group	
Class Class Label Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant:	3
Eabel Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Hazard identification number (Kemler code)	3 II No Warning: Flammable liquids :: 80
Label Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Hazard identification number (Kemler code) EMS Number:	3 II No Warning: Flammable liquids : 80 F-E,S-E
Label Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Hazard identification number (Kemler code)	3 II No Warning: Flammable liquids :: 80

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

	(Contd. of page
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
2 .	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

•	Sar	a
---	-----	---

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 Isopropanol	
TSCA (Toxic Substances Control Act):	
Isopropanol	ACTIV
Hydrochloric Acid	ACTIV
Hazardous Air Pollutants	· ·
CAS: 7647-01-0 Hydrochloric Acid	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
CAS: 67-63-0 Isopropanol	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	·
None of the ingredients is listed.	
	(Contd. on page

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

GHS label Hazard pict	(Contd. of page 9) elements The product is classified and labeled according to the Globally Harmonized System (GHS).
• • • • • • • • • • • • • • • • • • •	
JL.	
<u> (17</u>) (
GHS02	GHS05 GHS07
Signal word	l Danger
Hazard-det	ermining components of labeling:
Isopropano	
Hydrochlor	
Hazard stat	
	mable liquid and vapor.
	ere skin burns and eye damage.
	drowsiness or dizziness.
	ary statements
	from heat/sparks/open flames/hot surfaces No smoking.
	nd container and receiving equipment.
	on-proof electrical/ventilating/lighting/equipment.
	n-sparking tools.
	ttionary measures against static discharge.
	the dusts or mists.
	ughly after handling.
	tdoors or in a well-ventilated area.
	ctive gloves/protective clothing/eye protection/face protection.
	d: Rinse mouth. Do NOT induce vomiting.
	r hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	D: Remove person to fresh air and keep comfortable for breathing.
	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to de
Continue ri	
	v call a poison center/doctor.
	atment (see on this label).
	minated clothing before reuse.
	re: Use CO2, powder or water spray to extinguish.
	vell-ventilated place. Keep container tightly closed.
	vell-ventilated place. Keep cool.
Store locked	
	contents/container in accordance with local/regional/national/international regulations.
Cnemical s	afety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of preparation / last revision Revision 1.0 03/31/2023 Reviewed SDS for accuracy. STN 04/04/2023
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

⁻ US

Printing date 04/04/2023

Reviewed on 04/04/2023

Trade name: Hydrochloric Acid 0.1N in IPA NIST Traceable, ASTM 4047-13

(Contd. of page 10) DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 \cdot * Data compared to the previous version altered. US