US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2019

1 Identification

Reviewed on 07/19/2019

· Product identifier · Trade name: Mercuric Sulfate Solution For Digestion Reagent · Article number: 2781 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org Technical Coordinator Sherman Nelson sherman@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 **2** Hazard(s) identification · Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard Carc. 1A H350 May cause cancer. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS06 GHS08 · Signal word Danger (Contd. on page 2)

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

	(Contd. of page
Hazard-determining components of labeling:	
Sulfuric Acid 96 - 98%	
Mercuric Oxide (Red)	
Hazard statements	
Toxic if swallowed or if inhaled.	
Causes severe skin burns and eye damage.	
May cause cancer.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit	h water (shower
	n water/snower.
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	uses if museum and easy to d
If in eyes: Rinse cautiously with water for several minutes. Remove contact lea	nses, ij present and easy to a
Continue rinsing.	
<i>IF exposed or concerned: Get medical advice/attention.</i>	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up. Dianage of contacts (contained in accordance with local/accional/actional/intermet	ional noordationa
Dispose of contents/container in accordance with local/regional/national/international	ional regulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
$\frac{3}{0} Reactivity = 0$	
HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 0 $Fire = 0$	
REACTIVITY $\begin{bmatrix} 2 \end{bmatrix}$ Reactivity = 2	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

	(Contd. of page 2)
· Dangerous components:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	27.058%
CAS: 21908-53-2 Mercuric Oxide (Red)	6.536%
· Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	66.406%

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

(Contd. on page 4)

US

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

Ensure adequate v	pantilation	(Contd. of page 3)
• Reference to othe		
	nformation on safe handling.	
v	nformation on personal protection equipment.	
v	disposal information.	
· Protective Action	Criteria for Chemicals	
· PAC-1:		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.20 mg/m ³
CAS: 21908-53-2	Mercuric Oxide (Red)	1.5 mg/m ³
· PAC-2:		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m ³
CAS: 21908-53-2	Mercuric Oxide (Red)	16 mg/m ³
· PAC-3:		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m ³
CAS: 21908-53-2	Mercuric Oxide (Red)	30 mg/m ³
		· · · · · ·

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m ³	
--	--

- REL Long-term value: 1 mg/m³
- *TLV* Long-term value: 0.2* mg/m³ *as thoracic fraction

CAS: 21908-53-2 Mercuric Oxide (Red)

PEL Long-term value: 0.1 mg/m³

as Hg; see OSHA standard interpretation memo

REL Long-term value: 0.05* mg/m³ Ceiling limit value: 0.1 mg/m³ as Hg; *Vapor; Skin

(Contd. on page 5)

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

(Contd. of page 4)

- US

-	redients with biological limit values:
	S: 21908-53-2 Mercuric Oxide (Red)
BEI	35 µg/L
	LD50 Intraperitoneal: urine
	Time: prior to shift
	LD50: Total inorganic mercury (background)
	15 μg/L
	LD50 Intraperitoneal: blood
	Time: end of shift at end of workweek
	LD50: Total inorganic mercury (background)
Add	itional information: The lists that were valid during the creation were used as basis.
Exp	osure controls
	sonal protective equipment:
	eral protective and hygienic measures:
	p away from foodstuffs, beverages and feed.
	nediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	id contact with the eyes. id contact with the eyes and skin.
	athing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	iratory protective device that is independent of circulating air.
	tection of hands:
-11	Protective gloves
	Thechve gloves
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ t
	nical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	e rial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality a
	es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
	glove material can not be calculated in advance and has therefore to be checked prior to the application.
	etration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to
	erved.
Eye	protection:
	Tightly sealed goggles
9	
	(Contd. on page

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

· Body protection: Protective work clothing

Information on hasis physical and	ahamiaal proparties	
Information on basic physical and General Information	cnemical properties	
Appearance:		
Form:	Liquid	
Color:	Yellow	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.22402 g/cm ³ (10.21445 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	66.4 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	6.5 %	
• Other information	No further relevant information available.	

(Contd. on page 7)

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	275 mg/kg (rat)
Dermal	LD50	4,820 mg/kg (rat)
Inhalative	LC50/4h	7.65 mg/l

CAS: 21908-53-2 Mercuric Oxide (Red)

		,
		5 mg/kg (ATE)
Dermal	LD50	5 mg/kg (ATE)
Inhalative	LC50/4h	0.5 mg/l (ATE)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	1
CAS: 21908-53-2 Mercuric Oxide (Red)	3
· NTP (National Toxicology Program)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

(Contd. on page 8)

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN2922
· UN proper shipping name	
· DOT	Corrosive liquids, toxic, n.o.s. (Sulfuric acid, Mercury oxide)
·IMDG	CORROSIVE LIQUID, TOXIC, N.O.S. (SULPHURIC ACL MERCURY OXIDE), MARINE POLLUTANT
·IATA	CORROSIVE LIQUID, TOXIC, N.O.S. (SULPHURIC ACI MERCURY OXIDE)
• Transport hazard class(es)	
· DOT	
CORROSIVE 8 6	
· Class	8 Corrosive substances

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

Label	8, 6.1
	0, 0.1
· IMDG	
· Class · Label	8 Corrosive substances 8/6.1
·IATA	
· Class	8 Corrosive substances
· Label	8 (6.1)
· Packing group	
· DOT, IMDG, IATA	11
· Environmental hazards:	Product contains environmentally hazardous substances: Mercuri Oxide (Red)
· Marine pollutant:	Yes Symbol (fish and tree)
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	86
· EMS Number:	F- A , S - B
· Segregation groups	Strong acids, heavy metals and their salts (including the organometallic compounds), mercury and mercury compounds
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	
	Not applicable.
• Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG	
\cdot Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (SULPHURI) ACID, MERCURY OXIDE), 8 (6.1), II

(Contd. on page 10)

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

(Contd. of page 9)

· Safety, health and environmental regulations/legislation specific for the subst · Sara	tance or mixture
· Section 355 (extremely hazardous substances):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
CAS: 21908-53-2 Mercuric Oxide (Red)	
· Section 313 (Specific toxic chemical listings):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
CAS: 21908-53-2 Mercuric Oxide (Red)	
• TSCA (Toxic Substances Control Act):	
Sulfuric Acid 96 - 98%	ACTIVI
Mercuric Oxide (Red)	ACTIVI
Water	ACTIV
· Hazardous Air Pollutants	
CAS: 21908-53-2 Mercuric Oxide (Red)	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 21908-53-2 Mercuric Oxide (Red)	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
CAS: 21908-53-2 Mercuric Oxide (Red)	1
• TLV (Threshold Limit Value established by ACGIH)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	A
CAS: 21908-53-2 Mercuric Oxide (Red)	A

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: Sulfuric Acid 96 - 98%

(Contd. on page 11)

⁻ US

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

	ge 10)
Mercuric Oxide (Red)	
· Hazard statements	
Toxic if swallowed or if inhaled.	
Causes severe skin burns and eye damage.	
May cause cancer.	
May cause damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to	do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· National regulations:	
· Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	
· Information about limitation of use:	
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this prepara	tion.
Exceptions can be made by the authorities in certain cases.	
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision 07/19/2019 / -
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

(Contd. on page 12)

[–] US

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Mercuric Sulfate Solution For Digestion Reagent

(Contd. of page 11)

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Carc. 1A: Carcinogenicity – Category 1A STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2