Printing date 09/12/2017

Reviewed on 09/12/2017

1 Identification

- · Product identifier
- Trade name: <u>Phosphoric Acid 50%</u> (1:1) Aqueous Solution
- · Article number: 6870
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator
 Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- Hazard-determining components of labeling:
- Phosphoric Acid 85%
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

(Contd. on page 2)

⁻ US

Printing date 09/12/2017

Trade name: Phosphoric Acid 50% (1:1) Aqueous Solution Reviewed on 09/12/2017

(Contd. of page 1) Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH ² Health = 2 FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7664-38-2 Phosphoric Acid 85%

• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

62.756%

37.244%

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/12/2017

Reviewed on 09/12/2017

Trade name: Phosphoric Acid 50% (1:1) Aqueous Solution

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7664-38-2 Phosphoric Acid 85%	3 mg/m3
· PAC-2:	
CAS: 7664-38-2 Phosphoric Acid 85%	30 mg/m3
· PAC-3:	
CAS: 7664-38-2 Phosphoric Acid 85%	150 mg/m3

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 09/12/2017

Reviewed on 09/12/2017

Trade name: Phosphoric Acid 50% (1:1) Aqueous Solution

(Contd. of page 3)

Components with limit values that require monitoring at the workplace: CAS: 7664-38-2 Phosphoric Acid 85% FEL Long-term value: 3 mg/m ³ Long-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ Additional information: The lists that were valid during the creation were used as basis. Exposure controls Fersonal protective equipment: General protective equipment: General protective equipment: General protective and hygient measures: Keep away from foodsnifts, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Material of gloves The gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material on the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material on the degradation. Ferture to and through time has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be been the formation of baserved. Exercise Protections Forther to a basic physical and chemical properties General hyformation General hyformation General hyformation Clear	~	col parameters
PEL Long-term value: 1 mg/m ³ REL Short-term value: 1 mg/m ³ Long-term value: 1 mg/m ³ Long-term value: 1 mg/m ³ TV Short-term value: 1 mg/m ³ Long-term value: 1 mg/m ³ Long-term value: 1 mg/m ³ Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands: Work Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material, but also on further marks of quality. Resclection of the gloves The selection of the glove material The selection of the suitable gloves does not only depend on the material, but also on further marks of quality. Peneration time of glove The selection of the suitable gloves does not only depend on the material on cons	-	· · ·
REL Long-term value: 1 mg/m ³ Long-term value: 1 mg/m ³ TIV Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³ Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes. Protection of hands: Fortection of hands: Selection of the glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendiation to the glove material can be given for the product/ the preparation / the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation to the sale the reduct is a preparation of several substances, the resistance the glove material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies form manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can no be calculated in advance and has therefore to be checked prior to the application. Penetration fine of glove material The seact break through time has to be found out by the manufacturer of the protective gloves and has to o observed. <tr< th=""><th></th><th>-</th></tr<>		-
IVI Long-term value: 1 mg/m³ Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands: Wie Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation of the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer. As the product is a preparation of several substances, the resistance the glove material on be eaclulated in advance and has therefore to be checked prior to the application. Paretration time of glove material The selection: Vig protection:		
TLV Short-term value: 1 mg/m³ Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and fed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands: Voice Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation to the selove material can to be calculated in advance and has therefore to be checked prior to the application. Hest effort of the solve material Paterial of glove material The selection of the salus to be found out by the manufacturer of th		0
Long-term value: 1 mg/m ³ Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective and hygienic measures: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Protection of hands: Image: State of the product with the eyes. Protection of hands: Image: State of the product with the eyes. Protection of the slove material on consideration of the product the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the edgradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufact		
Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breaking equipment: Not required. Protection of hands: Vivi Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies form manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Pateration time of glove material The teack through time has to be found out by the manufacturer of the protective gloves and has to b observed. Election of the suitable gloggles Body protection: Protection: Protection: The text brough		
Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breaking equipment: Not required. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistant the substance the material and to be calculated in advance and has therefore to be checked prior to the application. Protection: Protect		
Personal protective equipment: General protective and hygienic measures: Keep away from foodstudy, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical of gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the chemical for gloves The glove material on consideration of the penetration times, rates of diffusion and the degradation to the gloves material can be given for the product/ the substance, the resistance the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of gloves Tightly sealed goggles Physical and chemical properties Physical and chemical properties General Information Appearance: Form: Liquid		•
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands: Void contact with the eyes and skin. Breathing equipment: Not required. Protection of hands: Void contact with the eyes and skin. Breathing equipment: Not required. Protection of hands: Void contact with the eyes and skin. Breathing equipment: Not required. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the degradation the material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies from manufacturer. As the product is a preparation of several substances, the resistance the glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Experiment: Protective work clothing Tightly sealed goggles In	-	
Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands:		
Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes. Protection of hands: Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation Selection of the substances of the substances of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistances the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Physical and chemical properties Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid		
Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands:		
Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the slove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Every protection: Potention: Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid		
Breathing equipment: Not required. Protection of hands: Image: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to themical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation in the substance of the substances, the resistance the glove manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The seace through time has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be observed. Perpertection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid		
Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Experimential: Dependential: Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid		
Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The selection: Eve protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties General Information on basic physical and chemical properties General Information Argumente: Form: Liquid		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality ar varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to b observed. Eye protection: Cipe protection: Ci	Prote	ction of hands:
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality any varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Information on basic physical and chemical properties • General Information • Appearance: Form: Liquid	1112	Protective gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality arrivation of the suitable gloves does not only depend on the material, but also on further marks of quality arrivations from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work clothing • Information on basic physical and chemical properties • General Information • Appearance: Form: Liquid	Due t chemi Select	o missing tests no recommendation to the glove material can be given for the product/ the preparation/ the ical mixture. tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Form: Liquid	The so varies the gl Penet The e	election of the suitable gloves does not only depend on the material, but also on further marks of quality and s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of ove material can not be calculated in advance and has therefore to be checked prior to the application. t ration time of glove material exact break through time has to be found out by the manufacturer of the protective gloves and has to be
Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid	C	
Information on basic physical and chemical properties General Information Appearance: Form: Liquid	Body	protection: Protective work clothing
 Information on basic physical and chemical properties General Information Appearance: Form: Liquid 		
General Information Appearance: Form: Liquid	Phys	ical and chemical properties
· Appearance: Form: Liquid		
Form: Liquid		
	Anner	
Color: Clear		m· Liauid
	For	

Printing date 09/12/2017

Reviewed on 09/12/2017

Trade name: Phosphoric Acid 50% (1:1) Aqueous Solution

		(Contd. of page
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
Density at 20 °C (68 °F):	1.36936 g/cm³ (11.427 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	37.2 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

 $\cdot \textit{Incompatible materials: } No further relevant information available.$

 $\cdot \textit{Hazardous decomposition products: No dangerous decomposition products known.}$

(Contd. on page 6)

Printing date 09/12/2017

Reviewed on 09/12/2017

Trade name: Phosphoric Acid 50%

(1:1) Aqueous Solution

(Contd. of page 5)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 7664-38-2 Phosphoric Acid 85%

Irritation of skin Skin Corrosion/Irritation severe 595 mg (rabbit) (Draize test 24 hr)

Irritation of eyes Eye damage/eye irritation Severe 119 mg (rabbit) (draize test)

· Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 09/12/2017

Reviewed on 09/12/2017

Trade name: Phosphoric Acid 50% (1:1) Aqueous Solution

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1805	
	0111003	
UN proper shipping name		
DOT MDC LATA	Phosphoric acid solution PHOSPHORIC ACID, SOLUTION	
IMDG, IATA	PHOSPHORIC ACID, SOLUTION	
Transport hazard class(es)		
DOT		
CORROSIVE		
V		
Class	8 Corrosive substances	
Label	8	
IMDG, IATA		
, 		
53		
8		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, IMDG, IATA	III	
Environmental hazards:	۸/ -	
Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
EMS Number:	F-A,S-B	
Segregation groups	Acids	
Stowage Category	A	
Transport in bulk according to Anne	x II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Printing date 09/12/2017

Reviewed on 09/12/2017

Trade name: Phosphoric Acid 50% (1:1) Aqueous Solution

· Transport/Additional information:	(Contd. of page 7
· DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1805 PHOSPHORIC ACID SOLUTION, 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 \cdot Section 313 (Specific toxic chemical listings):

CAS: 7664-38-2 Phosphoric Acid 85%

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

 \cdot EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

US -

US

Safety Data Sheet acc. to OSHA HCS

Printing date 09/12/2017

Reviewed on 09/12/2017

Trade name: Phosphoric Acid 50% (1:1) Aqueous Solution

	(Contd. of page 8
Hazard pictograms	
\wedge	
\mathbf{V}	
GHS05	
Signal word Danger	
Hazard-determining components of labeling:	
Phosphoric Acid 85%	
Hazard statements	
Causes severe skin burns and eye damage.	
Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do
Continue rinsing.	
Immediately call a POISON CENTER/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation.	<i>s</i> .
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision
- 09-12-2017: review SDS for accuracy. STN Creation date for SDS 06-05-2014. STN
- 09/12/2017 / -
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative (Contd. on page 10)

Printing date 09/12/2017

Trade name: Phosphoric Acid 50% (1:1) Aqueous Solution

(Contd. of page 9)

US

Reviewed on 09/12/2017

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1