US

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/10/2023

Reviewed on 05/10/2023

# **1** Identification · Product identifier • Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable · Article number: 7280 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 **2** Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Toxicity - Oral 3 H301 Toxic if swallowed. Acute Toxicity - Dermal 3 H311 Toxic in contact with skin. H331 Toxic if inhaled. Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. \_\_\_\_\_ · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 05/10/2023

Reviewed on 05/10/2023

Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable



Printing date 05/10/2023

Reviewed on 05/10/2023

### Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable

(Contd. of page 2)

.206% 794%

#### · Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 67-56-1	Methanol	93.
CAS: 1310-58-3	Potassium Hydroxide	6.7

### 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.* 

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Printing date 05/10/2023

Reviewed on 05/10/2023

Trade name: Potassium Hydroxide 1.0N	
in Methanol, NIST Traceable	

		(Contd. of page 3)
• Environmental p	precautions:	
Dilute with plent	y of water.	
Do not allow to e	enter sewers/ surface or ground water.	
• Methods and ma	terial for containment and cleaning up:	
Absorb with liqu	<i>id-binding material (sand, diatomite, acid binders, universal binders, sawdust).</i>	
Use neutralizing	agent.	
	nated material as waste according to section 13.	
Ensure adequate		
• Reference to oth		
	information on safe handling.	
	information on personal protection equipment.	
	or disposal information.	
• Protective Action	ı Criteria for Chemicals	
· PAC-1:		
CAS: 67-56-1	Methanol	530 ppm
CAS: 1310-58-3	Potassium Hydroxide	$0.18 \ mg/m^3$
· PAC-2:		
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 1310-58-3	Potassium Hydroxide	2 mg/m <sup>3</sup>
· PAC-3:		
CAS: 67-56-1	Methanol	7200* ppm
CAS: 1310-58-3	Potassium Hydroxide	54 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
   Keep respiratory protective device available.
- $\cdot$  Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s) No further relevant information available.*
- 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 05/10/2023

Reviewed on 05/10/2023

### Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable

	(Contd. of page 4)
	ol parameters
-	onents with limit values that require monitoring at the workplace:
	67-56-1 Methanol
	Long-term value: 260 mg/m³, 200 ppm
	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 260 mg/m³, 200 ppm Skin
	Shart Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEI
CAS:	1310-58-3 Potassium Hydroxide
REL	Ceiling limit value: 2 mg/m <sup>3</sup>
TLV	Ceiling limit value: 2 mg/m³
Ingre	dients with biological limit values:
CAS:	67-56-1 Methanol
BEI 1	5 mg/L
	D50 Intraperitoneal: urine
	<i>Time: end of shift</i>
	D50: Methanol (background, nonspecific)
Additi	ional information: The lists that were valid during the creation were used as basis.
Expos	sure controls
	nal protective equipment:
	al protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing. hands before breaks and at the end of work.
	protective clothing separately.
	contact with the eyes.
	contact with the eyes and skin.
Breat	hing equipment:
	e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
	atory protective device that is independent of circulating air.
Protec	ction of hands:
ſſ	
1117	Protective gloves
The	
	love material has to be impermeable and resistant to the product/ the substance/ the preparation.
	o missing tests no recommendation to the glove material can be given for the product/ the preparation/ the cal mixture.
	ion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	in of playes

• *Material of gloves* The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

(Contd. of page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/10/2023

Reviewed on 05/10/2023

# Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable

· Eye protection:



\*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Methanol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.87188 g/cm <sup>3</sup> (7.27584 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

Printing date 05/10/2023

Reviewed on 05/10/2023

### Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable

	(Co	ontd. of page 6)
· Solvent content: Organic solvents:	93.2 %	
VOC content:	93.21 % 812.6 g/l / 6.78 lb/gal	
Solids content:	6.8 %	
• Other information	No further relevant information available.	

### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

· Information on toxicological effects

· Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

ATE (Acu	te Toxicity	Estimate)
		106 mg/kg
	LD50	322 mg/kg
Inhalative	LC50/4h	3.22 mg/l

#### • Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

 · IARC (International Agency for Research on Cancer)

 None of the ingredients is listed.

 · NTP (National Toxicology Program)

 None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 05/10/2023

Reviewed on 05/10/2023

Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable

(Contd. of page 7)

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

147		
14 Irans	port informatic	$\mathbf{n}$
17 11 4103		

UN-Number DOT, IMDG, IATA	UN2924
UN proper shipping name	
DOT	Flammable liquids, corrosive, n.o.s. (Methanol, Potassium Hydroxide)
IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methanol,
	Potassium Hydroxide)
Transport hazard class(es)	
DOT	
RAMAALE LOOP	
Class	3 Flammable liquids
	(Contd. on page

Printing date 05/10/2023

Reviewed on 05/10/2023

# Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable

	(Contd. of pag
Label	3, 8
·IMDG	
· Class	3 Flammable liquids
· Label	3/8
· IATA	
· Class	3 Flammable liquids
· Label	3 (8)
· Packing group · DOT, IMDG, IATA	II
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code) EMS Number:	): 338 F-E,S-C
· EMS Number: · Segregation groups	(SGG18) Alkalis
· Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 5 L
· IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O. (METHANOL, POTASSIUM HYDROXIDE), 3 (8), II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 10)

<sup>-</sup> US

Printing date 05/10/2023

Reviewed on 05/10/2023

### Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable

ara ection 355 (extremely hazardous substances): Ione of the ingredients is listed. ection 313 (Specific toxic chemical listings): CAS: 67-56-1 Methanol SCA (Toxic Substances Control Act): Methanol Iotassium Hydroxide Iazardous Air Pollutants CAS: 67-56-1 Methanol Iotasse cancer: Ione of the ingredients is listed. Ihemicals known to cause reproductive toxicity for females: Ione of the ingredients is listed. Ihemicals known to cause reproductive toxicity for males: Ione of the ingredients is listed. Ihemicals known to cause developmental toxicity: CAS: 67-56-1 Methanol Interval Inte	ACTIVI ACTIVI
Ione of the ingredients is listed.         ection 313 (Specific toxic chemical listings):         AS: 67-56-1       Methanol         SCA (Toxic Substances Control Act):         Iethanol         otassium Hydroxide         Iazardous Air Pollutants         AS: 67-56-1         Methanol         otassium Hydroxide         Iazardous Air Pollutants         AS: 67-56-1         Methanol         roposition 65         Themicals known to cause cancer:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for females:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause developmental toxicity:	
ection 313 (Specific toxic chemical listings):         CAS: 67-56-1       Methanol         SCA (Toxic Substances Control Act):         Methanol         Sotassium Hydroxide         Matage and	
AS: 67-56-1 Methanol SCA (Toxic Substances Control Act): Methanol totassium Hydroxide Mazardous Air Pollutants Tazardous Air Pollutants Tazard	
SCA (Toxic Substances Control Act):         Iethanol         Iotassium Hydroxide         Iazardous Air Pollutants         TAS: 67-56-1         Methanol         roposition 65         Themicals known to cause cancer:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for females:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause developmental toxicity:	
Methanol         Iotassium Hydroxide         Iazardous Air Pollutants         IAS: 67-56-1       Methanol         Foposition 65         Inemicals known to cause cancer:         Ione of the ingredients is listed.         Inemicals known to cause reproductive toxicity for females:         Ione of the ingredients is listed.         Inemicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Inemicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Inemicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Inemicals known to cause developmental toxicity:	
Potassium Hydroxide         Iazardous Air Pollutants         PAS: 67-56-1         Methanol         Proposition 65         Themicals known to cause cancer:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for females:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause developmental toxicity:	
Iazardous Air Pollutants         CAS: 67-56-1       Methanol         Proposition 65         Chemicals known to cause cancer:         Vone of the ingredients is listed.         Chemicals known to cause reproductive toxicity for females:         Vone of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         Vone of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         Vone of the ingredients is listed.         Chemicals known to cause reproductive toxicity for males:         Vone of the ingredients is listed.         Chemicals known to cause developmental toxicity:	ACTIVI
AS: 67-56-1 Methanol roposition 65 Themicals known to cause cancer: Ione of the ingredients is listed. Themicals known to cause reproductive toxicity for females: Ione of the ingredients is listed. Themicals known to cause reproductive toxicity for males: Ione of the ingredients is listed. Themicals known to cause developmental toxicity:	
Proposition 65         Schemicals known to cause cancer:         Mone of the ingredients is listed.         Schemicals known to cause reproductive toxicity for females:         Mone of the ingredients is listed.         Schemicals known to cause reproductive toxicity for males:         Mone of the ingredients is listed.         Schemicals known to cause reproductive toxicity for males:         Mone of the ingredients is listed.         Schemicals known to cause developmental toxicity:	
Themicals known to cause cancer:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for females:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause developmental toxicity:	
Vone of the ingredients is listed. Themicals known to cause reproductive toxicity for females: Vone of the ingredients is listed. Vhemicals known to cause reproductive toxicity for males: Vone of the ingredients is listed. Vhemicals known to cause developmental toxicity:	
Themicals known to cause reproductive toxicity for females:         Ione of the ingredients is listed.         Themicals known to cause reproductive toxicity for males:         Ione of the ingredients is listed.         Themicals known to cause developmental toxicity:	
Vone of the ingredients is listed. Themicals known to cause reproductive toxicity for males: Vone of the ingredients is listed. Themicals known to cause developmental toxicity:	
Themicals known to cause reproductive toxicity for males: None of the ingredients is listed. Themicals known to cause developmental toxicity:	
lone of the ingredients is listed.	
hemicals known to cause developmental toxicity:	
AS: 67-56-1 Methanol	
arcinogenic categories	
PA (Environmental Protection Agency)	
lone of the ingredients is listed.	
LV (Threshold Limit Value)	

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Methanol Potassium Hydroxide
Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes damage to the central nervous system and the visual organs.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment.

(Contd. on page 11)

<sup>-</sup> ÚS

Printing date 05/10/2023

Reviewed on 05/10/2023

### Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable

(Contd. of page 10) Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

#### · Contact:

- Date of preparation / last revision Revision 1.0 05/10/2023, reviewed SDS for accuracy. STN Creation date for SDS 07-24-2018. STN 05/10/2023
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent. Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI:** Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2

(Contd. on page 12)

Printing date 05/10/2023

Reviewed on 05/10/2023

### Trade name: Potassium Hydroxide 1.0N in Methanol, NIST Traceable

(Contd. of page 11)

US

Acute Toxicity - Oral 3: Acute toxicity – Category 3 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 • \* Data compared to the previous version altered.