Printing date 01/31/2018

Reviewed on 01/31/2018

	Reviewed on 01/31/20
Identification	
Product identifier	
Trade name: <u>Phenolphthalein 1.0% wv</u> in Methanol	
Article number: UC209	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA	AQUA SOLUTIONS
800-256-2586	
• Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
P Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS08 Health hazard	
Muta. 2 H341 Suspected of causing genetic defects.	
Carc. 1B H350 May cause cancer.	
Repr. 2 H361 Suspected of damaging fertility or the unborn	child.
STOT SE 1 H370 Causes damage to organs.	
$\mathbf{\wedge}$	
GHS07	
<i>GHS07</i> <i>Acute Tox. 4 H302 Harmful if swallowed.</i>	
$\mathbf{\vee}$	ng to the Globally Harmonized System (GHS)
Acute Tox. 4 H302 Harmful if swallowed. • Label elements • GHS label elements The product is classified and labeled accordin	ng to the Globally Harmonized System (GHS,
Acute Tox. 4 H302 Harmful if swallowed. • Label elements • GHS label elements The product is classified and labeled accordin	ng to the Globally Harmonized System (GHS,
Acute Tox. 4 H302 Harmful if swallowed. • Label elements • GHS label elements The product is classified and labeled accordin • Hazard pictograms	ng to the Globally Harmonized System (GHS,
Acute Tox. 4 H302 Harmful if swallowed. Label elements GHS label elements The product is classified and labeled accordin Hazard pictograms GHS02 GHS07 GHS08	ng to the Globally Harmonized System (GHS,

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

	(Contd. of page 1
Phenolphthalein	
Hazard statements	
Highly flammable liquid and vapor.	
Harmful if swallowed.	
Suspected of causing genetic defects.	
May cause cancer.	
Suspected of damaging fertility or the unborn child.	
Causes damage to organs.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Rinse mouth.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
$\frac{1}{3}$ Health = 1	
Fire = 3	
$\mathbf{U} Reactivity = 0$	
IMIS ratings (scale 0 1)	
HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 3 $Fire = 3$	
$\frac{1}{\text{REACTIVITY}[0]} Reactivity = 0$	
REACTIVITY 0 Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
11	
Composition/information on ingredients	

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

(Contd. of page 2)

· Dangerous components:			
CAS: 67-56-1	Methanol (Methyl Alcohol)	98.738%	
CAS: 77-09-8	Phenolphthalein	1.262%	

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.		
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.		
• Methods and material for containment and cleaning up:		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).		
Dispose contaminated material as waste according to item 13.		
Ensure adequate ventilation.		
· Reference to other sections		
See Section 7 for information on safe handling.		
See Section 8 for information on personal protection equipment.		
See Section 13 for disposal information.		
· Protective Action Criteria for Chemicals		
· PAC-1:		
CAS: 67-56-1 Methanol (Methyl Alcohol)	530 ppm	
CAS: 77-09-8 Phenolphthalein	$4 mg/m^3$	
· PAC-2:		
CAS: 67-56-1 Methanol (Methyl Alcohol)	2,100 ppm	
	Contd. on page 4)	

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

• PAC-3: CAS: 67-56-1 Methanol (Methyl Alcohol) 7200* ppm CAS: 77-09-8 Phenolphthalein 260 mg/m³	CAS: 77-09-8 Phenolphthalein	(Contd. of page 3) 44 mg/m ³
	· PAC-3:	
CAS: 77-09-8 Phenolphthalein 260 mg/m ³	CAS: 67-56-1 Methanol (Methyl Alcohol)	7200* ppm
	CAS: 77-09-8 Phenolphthalein	260 mg/m ³

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. • **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 67-56-1 Methanol (Methyl Alcohol)

- PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol (Methyl Alcohol)

BEI 15 mg/L

LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US -

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Store protective clothing separately.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:	Y J	
Form:	Liquid	
Color:	Pale pink	
Odor:	Methanol	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-97.8 °C (-144 °F)	
Boiling point/Boiling range:	64 °C (147.2 °F)	
Flash point:	11 °C (51.8 °F)	
Flammability (solid, gaseous):	Not applicable.	

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

	(Contd. of page :	
Ignition temperature:	455 °C (851 °F)	
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F):	0.79261 g/cm ³ (6.61433 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
artition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	98.7 %	
VOC content:	98.74 %	
	782.6 g/l / 6.53 lb/gl	
Solids content:	1.3 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,202-2,804 mg/kg (rat)

Inhalative LC50/4 h 130 mg/l (rat)

(Contd. on page 7)

US

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

(Contd. of page 6)

2B

R

CAS: 67-56-1 Methanol (Meth			nol (Methyl Alcohol)
	Oral	LD50	100 mg/kg (ATE)
	Dermal	LD50	300 mg/kg (ATE)
	Inhalative	LC50/4 h	3 mg/l (ATE)

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

 \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 77-09-8 Phenolphthalein

· NTP (National Toxicology Program)

CAS: 77-09-8 Phenolphthalein

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 8)

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

(Contd. of page 7)

Transport information	
UN-Number DOT, IMDG, IATA	UN1993
	011775
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (METHANOL)
Transport hazard class(es)	
DOT	
RAMMARE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids 3
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	336
EMS Number:	<i>F-E,S-E</i>
Stowage Category	B
Transport in bulk according to Annex 1	II of
MARPOL73/78 and the IBC Code	Not applicable.
	**
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANOL), 3, II

(Contd. on page 9)

US

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

(Contd. of page 8)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

- None of the ingredients is listed.
- \cdot Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)

Phenolphthalein

· TSCA new (21st Century Act) (Substances not listed)

CAS: 77-09-8 Phenolphthalein

· Proposition 65

 \cdot Chemicals known to cause cancer:

CAS: 77-09-8 Phenolphthalein

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- Hazard-determining components of labeling: Methanol (Methyl Alcohol) Phenolphthalein
- Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Suspected of causing genetic defects.

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

	(Contd. of page 9)
May cause cancer.	
Suspected of damaging fertility or the unborn child.	
Causes damage to organs.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Rinse mouth.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation.	5.
· National regulations:	
·Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	
· Information about limitation of use:	

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision 01-31-2018: review SDS for accuracy. STN Creation date for SDS 01-13-2015. STN 01/31/2018 / -
- Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation

 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

US

Printing date 01/31/2018

Reviewed on 01/31/2018

Trade name: Phenolphthalein 1.0% wv in Methanol

(Contd. of page 10)

US

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity – Category 1B Repr. 2: Reproductive toxicity – Category 2 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1