Safety Data Sheet acc. to OSHA HCS

Printing date 12/12/2017

Reviewed on 12/12/2017

Product identifier	
Trade name: <u>Sulfur Standard</u> 100.0 PPM W/V in Methanol	
Article number: ND218	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA
Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS08 Health hazard	
STOT SE 1 H370 Causes damage to organs.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed.	
Label elements GHS label elements The product is classified and labeled according Hazard pictograms	to the Globally Harmonized System (G.
GHS02 GHS07 GHS08	
Signal word Danger	
Hazard-determining components of labeling: Methanol (Methyl Alcohol) Hazard statements Highly flammable liquid and vapor.	
Harmful if swallowed.	
	(Contd. on

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Sulfur Standard 100.0 PPM W/V in Methanol

CAS: 132-65-0 dibenzothiophene

	(Contd. of page 1)
Causes damage to organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
Specific treatment (see on this label).	
Rinse mouth.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 1 Fire = 3 Reactivity = 0 HEALTH 1 HEALTH 1 Health = *1 FIRE 3 REACTIVITY 0 Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
5 Composition information on ingreatents	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
Ŭ Å	00.0270
CAS: 67-56-1 Methanol (Methyl Alcohol)	99.927%
• Table of Nonhazardous Ingredients	

(Contd. on page 3)

0.0727%

US

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Sulfur Standard 100.0 PPM W/V in Methanol

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	530 ppm
· PAC-2:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	2,100 ppm
· PAC-3:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	7200* ppm

(Contd. on page 4)

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Sulfur Standard 100.0 PPM W/V in Methanol

(Contd. of page 3)

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:
CAS: 67-56-1 Methanol (Methyl Alcohol)
PEL Long-term value: 260 mg/m ³ , 200 ppm
REL Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin
TLV Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI
· Ingredients with biological limit values:
CAS: 67-56-1 Methanol (Methyl Alcohol)
BEI 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)
• Additional information: The lists that were valid during the creation were used as basis.
 Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

US

Printing date 12/12/2017

Trade name: Sulfur Standard 100.0 PPM W/V in Methanol

Reviewed on 12/12/2017

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Colorless · Odor: Strong · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition Melting point/Melting range: -97.8 °C (-144 °F) Boiling point/Boiling range: 64 °C (147.2 °F) 11 °C (51.8 °F) · Flash point: · Flammability (solid, gaseous): Not applicable. 455 °C (851 °F) · Ignition temperature: · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. · Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F): 0.79116 g/cm³ (6.60223 lbs/gal) · Relative density Not determined. · Vapor density Not determined. Not determined. · Evaporation rate · Solubility in / Miscibility with Water: Not miscible or difficult to mix. (Contd. on page 6)

______US

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Sulfur Standard 100.0 PPM W/V in Methanol

	(0	Contd. of page
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.9 %	
VOC content:	99.93 %	
	790.6 g/l / 6.60 lb/gl	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,188-2,771 mg/kg (rat)

Inhalative LC50/4 h 128 mg/l (rat)

CAS: 67-56-1 Methanol (Methyl Alcohol)

Oral	LD50	1,187-2,769 mg/kg (rat)
Dermal	LD50	17,100 mg/kg (rabbit)
Inhalative	LC50/4 h	128.2 mg/l (rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 132-65-0 dibenzothiophene

(Contd. on page 7)

3

US

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Sulfur Standard

100.0 PPM W/V in Methanol

(Contd. of page 6)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1993	
UN proper shipping name		
DOT	Flammable liquids, n.o.s. (Methanol)	
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (METHANOL)	
Transport hazard class(es)		
DOT		
RAMABLE LODO		
Class	3 Flammable liquids	

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Sulfur Standard 100.0 PPM W/V in Methanol

	(Contd. of page 7
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Packing group	
· IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· EMS Number:	F-E,S-E
· Stowage Category	B
· Transport in bulk according to Annex I	II of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANOL), 3, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

· TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)

dibenzothiophene

· TSCA new (21st Century Act) (Substances not listed)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Sulfur Standard

None of the ingredients is listed.

100.0 PPM W/V in Methanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

· TLV (Threshold Limit Value established by ACGIH)

(Contd. of page 8)

 GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Weissen GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Methanol (Methyl Alcohol) Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes damage to organs. Precautionary statements Ground/Donde container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Tacke precoutionary measures against static discharge. Do not berath dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear dust (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Specific treatment (see on this label). Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store in a well-ventilated place. Keep cool. Store in correlations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 	None of the ingredients is listed.
 Signal word Danger Hazard-determining components of labeling: Methanol (Methyl Alcohol) Hazard statements Highly flammable liquid and vapor. Harnful if swallowed. Causes damage to organs. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Specific treatment (see on this label). Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. 	
 Signal word Danger Hazard-determining components of labeling: Methanol (Methyl Alcohol) Hazard statements Highly flammable liquid and vapor. Harnful if swallowed. Causes damage to organs. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Specific treatment (see on this label). Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. 	
 Hazard-determining components of labeling: Methanol (Methyl Alcohol) Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes damage to organs. Precautionary statements Keep away from heal/sparks/open flames/hot surfaces No smoking. Keep away from heal/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Specific treatment (see on this label). Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. 	GHS02 GHS07 GHS08
 Methanol (Methyl Alcohol) Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes damage to organs. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Specific treatment (see on this label). Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. 	· Signal word Danger
	 Methanol (Methyl Alcohol) Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes damage to organs. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Specific treatment (see on this label). Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision 12-12-2017: review SDS for accuracy. STN Revision 0.0, 01-07-2016: creation date for SDS. STN 12/12/2017 / -

(Contd. on page 10)

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Sulfur Standard 100.0 PPM W/V in Methanol

(Contd. of page 9)
· Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1
US