Printing date 05/11/2023

*

Reviewed on 05/11/2023

Product identifier		
Trade name: <u>Pyridine, Pur</u>	ified 99%	
Article number: P9162		
CAS Number: 110-86-1		
EC number:		
203-809-9 Index number:		AQUA
613-002-00-7		SOLUTIONS
Details of the supplier of th	ne safety data sheet	
Manufacturer/Supplier:		
Aqua Solutions, Inc. 6913 Highway 225		
DEER PARK, TX 77536		
USA 800-256-2586		
Information department:		
Technical Coordinator		
Sherman Nelson shermann		
<i>Emergency telephone num</i> <i>Chemtrec: 800-424-9300</i>	ber:	
Canutec: 613-996-6666		
Hazard(s) identificatio	n	
Hazard(s) identificatio		
Hazard(s) identification		
Classification of the substa		
Classification of the substa		vapor.
Classification of the substa	nce or mixture	vapor.
Classification of the substa GHS02 Flame Flammable Liquids 2 GHS08 Health ha	nce or mixture H225 Highly flammable liquid and	vapor.
Classification of the substa GHS02 Flame Flammable Liquids 2 GHS08 Health ha	nce or mixture H225 Highly flammable liquid and v azard	vapor.
Classification of the substa GHS02 Flame Flammable Liquids 2 GHS08 Health ha	nce or mixture H225 Highly flammable liquid and	vapor.
Classification of the substa GHS02 Flame Flammable Liquids 2 GHS08 Health ha Carcinogenicity 2	nce or mixture H225 Highly flammable liquid and v azard	vapor.
Classification of the substa GHS02 Flame Flammable Liquids 2 GHS08 Health ha	nce or mixture H225 Highly flammable liquid and v azard	vapor.
Classification of the substate GHS02 Flame Flammable Liquids 2 GHS08 Health ha Carcinogenicity 2 GHS07	nce or mixture H225 Highly flammable liquid and v azard H351 Suspected of causing cancer.	vapor.
Classification of the substa GHS02 Flame Flammable Liquids 2 GHS08 Health ha Carcinogenicity 2	nce or mixture H225 Highly flammable liquid and v azard	vapor.
Classification of the substa GHS02 Flame Flammable Liquids 2 GHS08 Health ha Carcinogenicity 2 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4	nce or mixture H225 Highly flammable liquid and azard H351 Suspected of causing cancer. H302 Harmful if swallowed.	vapor.

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Pyridine, Purified 99%

Hazard pictograms	(Contd. of page 1
∇ \vee \vee	
GHS02 GHS07 GHS08	
Signal word Danger	
Hazard statements	
Highly flammable liquid and vapor.	
Harmful if swallowed, in contact with skin or if inhaled.	
Suspected of causing cancer.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
If on skin (of hair). Take off immediately all contaminated clothing. Kinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF initialed. Remove person to fresh an ana keep componable for breaking. IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool. Store locked up.	
	a.
Dispose of contents/container in accordance with local/regional/national/international regulation	3.
Classification system: NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 3	
$\frac{2}{Reactivity} = 0$	
HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & 2 \end{array} \\ Health = 2 \end{array}$	
FIRE 3 $Fire = 3$	
REACTIVITY 0 <i>Reactivity</i> = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
	(Contd. on page 3

(Contd. on page 3)

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Pyridine, Purified 99%

• **vPvB:** Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 110-86-1 Pyridine
- · Identification number(s)
- EC number: 203-809-9
- · Index number: 613-002-00-7

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- *Environmental precautions:* Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Pyridine, Purified 99%

(Contd. of page 3)

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1:** 3 ppm
- **PAC-2:** 19 ppm
- **PAC-3:** 3600* ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 110-86-1 Pyridine

PEL Long-term value: 15 mg/m³, 5 ppm

- REL Long-term value: 15 mg/m³, 5 ppm
- *TLV Long-term value: 1 ppm* A3

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

[–] US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Pyridine, Purified 99%

(Contd. of page 4)

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

General Information	
Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Unpleasant
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-41.8 °C (-43.2 °F)
Boiling point/Boiling range:	115.5 °C (239.9 °F)
Flash point:	17 °C (62.6 °F)
· Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	550 °C (1,022 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	1.7 Vol %
Upper:	10.6 Vol %
· Vapor pressure at 20 °C (68 °F):	20 hPa (15 mm Hg)
Vapor pressure at 50 °C (122 °F):	93 hPa (69.8 mm Hg)
Density at 20 °C (68 °F):	0.9819 g/cm³ (8.19396 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Pyridine, Purified 99%

		(Contd. of page
· Solubility in / Miscibility with	,	
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral	LD50	500 mg/kg (ATE)
Dermal	LD50	1,100 mg/kg (ATE)
Inhalative	LC50/4h	11 mg/l (ATE)

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer) 2B
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- \cdot Additional ecological information:

· General notes:

Water hazard class 2 (Assessment by list): hazardous for water

(Contd. on page 7)

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Pyridine, Purified 99%

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

*

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1282
UN proper shipping name	
DOT	Pyridine
IMDG, IATA	PYRIDINE
Transport hazard class(es)	
DOT	
RAMMARE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	В

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Pyridine, Purified 99%

	(Contd. of page 7)
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations · Hazardous substance:	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L 1000 lbs, 454 kg
• IMDG • Limited quantities (LQ) • Excepted quantities (EQ)	1L Code: E2
Lacepica quanta (Dg)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1282 PYRIDINE, 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) A3
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

• Hazard statements Highly flammable liquid and vapor. Harmful if swallowed, in contact with skin or if inhaled. Suspected of causing cancer.

• **Precautionary statements** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

(Contd. on page 9)

[·] Carcinogenic categories

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: Pyridine, Purified 99%

	(Contd. of page 8)
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	S.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 1.0 05/11/2023, reviewed SDS for accuracy. STN 05/11/2023
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Carcinogenicity 2: Carcinogenicity – Category 2 \cdot * Data compared to the previous version altered.

us -