Printing date 11/28/2017

Reviewed on 11/28/2017

1 Identification

- · Product identifier
- · Trade name: Lithium Chloride, Laboratory Grade
- Article number: L5163
- CAS Number: 7447-41-8
- *EC number:*
- 231-212-3
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator
 Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4H302Harmful if swallowed.Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

- Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.
- **Precautionary statements** Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves / eye protection / face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water.

(Contd. on page 2)



US

Printing date 11/28/2017

Reviewed on 11/28/2017

Trade name: Lithium Chloride, Laboratory Grade

(Contd. of page 1)
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).
Rinse mouth.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2
Fire = 0
2 0 Reactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH 2 $Health = 2$
FIRE 0 $Fire = 0$
REACTIVITY 0 Reactivity = 0
Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
• PBT: Not applicable.
· vPvB: Not applicable.
3 Composition/information on ingredients
· Chemical characterization: Substances

- · CAS No. Description
- 7447-41-8 Lithium Chloride
- · Identification number(s)
- EC number: 231-212-3

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

(Contd. on page 3)

Printing date 11/28/2017

Reviewed on 11/28/2017

Trade name: Lithium Chloride, Laboratory Grade

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- $\cdot \textit{Personal precautions, protective equipment and emergency procedures} \textit{ Not required.}$
- $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ \textit{surface or ground water.}$
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- \cdot Protective Action Criteria for Chemicals
- · PAC-1: 2.3 mg/m³
- **PAC-2:** 25 mg/m³
- · PAC-3: 150 mg/m³

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- \cdot Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.

(Contd. on page 4)

US

Printing date 11/28/2017

Reviewed on 11/28/2017

(Contd. of page 3)

Trade name: Lithium Chloride, Laboratory Grade

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Granulate	
Form: Color:	White	
Odor:	<i>Odorless</i>	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	605 °C (1,121 °F)	
Boiling point/Boiling range:	1,360 °C (33.8 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	2.068 g/cm³ (17.25746 lbs/gal)	

_____US

Printing date 11/28/2017

Reviewed on 11/28/2017

Trade name: Lithium Chloride, Laboratory Grade

		(Contd. of page 4
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not determined.	
· Partition coefficient (n-octano	l/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 526 mg/kg (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

• General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

(Contd. on page 6)

Printing date 11/28/2017

Reviewed on 11/28/2017

Trade name: Lithium Chloride, Laboratory Grade

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADN, IMDG, IATA	Not regulated
UN proper shipping name	
DOT	Not regulated
ADN, IMDG, IATA	Not regulated
Transport hazard class(es)	
DOT	Not applicable
Class	Not regulated
ADN/R Class:	Not regulated
Packing group	
DOT, IMDG, IATA	Not regulated
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	I of Not applicable.
Transport/Additional information:	
DOT	
Remarks:	Not regulated
IMDG	
Remarks:	Not regulated
ΙΑΤΑ	
Remarks:	Not regulated
UN "Model Regulation":	Not regulated

(Contd. on page 7)

Printing date 11/28/2017

Reviewed on 11/28/2017

Trade name: Lithium Chloride, Laboratory Grade

(Contd. of page 6)

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.

· TSCA (Toxic Substances Control Act):

Lithium Chloride

· Proposition 65

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

• Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Wear protective gloves / eye protection / face protection.

- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Rinse mouth.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 8)

US

Printing date 11/28/2017

Reviewed on 11/28/2017

Trade name: Lithium Chloride, Laboratory Grade

1-28-2017: review SDS for accuracy. STN Creation date for SDS 12-29-2014. STN 1/28/2017 / - Ibbreviations and acronyms: DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International arriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods VDT: US Department of Transportation ATA: International Air Transport Association CGHI: American Conference of Governmental Industrial Hygienists INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) IMIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent D50:	(Contd. of page
Creation date for SDS 12-29-2014. STN 1/28/2017 / - Where iteras and acronyms: DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Varriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods WDG: US Department of Transportation ATA: International Air Transport Association CGIH: American Conference of Governmental Industrial Hygienists VINECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent D51: Verbal dose, 50 percent D51: National Institute for Occupational Safety SBHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit CEL: Recommended Exposure Limit CEL: Recommended Exposure Limit CEL: Permissible Exposure Limit CEL: Recommended Exposure Limit CE: Sen Corrosion/irritation – Category 2	Date of preparation / last revision
Creation date for SDS 12-29-2014. STN 1/28/2017 / - Where iterasport des marchandises dangereuses par Route (European Agreement concerning the International Variage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods WDG: International Maritime Code for Dangerous Goods WDG: US Department of Transportation ATA: International Air Transport Association CGIH: American Conference of Governmental Industrial Hygienists WINECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent D51: Versitent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IVSH: National Institute for Occupational Safety SBHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit CEL: Permissible Exposure Limit CEL: Recommended Exposure Limit CEL: Permissible Exposure Limit CE: Recommended Exposure Limit CE: Recommended Exposure Limit CE: Recommended Exposure Limit CE: Recommended Exposure Limit CE: Skin corrosion/irritation – Category 2	11-28-2017: review SDS for accuracy. STN
 1/28/2017 / - Abbreviations and acronyms: DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods VOT: US Department of Transport Association CGH: American Conference of Governmental Industrial Hygienists VINECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative VOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit CHE Care Safet Association – Category 2 	Creation date for SDS 12-29-2014. STN
DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International arriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods OOT: US Department of Transportation ATA: International Air Transport Association CGIH: American Conference of Governmental Industrial Hygienists INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	11/28/2017 / -
DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International arriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods OOT: US Department of Transportation ATA: International Air Transport Association CGIH: American Conference of Governmental Industrial Hygienists INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) MIMS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent D51: Lethal dose, 50 percent D52: Lethal dose, 50 percent D53: National Institute for Occupational Safety D54A: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	Abbreviations and acronyms:
Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation ATA: International Air Transport Association CGIH: American Conference of Governmental Industrial Hygienists INECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) IMIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal concentration, 50 percent D51: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SIA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	
 MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association CGIH: American Conference of Governmental Industrial Hygienists CINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) IMS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PVB: very Persistent and very Bioaccumulative INOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health LV: Threshold Limit Value EL: Percommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2 	
DOT: US Department of Transport Association ATA: International Air Transport Association CGH: American Conference of Governmental Industrial Hygienists INECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) IMIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent D81: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety DSH: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit CEL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	
ATA: International Air Transport Association CGIH: American Conference of Governmental Industrial Hygienists INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) IMIS: Hazardous Materials Identification System (USA) CSO: Lethal concentration, 50 percent D50: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit CL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	
CGIH: American Conference of Governmental Industrial Hygienists INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) IMIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal concentration, 50 percent BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IIOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value PEL: Permissible Exposure Limit CEL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	
 CINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) (FPA: National Fire Protection Association (USA) (IMIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PVB: very Persistent and very Bioaccumulative (IOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health LV: Threshold Limit Value PEL: Permissible Exposure Limit CEL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2 	
AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) IMIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative IIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit PEL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	
IMIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent 'BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative VIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	CAS: Chemical Abstracts Service (division of the American Chemical Society)
C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	NFPA: National Fire Protection Association (USA)
D50: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health UV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	HMIS: Hazardous Materials Identification System (USA)
BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	LC50: Lethal concentration, 50 percent
PvB: very Persistent and very Bioaccumulative IIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health IV: Threshold Limit Value PEL: Permissible Exposure Limit PEL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	LD50: Lethal dose, 50 percent
VIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health LV: Threshold Limit Value PEL: Permissible Exposure Limit PEL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	PBT: Persistent, Bioaccumulative and Toxic
DSHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	vPvB: very Persistent and very Bioaccumulative
LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	NIOSH: National Institute for Occupational Safety
EL: Permissible Exposure Limit EL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	OSHA: Occupational Safety & Health
EL: Recommended Exposure Limit cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	TLV: Threshold Limit Value
cute Tox. 4: Acute toxicity – Category 4 kin Irrit. 2: Skin corrosion/irritation – Category 2	PEL: Permissible Exposure Limit
kin Irrit. 2: Skin corrosion/irritation – Category 2	REL: Recommended Exposure Limit
• •	Acute Tox. 4: Acute toxicity – Category 4
ye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A