Printing date 05/22/2023

Reviewed on 05/22/2023

1 Identification · Product identifier · Trade name: Color Reagent • Article number: VUL362 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to the central nervous system and the visual organs. GHS07 H302 Harmful if swallowed. Acute Toxicity - Oral 4 · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS08 GHS02 GHS07 · Signal word Danger · Hazard-determining components of labeling: Methanol (Contd. on page 2) US

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

	(Contd. of page
Hazard statements	
Highly flammable liquid and vapor.	
Harmful if swallowed.	
May cause damage to the central nervous system and the visual organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF exposed or concerned: Call a poison center/doctor.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation.	S.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 0 $Fire = 0$	
REACTIVITY 0 <i>Reactivity</i> = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous comp	onents:		
CAS: 67-56-1	Methanol	5.961%	
CAS: 7782-61-8	Ferric Nitrate	1.528%	
CAS: 7697-37-2	Nitric Acid	0.284%	
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5	Water	92.196%	
		(Contd. on page 3)	

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

CAS: 592-85-8 Mercuric Thiocyanate

 $\frac{\text{(Contd. of page 2)}}{0.032\%}$

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

	tions, protective equipment and emergency procedures	
Mount respirator	y protective device.	
Wear protective e	equipment. Keep unprotected persons away.	
· Environmental p	recautions:	
Dilute with plent	y of water.	
Do not allow to e	nter sewers/ surface or ground water.	
· Methods and ma	terial for containment and cleaning up:	
Absorb with liqui	d-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contami	nated material as waste according to section 13.	
Ensure adequate	ventilation.	
· Reference to oth	er sections	
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
See Section 13 fo	r disposal information.	
· Protective Action	n Criteria for Chemicals	
· PAC-1:		
CAS: 67-56-1	Methanol	530 ppm
CAS: 7782-61-8	Ferric Nitrate	22 mg/m ³
CAS: 7697-37-2	Nitric Acid	0.16 ppm
		(Contd. on page 4)

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

		(Contd. of page 3)	
CAS: 592-85-8	Mercuric Thiocyanate	$0.12 mg/m^3$	
· PAC-2:			
CAS: 67-56-1	Methanol	2,100 ppm	
CAS: 7782-61-8	Ferric Nitrate	110 mg/m ³	
CAS: 7697-37-2	Nitric Acid	24 ppm	
CAS: 592-85-8	Mercuric Thiocyanate	0.16 mg/m ³	
· PAC-3:			
CAS: 67-56-1	Methanol	7200* ppm	
CAS: 7782-61-8	Ferric Nitrate	640 mg/m ³	
CAS: 7697-37-2	Nitric Acid	92 ppm	
CAS: 592-85-8	Mercuric Thiocyanate	44 mg/m ³	

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
- At this time, the remaining constituent has no known exposure limits.

CAS: 67-56-1 Methanol

Skin; BEI

PELLong-term value: 260 mg/m³, 200 ppmRELShort-term value: 325 mg/m³, 250 ppmLong-term value: 260 mg/m³, 200 ppmSkinTLVShort-term value: 250 ppmLong-term value: 200 ppm

(Contd. on page 5)

US

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

CAS	(Contd. of page 4 (Contd. of page 4
	Long-term value: 5 mg/m ³ , 2 ppm
	Short-term value: 10 mg/m ³ , 4 ppm
ΛEL	Long-term value: 5 mg/m ³ , 2 ppm
TIV	Short-term value: (4) NIC-0.025* ppm
11.7	Long-term value: (2) ppm
	*inh. fraction + vapor
· Ingre	dients with biological limit values:
CAS:	67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
· Addi	tional information: The lists that were valid during the creation were used as basis.
· Expo	sure controls
	onal protective equipment:
	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	thing equipment:
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	ratory protective device that is independent of circulating air. Action of hands:
1100	cuon of numus.
- Churk	Protective gloves
The c	love material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	ical mixture.
	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	rial of gloves
	election of the suitable gloves does not only depend on the material, but also on further marks of quality an
	s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
	love material can not be calculated in advance and has therefore to be checked prior to the application.
	tration time of glove material
The e	exact break through time has to be found out by the manufacturer of the protective gloves and has to b
	vea. protection:
Lyep	
$\left(\right)$	
ĊŪ	Tightly sealed goggles
. Rody	protection: Protective work clothing
Douv	

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

(Contd. of page 5)

Information on basic physical and o	chemical properties
General Information	
Appearance:	
Form: Color:	Liquid Clear orange-brown
Odor:	Methanol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	0.99173 g/cm ³ (8.27599 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	6.0 %
Water:	92.2 %
VOC content:	5.96 %
	59.1 g/l / 0.49 lb/gal
Solids content:	1.6 %
Other information	No further relevant information available.

(Contd. on page 7)

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	1,678 mg/kg
	LD50	5,033 mg/kg
Inhalative	LC50/4h	48 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 8)

⁻ US

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN3287
UN proper shipping name DOT IMDG, IATA	Toxic liquid, inorganic, n.o.s. (Mercuric Thiocyanate) TOXIC LIQUID, INORGANIC, N.O.S. (Mercuric Thiocyanate)
Transport hazard class(es)	
DOT	
TOXIC 6	
	6.1 Toxic substances
Label	6.1
C 1455	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-A
	(SGG7) Heavy metals and their salts (including the organometallic compounds)
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

(Contd. of page 8
Not applicable.
On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L
5L
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (MERCURIC THIOCYANATE), 6.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Section 355 (extr	emely hazardous substances):	
CAS: 7697-37-2	Nitric Acid	
Section 313 (Spec	cific toxic chemical listings):	
CAS: 67-56-1	Methanol	
CAS: 7782-61-8	Ferric Nitrate	
CAS: 7697-37-2	Nitric Acid	
CAS: 592-85-8	Mercuric Thiocyanate	
TSCA (Toxic Sul	ostances Control Act):	
Water		ACTIV
Methanol		ACTIV
Nitric Acid		ACTIV
Mercuric Thiocya	nate	ACTIV
Hazardous Air P	ollutants	
CAS: 67-56-1 N	<i>Iethanol</i>	
CAS: 592-85-8 M	Iercuric Thiocyanate	
Proposition 65		
Chemicals known	to cause cancer:	
None of the ingre	dients is listed.	
Chemicals known	to cause reproductive toxicity for females:	
None of the ingre	dients is listed.	
Chemicals known	to cause reproductive toxicity for males:	
None of the ingre	dients is listed.	
Chemicals known	ı to cause developmental toxicity:	
CAS: 67-56-1 N	1ethanol	

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

CAS: 592-85-8 Mercuric Thiocyanate

· Carcinogenic categories

 \cdot EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. May cause damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed or concerned: Call a poison center/doctor. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 11)

US -

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Color Reagent

Date of preparation / last revision	
Revision 1.0 05/22/2023, reviewed SDS for accuracy. S.T.N.	
Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN	
Creation date for SDS 08-22-2014. STN	
05/22/2023	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) – Category 2	
* Data compared to the previous version altered.	
	US