Printing date 04/22/2021

1 Identification

Reviewed on 04/22/2021

	r Naptholbenzein Indicator Iution (Special)	
Article number:		
	pplier of the safety data sheet upplier: Inc. 25	AQUA SOLUTIONS
Information depu Technical Coord Sherman Nelson Emergency telep Chemtrec: 800-4 Canutec: 613-99	inator sherman@aquasolutions.org hone number: 24-9300	
Hazard(s) iden	ntification	
Classification of	the substance or mixture	
GHS02	2 Flame	
Flam. Liq. 2 H2	25 Highly flammable liquid and vapor.	
GHSUZ	8 Health hazard	
Repr. 2 H3	61 Suspected of damaging fertility or the unborn	child.
-	73 May cause damage to organs through prolong	
Asp. Tox. 1 H3	04 May be fatal if swallowed and enters airways.	
	7	
GHS07	'	
Skin Irrit. 2 H3	15 Causes skin irritation.	
Eye Irrit. 2A H3	19 Causes serious eye irritation.	
STOT SE 3 H3.	36 May cause drowsiness or dizziness.	
Label elements GHS label eleme Hazard pictogram	ents The product is classified and labeled accordin ms	ng to the Globally Harmonized System (GHS
GHS02 GHS0	07 GHS08	
Signal word Dan	ger	
		(Contd. on page

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: a-Naptholbenzein Indicator Solution (Special)

REACTIVITY O Reactivity = 0

(Contd. of page
Hazard-determining components of labeling:
Toluene
Isopropanol
Hazard statements
Highly flammable liquid and vapor.
Causes skin irritation.
Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.
May cause drowsiness or dizziness.
May cause damage to organs through prolonged or repeated exposure.
May be fatal if swallowed and enters airways.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to a
o in eyes. Kinse coullously with water for several minutes. Remove contact tenses, if present and easy to the Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Call a poison center/doctor if you feel unwell.
Get medical advice/attention if you feel unwell.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
Health = 2
$\frac{3}{Fire} = 3$
$\frac{2}{0}$ Reactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH 2 $Health = 2$
Inearth - 2
FIRE 3 Fire = 3

(Contd. on page 3)

- US

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: a-Naptholbenzein Indicator Solution (Special)

(Contd. of page 2)

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:
Dungerous	compone

CAS: 108-88-3	Toluene	52.406%
CAS: 67-63-0	Isopropanol	46.984%
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	0.605%
CAS: 145-50-6	a-Naptholbenzein, Indicator Grade	0.005%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.*

(Contd. on page 4)

US

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: a-Naptholbenzein Indicator Solution (Special)

Wear protective	equipment. Keep unprotected persons away.	
 Environmental 	precautions: Do not allow to enter sewers/ surface or ground water.	
	aterial for containment and cleaning up:	
	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	inated material as waste according to item 13.	
Ensure adequat		
· Reference to ot		
	r information on safe handling.	
•	r information on personal protection equipment.	
	for disposal information.	
· Protective Action	on Criteria for Chemicals	
· PAC-1:		
CAS: 108-88-3	Toluene	67 ppm
CAS: 67-63-0	Isopropanol	400 ppm
· PAC-2:		
CAS: 108-88-3	Toluene	560 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
· PAC-3:		
CAS: 108-88-3	Toluene .	3700* ppm
CAS: 67-63-0	Isopropanol .	12000** ppm

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
 Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: a-Naptholbenzein Indicator Solution (Special)

Cont		(Contd. of page
	ol parameters onents with limit values that require monitoring at the workplace:	
-	108-88-3 Toluene	
	Long-term value: 200 ppm	
	Ceiling limit value: 300; 500* ppm	
	*10-min peak per 8-hr shift	
	Short-term value: 560 mg/m ³ , 150 ppm	
	Long-term value: 375 mg/m ³ , 100 ppm	
	Long-term value: 20 ppm	
	BEI, NIC-OTO	
CAS:	67-63-0 Isopropanol	
	Long-term value: 980 mg/m ³ , 400 ppm	
	Short-term value: 1225 mg/m ³ , 500 ppm	
	Long-term value: 980 mg/m ³ , 400 ppm	
	Short-term value: 984 mg/m ³ , 400 ppm	
	Long-term value: 492 mg/m ³ , 200 ppm	
	BEI	
Ingre	dients with biological limit values:	
-	108-88-3 Toluene	
BEI (0.02 mg/L	
	D50 Intraperitoneal: blood	
1	Fime: prior to last shift of workweek	
1	LD50: Toluene	
	0.03 mg/L	
	D50 Intraperitoneal: urine	
	Fime: end of shift	
	LD50: Toluene	
	0.3 mg/g creatinine	
	LD50 Intraperitoneal: urine Fime: end of shift	
	D50: o-Cresol with hydrolysis (background)	
	67-63-0 Isopropanol	
	10 mg/L	
	D50 Intraperitoneal: urine	
	Fime: end of shift at end of workweek	
1	D50: Acetone (background, nonspecific)	
	ional information: The lists that were valid during the creation were used as basis.	
	sure controls	
	nal protective equipment:	
	ral protective and hygienic measures:	
	away from foodstuffs, beverages and feed. diately remove all soiled and contaminated clothing.	
	hands before breaks and at the end of work.	
	protective clothing separately.	
	contact with the eyes and skin.	
		(Contd. on page

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: a-Naptholbenzein Indicator Solution (Special)

(Contd. of page 5)

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties
General Information	
Appearance:	7 · · · 1
Form:	Liquid
Color:	Light brown
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C (179.6 °F)
Flash point:	4 °C (39.2 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: a-Naptholbenzein Indicator Solution (Special)

	(Contd. of J	page
· Explosion limits:		
<i>Lower:</i>	1.2 Vol %	
Upper:	12 Vol %	
• Vapor pressure at 20 •C (68 •F):	43 hPa (32.3 mm Hg)	
• Density at 20 •C (68 •F):	0.82703 g/cm ³ (6.90157 lbs/gal)	
· Relative density	Not determined.	
Vapor density	Not determined.	
• Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	99.4 %	
Water:	0.6 %	
VOC content:	99.39 %	
	822.0 g/l / 6.86 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 8)

US

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: a-Naptholbenzein Indicator Solution (Special)

(Contd. of page 7)

3

3

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 108-88-3 Toluene

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

• General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· UN-Number	
DOT, IMDG, IATA	UN1993
· UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Toluene, Isopropanol)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (TOLUENE, Isopropanol)

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name:	a-Naptholbenzein	Indicator
	Solution (Special)	

	(Contd. of page
· Transport hazard class(es)	
·DOT	
P.MMABLE LOUD	
•	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
3	
· Class	2 Elammable liquide
· Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
• Hazard identification number (Kemler code)	
· EMS Number:	F-E, <u>S-E</u> B
· Stowage Category	D
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
\cdot Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (TOLUENE
	ISOPROPANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 10)

US

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: α-Naptholbenzein Indicator Solution (Special)

Section 313 (Specific toxic chemical listings):	(Contd. of page
CAS: 108-88-3 Toluene	
CAS: 67-63-0 Isopropanol	
TSCA (Toxic Substances Control Act):	
Toluene	ACTIV
Isopropanol	ACTIV
Water	ACTIV
a-Naptholbenzein, Indicator Grade	ACTIV
Hazardous Air Pollutants	
CAS: 108-88-3 Toluene	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 108-88-3 Toluene	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
CAS: 108-88-3 Toluene	<i>د</i> ا
TLV (Threshold Limit Value)	
CAS: 108-88-3 Toluene	Α
CAS: 67-63-0 Isopropanol	A
NIOSH-Ca (National Institute for Occupational Safety and Health))
None of the ingredients is listed.	

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Toluene Isopropanol
Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness.

(Contd. on page 11)

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: α-Naptholbenzein Indicator Solution (Special)

	(Contd. of page 10)
May cause damage to organs through prolonged or repeated exposure.	
May be fatal if swallowed and enters airways.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/showed	er.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	nt and easy to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Get medical advice/attention if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	ons.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 0.0, 03-17-2021: Creation date for SDS. STN 04/22/2021 / Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods
- IMDG: International Maritime Code for Dangerous GoodsDOT: US Department of TransportationIATA: International Air Transport AssociationEINECS: European Inventory of Existing Commercial Chemical SubstancesELINCS: European List of Notified Chemical SubstancesCAS: Chemical Abstracts Service (division of the American Chemical Society)NFPA: National Fire Protection Association (USA)HMIS: Hazardous Materials Identification System (USA)VOC: Volatile Organic Compounds (USA, EU)PBT: Persistent, Bioaccumulative and ToxicvPvB: very Persistent and very Bioaccumulative

(Contd. on page 12)

⁻ US

Printing date 04/22/2021

Reviewed on 04/22/2021

Trade name: α-Naptholbenzein Indicator Solution (Special)

(Contd. of page 11)

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1