Printing date 01/04/2018

Reviewed on 01/04/2018

### **1 Identification**

- · Product identifier
- Trade name: <u>Nitric Acid 3% v/v</u> <u>Solution</u>
- Article number: SPX122
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA
  800-256-2586

 Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number:

*Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

### 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Danger
- · Hazard-determining components of labeling:
- Nitric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.
- Wash thoroughly after handling.
- Wear protective gloves / eye protection / face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)

US

*Printing date 01/04/2018* 

Trade name: Nitric Acid 3% v/v Solution Reviewed on 01/04/2018

Wash contaminated clothing before reuse.	(Contd. of page 1)
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulat	ions.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = $0$	
3  0  Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 3 $Health = 3$	
FIRE 0 $Fire = 0$	
<b>REACTIVITY</b> $O$ Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
• <b>vPvB:</b> Not applicable.	

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7697-37-2 Nitric Acid

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

### **4** First-aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

4.442%

95.558%

<sup>·</sup> Description of first aid measures

<sup>-</sup> US

(Contd. of page 2)

### Safety Data Sheet acc. to OSHA HCS

Printing date 01/04/2018

Reviewed on 01/04/2018

Trade name: Nitric Acid 3% v/v Solution

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7697-37-2 Nitric Acid	0.16 ppm
· PAC-2:	
CAS: 7697-37-2 Nitric Acid	24 ppm
· PAC-3:	
CAS: 7697-37-2 Nitric Acid	92 ppm

### 7 Handling and storage

#### · Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US –

Printing date 01/04/2018

Reviewed on 01/04/2018

Trade name: Nitric Acid 3% v/v Solution

<ul> <li>Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>CAS: 7697-37-2 Nitric Acid</li> <li>PEL Long-term value: 5 mg/m<sup>2</sup>, 2 ppm</li> <li>REL Short-term value: 10 mg/m<sup>2</sup>, 4 ppm Long-term value: 5 mg/m<sup>2</sup>, 2 ppm</li> <li>REL Short-term value: 10 mg/m<sup>2</sup>, 4 ppm Long-term value: 5.2 mg/m<sup>2</sup>, 2 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing.</li> <li>Wash hands hefore breaks and at the end of work. Avoid contact with the eyes.</li> <li>Avoid contact with the eyes and skin.</li> <li><b>Stretting equipment:</b></li> <li>Maxe of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li><b>Protective gloves</b></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical figures</li> <li>The selection of the suitable gloves so not only depend on the material, but also on further marks of quality and varies from manufacturer. As the product is a preparation of several substance, the resistance of the glove material can be calculated in advance and has therefore to be checked prior to the application.</li> <li><b>Potention in manufacture:</b> As the product is a preparation of several substance, the resistance of the glove material can be calculated in advance and has therefore to be checked prior to the application.</li> <li><b>Potention time of glove material</b></li> <li><b>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</b></li> <li><b>Potention:</b>&lt;</li></ul>	
Components with limit values that require monitoring at the workplace:     CAS: 7097-37-2 Nitric Acid     PEL Long-term value: 5 mg/m <sup>2</sup> , 2 ppm     REL Short-term value: 10 mg/m <sup>2</sup> , 4 ppm     Long-term value: 5 mg/m <sup>2</sup> , 2 ppm     TV Short-term value: 5 mg/m <sup>2</sup> , 2 ppm     Additional information: The lists that were valid during the creation were used as basis.     Exposure controls     Personal protective equipment:     General protective equipment:     In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use     respiratory protective gloves     Protectine gloves     The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.     Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.     Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation     Material of gloves     The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and     varies from manufacturer to manufacturer. As the product is the resultance of     the glove material can not be calculated in advance and has therefore to be checked prior to the application.     Penetration time of glove material     can be found out by the manufacturer of the protective gloves and has to be     observed.	(Contd. of page 3)
CAS: 7697-37-2 Nitrie Acid         PEL       Long-term value: 5 mg/m <sup>3</sup> , 2 ppm         REL       Short-term value: 5 mg/m <sup>3</sup> , 2 ppm         TIV       Short-term value: 10 mg/m <sup>3</sup> , 4 ppm         Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm         TV       Short-term value: 10 mg/m <sup>3</sup> , 4 ppm         Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective and hygienic measures:         Keep away from foodstuffs, beverages and feed.         Immediately remove all solied and contaminated clothing.         Wash hands before breaks and at the end of work.         Avoid contact with the eyes.         Avoid contact with the eyes and skin.         Breathing equipment:         In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.         Protection of hands:         Virol         Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.         Selection of the suitable gloves does not only depend on the material, but also on further mar	-
PEL       Long-term value: 5 mg/m³, 2 ppm         REL       Short-term value: 10 mg/m³, 4 ppm         Long-term value: 5.2 mg/m³, 2 ppm         VIV       Short-term value: 5.2 mg/m³, 2 ppm         • Additional information: The lists that were valid during the creation were used as basis.         • Exposure controls         • Personal protective equipment:         • General protective equipment:         • Maintains before breaks and at the end of work.         Avoid contact with the eyes.         • Protection of hands: <ul> <li>Protective gloves</li> <li>Protective gloves</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the chemical mixture.</li> <li>Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substance, she resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the applica</li></ul>	
<ul> <li>REZ Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm</li> <li>TV Short-term value: 5 mg/m<sup>3</sup>, 2 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>Exposure controls</li> <li>Personal protective equipment:</li> <li>Concernal protective and hygienic measures: Keep away from foodstiffs, beverages and feed. Immediately remove all solied and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes. Avoid contact with the eyes and skin.</li> <li>Trachting equipment: More and the eyes on skin.</li> <li>Pretective gloves</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Offarcial of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the existence of the existence of the existence of the substance of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Protection fitting the has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Centrection fitting the has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Congretorial can not be calculated by the theory of the protective gloves and has to be observed.</li> <li>Centrection fitting the has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Centrection: Protective work clothing.</li> <li>Centrection: Protective work clothing.</li> </ul>	
Long-term value: 5 mg/m², 2 ppm         Short-term value: 10 mg/m², 4 ppm Long-term value: 5.2 mg/m², 2 ppm         • Additional information: The lists that were valid during the creation were used as basis.         • Exposure controls         • Personal protective equipment:         • Concert and the equipment:         • Concert and the equipment:         • Concert and protective equipment:         • Concert and the equipment:         • Concert and the stop ton pollution use respi	
<ul> <li>The second protective of the second protective device that is independent of the product of the product of the preparation of the glove material can be glove material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substance, the resistance of the glove material can on be calculated in advance and has therefore to be checked prior to the application.</li> <li>Cherotion time of glove material </li></ul>	
<ul> <li>Long-term value: 5.2 mg/m<sup>2</sup>, 2 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solided and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.</li> <li>Avoid contact with the eyes and skin.</li> <li>Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li>Protection of hands:</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation</li> <li>Marcial of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of selected substance, the resistance of the discustance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Expendence:</li> <li>Expendence:</li> <li>Fightly sealed goggles</li> <li>Guore the protection: Protective work clothing:</li> </ul>	
<ul> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>Exposure controls</li> <li>Personal protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes.</li> <li>Avoid contact with the eyes and skin.</li> <li>Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li>Protection of hands:</li> <li>Protection of hands:</li> <li>Device gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material</li> <li>Penetration time of glove material</li> <li>The selection of the suitable gloves does not only depend on the manufacturer of the protective gloves and has to be observed.</li> <li>Fenetration time of glove material</li> <li>The selection:</li> <li>The selection:</li> <li>The state through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Expertence:</li> <li>The protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> <li>Protection:</li> </ul>	
<ul> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>Keep away from foodstiffs, beverages and feed.</li> <li>Immediately remove all soiled and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes and skin.</li> <li><b>Teathing equipment:</b></li> <li>In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li><b>Protection of hands:</b></li> <li>Protective device that is independent of circulating air.</li> <li>Protection of hands:</li> <li>Protective device that is independent of circulating air.</li> <li>Protection of hands:</li> <li>Protective device that is independent of circulating air.</li> <li>Protection of hands:</li> <li>Protective device that is independent of circulating air.</li> <li>Protection of hands:</li> <li>Protective device that is independent of circulating air.</li> <li>Protection of hands:</li> <li>Protective device and the end of work exponentiation to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Pretertion time of glove material</li> <li>Protection:</li> <li>Prot</li></ul>	
<ul> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>Keep away from foodstiffs, beverages and fed.</li> <li>Immediately remove all soiled and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes and skin.</li> <li><b>Treathing equipment:</b></li> <li>In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li><b>Protection of hands:</b></li> <li><b>Protection of hands:</b></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li><b>Pertertion time of glove material</b></li> <li><b>Autoral of glove material</b></li> <li><b>Autora</b></li></ul>	Exposure controls
<ul> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Immediately remove all solied and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes and skin.</li> <li><b>9 Earthing equipment:</b></li> <li>In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li><b>9 Protection of hands:</b></li> <li><b>10 Formation of provide statistical stati</b></li></ul>	
Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. <b>Freathing equipment:</b> In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. <b>Protection of hands:</b> <i>Protection of hands:</i> The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Penetration:</b> <b>Pightly sealed goggles</b> <b>Pightly sealed goggles</b>	
<ul> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes and skin.</li> <li><b>Breatling equipment:</b></li> <li>In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li><b>Protection of hands:</b></li> <li><b>Protective gloves</b></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li><b>Matrial of gloves</b></li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li><b>Penetration time of glove material</b></li> <li><b>Penetration time of glove material</b></li> <li><b>Penetration:</b></li> <li><b>Pign protection:</b></li> <li><b>Pign protection:</b></li> <li><b>Pign protection:</b></li> <li><b>Protection:</b></li> <li><b>Protec</b></li></ul>	
<ul> <li>Avoid contact with the eyes.</li> <li>Avoid contact with the eyes and skin.</li> <li><b>Breathing equipment:</b></li> <li>In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li><b>Protection of hands:</b></li> <li><b>With Section of Context and Section 1</b></li> <li><b>Protective gloves</b></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation</li> <li><b>Material of gloves</b></li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li><b>Penetration time of glove material</b></li> <li><b>Deserved.</b></li> <li><b>Eye protection:</b></li> <li><b>Distribution:</b></li> &lt;</ul>	
<ul> <li>Avoid contact with the eyes and skin.</li> <li>Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li>Protection of hands:</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The proteomediation to the glove material can be given for the product/ the preparation.</li> <li>Belection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.</li> <li>Protection of hands: Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Experiments: Tightly sealed goggles . Body protection: Protective work clothing</li></ul>	
<ul> <li>respiratory protective device that is independent of circulating air.</li> <li>Protection of hands:</li> <li><i>Protection of hands:</i></li> <li><i>Protective gloves</i></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li><i>Penetration time of glove material</i></li> <li>the exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	Breathing equipment:
<ul> <li>Protection of hands:</li> <li><i>Protective gloves</i></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Experiment.</li> <li>Fightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation of the glove material of gloves</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>the exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Experiments</li> <li>Tightly sealed goggles</li> <li>desting the protection: Protective work clothing</li> </ul>	
<ul> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Experimental can be calculated by the manufacturer of the protective gloves and has to be observed.</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	· Protection of nanas:
<ul> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Experimental can be calculated by the manufacturer of the protective gloves and has to be observed.</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	Protective gloves
<ul> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
<ul> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. </li> <li>Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. </li> <li>Eye protection: Tightly sealed goggles </li> <li>Body protection: Protective work clothing</li></ul>	
<ul> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: <ul> <li>Tightly sealed goggles</li> </ul> </li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	
observed. • Eye protection: Tightly sealed goggles • Body protection: Protective work clothing	
<ul> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work clothing</li> </ul>	
• Body protection: Protective work clothing	
• Body protection: Protective work clothing	· Eye protection:
• Body protection: Protective work clothing	
US	Tightly sealed goggles
US	
US- (Contd. on page 5)	· Body protection: Protective work clothing
	US (Contd. on page 5)

Printing date 01/04/2018

Trade name: Nitric Acid 3% v/v Solution Reviewed on 01/04/2018

(Contd. of page 4)

Information on basic physical and c	hemical properties	
General Information	πεπικαι ρισρειτικο	
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	<2	
· Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.01509 g/cm³ (8.47093 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	95.6 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

(Contd. on page 6)

US

Printing date 01/04/2018

· Chemical stability

Reviewed on 01/04/2018

(Contd. of page 5)

Trade name: Nitric Acid 3% v/v Solution

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 7)

(Contd. of page 6)

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/04/2018

Reviewed on 01/04/2018

Trade name: Nitric Acid 3% v/v Solution

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN3264
· UN proper shipping name · DOT · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITR ACID)
• Transport hazard class(es)	
DOT	
CORROSIVE	8 Corrosive substances
· Label	8
- Class	8 Corrosive substances
· Label	8
· Packing group · DOT, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F- $A$ , $S$ - $B$
<ul> <li>Segregation groups</li> <li>Stowage Category</li> </ul>	Acids A

US

Printing date 01/04/2018

Reviewed on 01/04/2018

Trade name: Nitric Acid 3% v/v Solution

	(Contd. of page
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(EQ)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
	(NITRIC ACID), 8, III

### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

 Section 355 (extremely hazardous substances): CAS: 7697-37-2 Nitric Acid

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 Nitric Acid

· TSCA (Toxic Substances Control Act):

Nitric Acid

Water

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 01/04/2018

Reviewed on 01/04/2018

Trade name: Nitric Acid 3% v/v Solution

(Contd. of page 8) • *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

- Hazard-determining components of labeling: Nitric Acid
- *Hazard statements Causes severe skin burns and eye damage.*
- · Precautionary statements
- Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- Immediately call a poison center/doctor.
- Specific treatment (see on this label).
- Wash contaminated clothing before reuse.

Store locked up.

- Dispose of contents/container in accordance with local/regional/national/international regulations.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision 01-04-2018: review SDS for accuracy. STN Creation date for SDS 04-06-2015. STN 01/04/2018 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances
- EINECS: European Inventory of Existing Commercial Ch ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 10)

Printing date 01/04/2018

Trade name: Nitric Acid 3% v/v Solution Reviewed on 01/04/2018

(Contd. of page 9)

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1